

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

UFI: TU55-12MP-U00V-JYFC

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
|                         | ACD                              |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| E-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| E-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290

Skin Corr. 1A; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

sulphuric acid

Signal word: Danger

###### Pictograms:



**Safety Data Sheet**

according to UK REACH Regulation

**Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose**

Revision date: 10.01.2024

Product code: 24260

Page 2 of 12

**Hazard statements**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Relevant ingredients**

| CAS No    | Chemical name   |              |                  | Quantity    |
|-----------|---|--------------|------------------|-------------|
|           | EC No   | Index No     | REACH No         |             |
|           | Classification (GB CLP Regulation)                      |              |                  |             |
| 7664-93-9 | sulphuric acid  |              |                  | 80 - < 85 % |
|           | 231-639-5   | 016-020-00-8 | 01-2119458838-20 |             |
|           | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 |              |                  |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No    | EC No  | Chemical name  | Quantity    |
|-----------|--|----------------|-------------|
|           | Specific Conc. Limits, M-factors and ATE   |                |             |
| 7664-93-9 | 231-639-5  | sulphuric acid | 80 - < 85 % |
|           | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15<br>Eye Irrit. 2; H319: >= 5 - < 15 |                |             |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 3 of 12

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes.

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 4 of 12

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

##### **Further information on handling**

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

Unsuitable container/equipment material: Metal

##### **Hints on joint storage**

national regulations

##### **Further information on storage conditions**

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.

#### **7.3. Specific end use(s)**

Laboratory chemicals

**Safety Data Sheet**

according to UK REACH Regulation

**Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose**

Revision date: 10.01.2024

Product code: 24260

Page 5 of 12

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

| CAS No    | Substance             | ppm | mg/m <sup>3</sup> | fibres/ml | Category  | Origin |
|-----------|-----------------------|-----|-------------------|-----------|-----------|--------|
| 7664-93-9 | Sulphuric acid (mist) | -   | 0.05              |           | TWA (8 h) | WEL    |

**DNEL/DMEL values**

| CAS No                 | Substance      | Exposure route | Effect | Value                  |
|------------------------|----------------|----------------|--------|------------------------|
| 7664-93-9              | sulphuric acid |                |        |                        |
| Worker DNEL, long-term |                | inhalation     | local  | 0,05 mg/m <sup>3</sup> |
| Worker DNEL, acute     |                | inhalation     | local  | 0,1 mg/m <sup>3</sup>  |

**PNEC values**

| CAS No   | Substance      | Value       |
|--|----------------|-------------|
| 7664-93-9  | sulphuric acid |             |
| Freshwater                                       |                | 0,003 mg/l  |
| Marine water                                     |                | 0 mg/l      |
| Freshwater sediment                              |                | 0,002 mg/kg |
| Marine sediment                                  |                | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |                | 8,8 mg/l    |

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection:

goggles

Face protection shield

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm

Wearing time with permanent contact: > 480 min

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 6 of 12

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: ABEK

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |                          |
|---|-------------------|--------------------------|
| Physical state:   | Liquid            |                          |
| Colour:   | colourless        |                          |
| Odour:  | odourless         |                          |
| Odour threshold:  | No data available |                          |
| Melting point/freezing point:                             |                   | No data available        |
| Boiling point or initial boiling point and boiling range: |                   | No data available        |
| Flammability:   |                   | No data available        |
| Lower explosion limits:                                   |                   | No data available        |
| Upper explosion limits:                                   |                   | No data available        |
| Flash point:  |                   | X                        |
| Auto-ignition temperature:                                |                   | No data available        |
| Decomposition temperature:                                |                   | No data available        |
| pH-Value:   |                   | 0                        |
| Viscosity / kinematic:                                    |                   | No data available        |
| Water solubility:   |                   | very soluble (Heat)      |
| Solubility in other solvents                              |                   |                          |
| No data available   |                   |                          |
| Dissolution rate:   |                   | No data available        |
| Partition coefficient n-octanol/water:                    |                   | No data available        |
| Dispersion stability:                                     |                   | No data available        |
| Vapour pressure:  |                   | No data available        |
| Vapour pressure:  |                   | No data available        |
| Density:  |                   | 1,7522 g/cm <sup>3</sup> |
| Relative density:   |                   | No data available        |
| Bulk density:   |                   | No data available        |
| Relative vapour density:                                  |                   | No data available        |
| Particle characteristics:                                 |                   | No data available        |

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 7 of 12

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

##### Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

##### Further Information

No data available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Corrosive to metals.

Oxidising agent, strong

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with:

Water, Alkali metals, Ammonia

aldehydes, Alkaline earth metal, Acids

Alkali (lye), Metal,

Phosphorus oxides, Combustible substance

Solvent, Aniline, permanganates, e.g. potassium permanganate

Peroxides, Amines, Carbide

peroxides, for example hydrogen peroxide , Nitriles

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Cellulose

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available

**Safety Data Sheet**

according to UK REACH Regulation

**Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose**

Revision date: 10.01.2024

Product code: 24260

Page 8 of 12

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Irritation to respiratory tract (Cough, Dyspnoea)

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Other dangerous properties can not be excluded.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Chemical name  |                 |         |  |  |
|-----------|----------------|-----------------|---------|--|--|
|           | Exposure route | Dose            | Species | Source                                   | Method                                   |
| 7664-93-9 | sulphuric acid |                 |         |  |  |
|           | oral           | LD50 2140 mg/kg | Rat     | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a ser |

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

Risk of serious damage to eyes.



**Safety Data Sheet**

according to UK REACH Regulation

**Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose**

Revision date: 10.01.2024

Product code: 24260

Page 9 of 12

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Vomiting  
Gastric perforation  
Nausea  
Abdominal pain

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name            |                  |           |                         |   |                                    |
|-----------|--------------------------|------------------|-----------|-------------------------|---|------------------------------------|
|           | Aquatic toxicity         | Dose             | [h]   [d] | Species                 | Source                                  | Method                             |
| 7664-93-9 | sulphuric acid           |                  |           |                         |   |                                    |
|           | Acute algae toxicity     | ErC50 > 100 mg/l | 72 h      | Desmodesmus subspicatus | Study report (2009)                     | OECD Guideline 201                 |
|           | Acute crustacea toxicity | EC50 > 100 mg/l  | 48 h      | Daphnia magna           | Study report (2009)                     | OECD Guideline 202                 |
|           | Fish toxicity            | NOEC 0,025 mg/l  | 65 d      | Jordanella floridae     | Water Research Vol. 11, 612 - 626, 1977 | Groups of sexually mature flagfish |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.  
Harmful effect due to pH shift.  
Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not mix with other wastes.  
Do not allow to enter into surface water or drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity

**Safety Data Sheet**

according to UK REACH Regulation

**Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose**

Revision date: 10.01.2024

Product code: 24260

Page 10 of 12

numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 1830        |
| <b>14.2. UN proper shipping name:</b>    | SULPHURIC ACID |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Classification code:                     | C1             |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |
| Transport category:                      | 2              |
| Hazard No:                               | 80             |
| Tunnel restriction code:                 | E              |

**Inland waterways transport (ADN)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 1830        |
| <b>14.2. UN proper shipping name:</b>    | Sulphuric acid |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Classification code:                     | C1             |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |

**Marine transport (IMDG)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 1830        |
| <b>14.2. UN proper shipping name:</b>    | Sulphuric acid |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Special Provisions:                      | -              |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |
| EmS:                                     | F-A, S-B       |

**Air transport (ICAO-TI/IATA-DGR)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 1830        |
| <b>14.2. UN proper shipping name:</b>    | SULPHURIC ACID |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Limited quantity Passenger:              | 0.5 L          |
| Passenger LQ:                            | Y840           |
| Excepted quantity:                       | E2             |
| IATA-packing instructions - Passenger:   | 851            |
| IATA-max. quantity - Passenger:          | 1 L            |
| IATA-packing instructions - Cargo:       | 855            |
| IATA-max. quantity - Cargo:              | 30 L           |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 11 of 12

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals

Skin Corr: Skin corrosion

Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1A; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

## Safety Data Sheet

according to UK REACH Regulation

### Diphenylamin-Reagenz 0,05 % in Schwefelsäure 82,5 % zum Nachweis von Nitrocellulose

Revision date: 10.01.2024

Product code: 24260

Page 12 of 12

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*