

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

sodium hydrogensulphite; sodium bisulphite 40 %

Signal word: Danger

Pictograms:



Hazard statements

H302

Harmful if swallowed.

H318

Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 2 of 12

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

- EUH031 Contact with acids liberates toxic gas.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7631-90-5	sodium hydrogensulphite . . . %			40 - < 45 %
	231-548-0	016-064-00-8	01-2119524563-42	
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031			
7446-09-5	sulphur dioxide			< 1 %
	231-195-2	016-011-00-9		
	Compressed gas, Acute Tox. 3, Skin Corr. 1B; H280 H331 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7631-90-5	231-548-0	sodium hydrogensulphite . . . %	40 - < 45 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1420 mg/kg	
7446-09-5	231-195-2	sulphur dioxide	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists)	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 3 of 12

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Cough
Dyspnoea
Headache
Gastrointestinal complaints
Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 4 of 12

Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.
Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.
Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place.

Further information on storage conditions

Keep container tightly closed.
storage temperature: < 30°C.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
7631-90-5	Sodium hydrogensulphite	-	5		TWA (8 h)	
7446-09-5	Sulphur dioxide	0.5	1.3		TWA (8 h)	
		1	2.7		STEL (15 min)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 5 of 12

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7631-90-5	sodium hydrogensulphite . . . %			
Worker DNEL, long-term		inhalation	systemic	246 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	73 mg/m ³
Consumer DNEL, long-term		oral	systemic	9,5 mg/kg bw/day

PNEC values

CAS No	Substance	Value
7631-90-5	sodium hydrogensulphite . . . %	
Freshwater		1,09 mg/l
Marine water		0,11 mg/l
Micro-organisms in sewage treatment plants (STP)		10,71 mg/l

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 6 of 12

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	stinging
Odour threshold:	not determined
Melting point/freezing point:	-44 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	>150 °C
pH-Value:	acidic
Viscosity / kinematic:	not determined
Water solubility:	easily soluble
Solubility in other solvents	not determined
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	not determined
Vapour pressure:	~40 hPa
(at 20 °C)	
Vapour pressure:	not determined
Density:	~1,35 g/cm ³
Relative density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	not determined
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not determined
Gas:	not applicable
Oxidizing properties	
No data available	

Other safety characteristics

Evaporation rate:	not determined
-------------------	----------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 7 of 12

Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic: (at 20 °C)	~4,3 mPa·s
Flow time:	not determined

Further Information

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Acid
Oxidising agent
peroxides, for example hydrogen peroxide
Nitrite

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 8 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7631-90-5	sodium hydrogensulphite . . . %				
	oral	LD50 1420 mg/kg	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2009)	OECD Guideline 402
7446-09-5	sulphur dioxide				
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Irritant
Cough
Dyspnoea
Headache
Gastrointestinal complaints
Vomiting

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7631-90-5	sodium hydrogensulphite . . . %					
	Acute fish toxicity	LC50 > 215 - < 464 mg/l	96 h	Leuciscus idus	Study report (1989)	other: German industrial standard test g
	Acute algae toxicity	ErC50 43,8 mg/l	72 h	Desmodesmus subspicatus	Study report (1989)	OECD Guideline 201
	Acute crustacea toxicity	EC50 89 mg/l	48 h	Daphnia magna	Study report (1990)	other: 79/831/EEC, appendix V, part C
	Fish toxicity	NOEC >= 316 mg/l	34 d	Danio rerio	Study report (2010)	OECD Guideline 210
	Crustacea toxicity	NOEC > 10 mg/l	21 d	Daphnia magna	Study report (1993)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 10 of 12

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2693
14.2. UN proper shipping name:	BISULPHITES, AQUEOUS SOLUTION, N.O.S. (sodium hydrogensulphite; sodium bisulphite 40 %)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 2693
14.2. UN proper shipping name:	BISULPHITES, AQUEOUS SOLUTION, N.O.S. (sodium hydrogensulphite; sodium bisulphite 40 %)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 2693
14.2. UN proper shipping name:	BISULPHITES, AQUEOUS SOLUTION, N.O.S. (sodium hydrogensulphite; sodium bisulphite 40 %)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 2693
14.2. UN proper shipping name:	BISULPHITES, AQUEOUS SOLUTION, N.O.S. (sodium hydrogensulphite; sodium bisulphite 40 %)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

14.5. Environmental hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 11 of 12

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Compressed gas: Compressed gas

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH031	Contact with acids liberates toxic gas.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium bisulfite solution approx. 40 % (sodium hydrogen sulfite) equals approx. 25 % SO₂ technical g

Revision date: 08.09.2023

Product code: 24292

Page 12 of 12

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)