

o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 Carc. 1B; H350 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol o-toluidine

Signal word: Pictograms: Danger



Hazard statements

H225

Highly flammable liquid and vapour.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023	Product code: 24298	Page 2 of 13
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H350	May cause cancer.	
Precautionary statemer	ts	
P201	Obtain special instructions before use.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P403+P235	Store in a well-ventilated place. Keep cool.	

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulat					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit.	2, STOT SE 3; H225 H319 H336				
95-53-4	o-toluidine			< 1 %		
	202-429-0	612-091-00-X				
	Carc. 1B, Acute Tox. 3, Acute Tox. 3, Eye Irrit. 2, Aquatic Acute 1; H350 H331 H301 H319 H400					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
95-53-4	202-429-0	o-toluidine	< 1 %
		= 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = al: LD50 = 750 mg/kg	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: o-toluidine; 2-aminotoluene

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water



Safety Data Sheet

according to Regulation (EC) No 1907/2006

o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 3 of 13

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 4 of 13

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Store in a place accessible by authorized persons only.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 5 of 13

Further information on storage conditions

Vapours may form explosive mixtures with air.

7.3. Specific end use(s)

Laboratory use Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
95-53-4	o-Toluidine	0.1	0.5		TWA (8 h)	
67-63-0	Propan-2-ol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-63-0	2-Propanol	Acetone	40 mg/L	-	End of shift at end of workweek

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³			
Worker DNEL,	long-term	dermal	systemic	888 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	89 mg/m³			
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	26 mg/kg bw/day			



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 6 of 13

PNEC values

CAS No	Substance					
Environment	tal compartment	Value				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Freshwater		140,9 mg/l				
Freshwater (reshwater (intermittent releases)					
Marine wate	r	140,9 mg/l				
Freshwater s	sediment	552 mg/kg				
Marine sedin	nent	552 mg/kg				
Secondary p	160 mg/kg					
Micro-organi	2251 mg/l					
Soil		28 mg/kg				
95-53-4	o-toluidine					
Freshwater		0 mg/l				
Freshwater ((intermittent releases)	0,005 mg/l				
Marine wate	r	0 mg/l				
Freshwater s	sediment	0,002 mg/kg				
Marine sediment 0 m						
Micro-organisms in sewage treatment plants (STP) 15,5 mg						
Soil		0 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 7 of 13

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and		
Physical state: Colour:	Liquid clear	
Odour:	like: Alcohol	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and	d	82 °C
boiling range:	-	
Flammability:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		12 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,786 g/cm ³
Bulk density:		No data available
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
Vapours can form explosive mixto	ures with air.	
Sustaining combustion:		Sustaining combustion
Self-ignition temperature		,
Solid: Gas:		not applicable
Oxidizing properties		not applicable
Not oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		No data available
Sublimation point:		No data available
Softening point:		No data available



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023	Product code: 24298	Page 8 of 13
Pour point:	No data available	
No data available:		
Viscosity / dynamic: (at 20 °C)	No data available	
Flow time:	No data available	
Further Information		
No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Plastic articles

Rubber articles

10.6. Hazardous decomposition products

Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
95-53-4	o-toluidine						
	oral	LD50 mg/kg	750	Rat	UNEP Publications (1978)	OECD Guideline 401	
	dermal	LD50 mg/kg	3250	Rabbit	Am Ind Hyg Ass J 23 95-107 (1962)	according to Draize et al., J.Pharmacol.	
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0,5 mg/l				



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 9 of 13

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (o-toluidine)

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 10 of 13

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol					
	Acute fish toxicity	LC50 mg/l	10000	96 h	Pimephales promelas	Publication (1983)	OECD Guideline 203	
95-53-4	o-toluidine							
	Acute fish toxicity	LC50 mg/l	82,5	96 h	Leuciscus idus	UNEP Publications (1982)	other: DIN 38412 P 15	
	Acute algae toxicity	ErC50 mg/l	30,9	72 h	Pseudokirchneriella subcapitata	UNEP Publications (1996)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,52	48 h	Daphnia magna	UNEP Publications (1986)	other: Dutch Standardization Organizatio	
	Crustacea toxicity	NOEC mg/l	0,013	21 d	Daphnia magna	UNEP Publications (1996)	OECD Guideline 211	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05
95-53-4	o-toluidine	1,4
BCE		

BCF

CAS No	Chemical name	BCF	Species	Source
95-53-4	o-toluidine	< 1,3	Cyprinus carpio	http://www.safe.nite

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not empty into drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date: 04.07.2023

Product code: 24298

Page 11 of 13

to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1219
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Classification code:	F1
Special Provisions:	601
Limited quantity:	1L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1219
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):	3
14.4. Packing group:	П
Hazard label:	3
Classification code:	F1
Special Provisions:	601
Limited quantity:	1 L
Excepted quantity:	E2
,	
Marine transport (IMDG)	111 1010
14.1. UN number or ID number:	
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Special Provisions:	-
Limited quantity:	1L
Excepted quantity:	E2
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	UN 1219
14.2. UN proper shipping name:	ISOPROPANOL
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	A180
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L
14.5 Environmental bazards	

14.5. Environmental hazards



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent so	olution
Revision date: 04.07.2023	Product code: 24298	Page 12 of 13
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: Combustible liquid.		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Authorisations (REACH, annex XIV):		
Substances of very high concern, SVH	C (REACH, article 59):	
o-toluidine		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 28, Entry 40		
Information according to 2012/18/EU	P5c FLAMMABLE LIQUIDS	
(SEVESO III):		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the work protection guideline' (94/33/EC).	'juvenile
Water hazard class (D):	3 - highly hazardous to water	
15.2. Chemical safety assessment		
For this substance a chemical safety as	sessment has not been carried out.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Flam. Lig: Flammable liquid Acute Tox: Acute toxicity Eye Irrit: Eye irritation Carc: Carcinogenicity STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
Carc. 1B; H350	Calculation method
STOT SE 3; H336	Calculation method



o-Tolidine solution 0.5 % (m/V) in 2-propanol suitable as enzyme test reagent solution

Revision date	: 04.07.2023
---------------	--------------

Product code: 24298

Page 13 of 13

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H400	Very toxic to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)