

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Aluminium nitrate nonahydrate > 98% for analysis, ACS

CAS No: 7782-61-8

EC No: 233-899-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Sol. 3; H272

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H272 May intensify fire; oxidiser.

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 2 of 11

H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements

P210
P220 Keep away from clothing and other combustible materials.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: $\text{Fe}(\text{NO}_3)_3 \cdot 9 \text{H}_2\text{O}$
Molecular weight: 403,95 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7782-61-8	Iron(III) nitrate nonahydrate			100 %
	233-899-5			
	Ox. Sol. 3, Skin Irrit. 2, Eye Irrit. 2; H272 H315 H319			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7782-61-8	233-899-5	Iron(III) nitrate nonahydrate	100 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 3 of 11

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Gastrointestinal complaints
Vomiting
Circulatory collapse
Liver and kidney damage
Cardiac arrhythmias
Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids
Oxidizing
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NOx)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.
Avoid contact with skin, eyes and clothes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 4 of 11

Collect in closed and suitable containers for disposal.
Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.
Provide adequate ventilation.
Avoid contact with skin, eyes and clothes.
Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.
Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool place.
Keep container tightly closed and dry.

Further information on storage conditions

storage temperature +5°C - +30°C
Protect against: Light

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
7782-61-8	Iron(III) nitrate nonahydrate		
Worker DNEL, long-term	inhalation	systemic	12 mg/m ³
Worker DNEL, long-term	dermal	systemic	17 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	3 mg/m ³
Consumer DNEL, long-term	dermal	systemic	8,6 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	1,2 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
7782-61-8	Iron(III) nitrate nonahydrate	
Freshwater	0,024 mg/l	
Freshwater (intermittent releases)	0,24 mg/l	
Marine water	0,002 mg/l	
Freshwater sediment	0,2 mg/kg	
Marine sediment	0,02 mg/kg	
Micro-organisms in sewage treatment plants (STP)	500 mg/l	
Soil	0,026 mg/kg	

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact
KCL 741 Dermatril® L
NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact
KCL 741 Dermatril® L
NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.
Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 6 of 11

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	light violet / light blue
Odour:	like: Nitric acid

Changes in the physical state

Melting point/freezing point:	47,2 °C
Boiling point or initial boiling point and boiling range:	125 °C
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
:	No data available
Flash point:	X

Flammability

Solid/liquid:	not determined
Gas:	not applicable

Explosive properties

No data available

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	No data available

Self-ignition temperature

Solid:	not determined
Gas:	not applicable

Decomposition temperature:	100/125 °C
pH-Value (at 20 °C):	~1,3 (100 g/l)
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Water solubility: (at 20 °C)	1500 g/L

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,684 g/cm ³
Bulk density:	~900 kg/m ³
Relative vapour density:	not determined

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 7 of 11

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

The product is: oxidising, Oxidising.

Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

Protect against:

Light

Humidity

10.3. Possibility of hazardous reactions

Oxidising agent

Metal powder

Combustible substance

10.4. Conditions to avoid

Humidity

Light

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7782-61-8	Iron(III) nitrate nonahydrate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2002)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2004)	OECD Guideline 402

Irritation and corrosivity

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 8 of 11

Causes skin irritation.
Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritant
Gastrointestinal complaints
Vomiting
Circulatory collapse
Liver and kidney damage
Cardiac arrhythmias
Methaemoglobinaemia

SECTION 12: Ecological information

12.1. Toxicity

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7782-61-8	Iron(III) nitrate nonahydrate					
	Acute fish toxicity	LC50 mg/l	1010	96 h	Pimephales promelas	Scott, G. & Crunkilton, R. (2000). Acute The study was not carried out to any spe
	Acute algae toxicity	ErC50	130 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2002) OECD Guideline 201
	Acute crustacea toxicity	EC50	611 mg/l	48 h	Daphnia magna	Scott, G. & Crunkilton, R. (2000). Acute The study was not carried out to any spe
	Fish toxicity	NOEC	1,6 mg/l	146 d	Salvelinus namaycush	McGurk, M., Landry, F., Tang, A. & Hanks No specific guideline followed. However,
	Crustacea toxicity	NOEC	8,1 mg/l	21 d	Daphnia magna	Study report (2002) OECD Guideline 211

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 9 of 11

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1466
<u>14.2. UN proper shipping name:</u>	FERRIC NITRATE
<u>14.3. Transport hazard class(es):</u>	5.1
<u>14.4. Packing group:</u>	III
Hazard label:	5.1
Classification code:	O2
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	50
Tunnel restriction code:	E

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 1466
<u>14.2. UN proper shipping name:</u>	FERRIC NITRATE
<u>14.3. Transport hazard class(es):</u>	5.1
<u>14.4. Packing group:</u>	III
Hazard label:	5.1
Classification code:	O2
Limited quantity:	5 kg
Excepted quantity:	E1

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	UN 1466
<u>14.2. UN proper shipping name:</u>	FERRIC NITRATE
<u>14.3. Transport hazard class(es):</u>	5.1
<u>14.4. Packing group:</u>	III

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 10 of 11

Hazard label: 5.1
 Special Provisions: -
 Limited quantity: 5 kg
 Excepted quantity: E1
 EmS: F-A, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1466
14.2. UN proper shipping name: FERRIC NITRATE
14.3. Transport hazard class(es): 5.1
14.4. Packing group: III
 Hazard label: 5.1
 Special Provisions: A803
 Limited quantity Passenger: 10 kg
 Passenger LQ: Y546
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 559
 IATA-max. quantity - Passenger: 25 kg
 IATA-packing instructions - Cargo: 563
 IATA-max. quantity - Cargo: 100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Aluminium nitrate nonahydrate > 98% for analysis, ACS

Revision date: 09.06.2022

Product code: 24332

Page 11 of 11

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.