

according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cadmium chloride anhydrous for analysis

| Substance name: | cadmium chloride |
|-----------------|------------------|
| CAS No: | 10108-64-2 |
| Index No: | 048-008-00-3 |
| EC No: | 233-296-7 |
| | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

| .3. Details of the supplier of the safety data sheet |
|--|
|--|

| 1.3. Details of the supplier of the s | afety data sheet | | | |
|---------------------------------------|---|---|--|--|
| Company name: | AnalytiChem GmbH | | | |
| Street: | Stempelstraße 6 | | | |
| Place: | D-47167 Duisburg | | | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 | | |
| E-mail: | info@analytichem.de | | | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 | | |
| E-mail: | produktsicherheit@analytichem.de | | | |
| Internet: | www.analytichem.de | | | |
| Responsible Department: | Abteilung Produktsicherheit | | | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, | | |
| number: | Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: | | | |
| | 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls | | | |
| | accepted) | | | |

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 1B; H350 Muta. 1B; H340 Repr. 1B; H360FD Acute Tox. 2; H330 Acute Tox. 3; H301 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008 Signal word: Danger



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Pictograms:

Product code: 25168

Page 2 of 11



Hazard statements

| H301 | Toxic if swallowed. |
|--------|---|
| H330 | Fatal if inhaled. |
| H340 | May cause genetic defects. |
| H350 | May cause cancer. |
| H360FD | May damage fertility. May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

Precautionary statements

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|--|
| P201 | Obtain special instructions before use. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P308+P313 P391 | IF exposed or concerned: Get medical advice/attention. Collect spillage. |
| | |

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

| Sum formula: | CdCl2 |
|-------------------|--------------|
| Molecular weight: | 183,32 g/mol |

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|--|--|----------|
| | EC No Index No REACH No | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 10108-64-2 | cadmium chloride | | | 100 % |
| | 233-296-7 048-008-00-3 | | | |
| | Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360FD H330 H301 H372 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

| Specific Cor | nc. Limits, M-fac | tors and ATE | |
|--------------|-------------------|--|----------|
| CAS No | EC No | Chemical name | Quantity |
| | Specific Conc. I | imits, M-factors and ATE | |
| 10108-64-2 | 233-296-7 | cadmium chloride | 100 % |
| | | := 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = rc. 1B; H350: >= 0,01 - 100 STOT RE 1; H372: >= 7 - 100 STOT RE 2; H373: | |

Further Information

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

Fiolect uningu

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Fever Gastrointestinal complaints Vomiting Circulatory collapse Headache Dizziness Dyspnoea Pulmonary oedema

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Hazardous combustion products In case of fire may be liberated: Metal oxide smoke, toxic Hydrogen chloride (HCI)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 4 of 11

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. Avoid dust formation. Do not breathe dust. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 5 of 11

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only. Protect against: Light Humidity Handle and store contents under inert gas. Protect from moisture.

Further information on storage conditions

Store in a dry place. Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

MAK: einatembare Fraktion; vgl.Abschn.XII TRGS 910: Toleranzkonzentration: 0,001 mg/m³, Überschreitungsfaktor: 8 Akzeptanzkonzentration: 0,00016 mg/m³

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 6 of 11

(e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Chemical protection clothing Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: P3

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | solid | |
|--|-------------------|------------------------|
| Colour: | white | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | 568 °C |
| Boiling point or initial boiling point and | | 960 °C |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | 450 g/L |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | 13 hPa |
| (at 656 °C) | | |
| Vapour pressure: | | No data available |
| Density: | | 4,05 g/cm ³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |
| 9.2. Other information | | |
| Information with regard to physical haz | ard classes | |
| Explosive properties | | |
| No data available | | |
| Sustaining combustion: | | No data available |
| Self-ignition temperature | | |
| Solid: | | No data available |
| Gas: | | No data available |
| Oxidizing properties No data available | | |
| ino data avaliable | | |



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 7 of 11

Other safety characteristics Evaporation rate: No data available Solvent separation test: No data available Solvent content: 0 Solid content: 100% Sublimation point: No data available Softening point: No data available No data available Pour point: No data available:

No data available No data available

Further Information

Viscosity / dynamic:

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time:

No data available

10.2. Chemical stability

Protect against: Light Humidity

10.3. Possibility of hazardous reactions

Oxidising agent Boron trifluoride

10.4. Conditions to avoid

Light Humidity

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Fatal if inhaled. Toxic if swallowed. Avoid exposure - obtain special instructions before use.



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 8 of 11

| CAS No | Chemical name | Chemical name | | | | | |
|------------|----------------------|---------------|-----------|---------|--------|--------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 10108-64-2 | cadmium chloride | | | | | | |
| | oral | ATE mg/kg | 100 | | | | |
| | inhalation vapour | ATE | 0,5 mg/l | | | | |
| | inhalation dust/mist | ATE | 0,05 mg/l | | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (cadmium chloride)

May cause cancer. (cadmium chloride)

May damage fertility. May damage the unborn child. (cadmium chloride)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (cadmium chloride)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available

Further information

- Fever
 - Gastrointestinal complaints Vomiting Circulatory collapse Headache Dizziness Dyspnoea Pulmonary oedema

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 9 of 11

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Biokonzentrationsfaktor (BCF): 882

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Send to a hazardous waste incinerator facility under observation of official regulations. Special monitoring requiring wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 2570 |
|--------------------------------------|-------------------------------------|
| 14.2. UN proper shipping name: | CADMIUM COMPOUND (cadmium chloride) |
| 14.3. Transport hazard class(es): | 6.1 |
| 14.4. Packing group: | II |
| Hazard label: | 6.1 |
| Classification code: | T5 |
| Special Provisions: | 274 596 |
| Limited quantity: | 500 g |
| Excepted quantity: | E4 |
| Transport category: | 2 |
| Hazard No: | 60 |
| Tunnel restriction code: | D/E |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number or ID number:</u> | UN 2570 |
| 14.2. UN proper shipping name: | CADMIUM COMPOUND (cadmium chloride) |
| 14.3. Transport hazard class(es): | 6.1 |
| 14.4. Packing group: | 11 |
| Hazard label: | 6.1 |
| Classification code: | Т5 |
| | |



according to Regulation (EC) No 1907/2006

| Cadmium chloride anhydrous for analysis | | | | |
|---|---|---------------|--|--|
| Revision date: 13.07.2023 | Product code: 25168 | Page 10 of 11 | | |
| Special Provisions: | 274 596 802 | | | |
| Limited quantity: | 500 g | | | |
| Excepted quantity: | E4 | | | |
| Marine transport (IMDG) | | | | |
| 14.1. UN number or ID number: | UN 2570 | | | |
| 14.2. UN proper shipping name: | CADMIUM COMPOUND (cadmium chloride) | | | |
| 14.3. Transport hazard class(es): | 6.1 | | | |
| 14.4. Packing group: | | | | |
| Hazard label: | 6.1 | | | |
| Special Provisions: | 274 | | | |
| Limited quantity: | 500 g | | | |
| Excepted quantity: | E4 | | | |
| EmS: | E4 F-A, S-A | | | |
| | 1-7, 3-7 | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | |
| 14.1. UN number or ID number: | UN 2570 | | | |
| 14.2. UN proper shipping name: | CADMIUM COMPOUND (cadmium chloride) | | | |
| 14.3. Transport hazard class(es): | 6.1 | | | |
| 14.4. Packing group: | | | | |
| Hazard label: | 6.1 | | | |
| Special Provisions: | A3 A5 | | | |
| Limited quantity Passenger: | 1 kg | | | |
| Passenger LQ: | Y644 | | | |
| Excepted quantity: | E4 | | | |
| IATA-packing instructions - Passenger: | 669 | | | |
| IATA-max. quantity - Passenger: | 25 kg | | | |
| IATA-packing instructions - Cargo: | 676 | | | |
| IATA-max. quantity - Cargo: | 100 kg | | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | | | |
| Danger releasing substance: | cadmium chloride | | | |
| SECTION 15: Regulatory information | | | | |
| 15.1. Safety, health and environmental regu | lations/legislation specific for the substance or mixture | | | |
| EU regulatory information | | | | |
| | | | | |
| Authorisations (REACH, annex XIV): | | | | |
| | IC (substance of very high concern) in the Candidate List according to | | | |
| Article 59 of REACH. | | | | |
| Restrictions on use (REACH, annex XVII): | | | | |
| Entry 23 | | | | |
| Information according to 2012/18/EU | H2 ACUTE TOXIC | | | |
| (SEVESO III): | | | | |
| Additional information: | E1 | | | |
| | | | | |
| National regulatory information | | | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of abild bearing and | | | |
| Water bazard class (D): | child-bearing age. | | | |
| Water hazard class (D): | 3 - highly hazardous to water | | | |





according to Regulation (EC) No 1907/2006

Cadmium chloride anhydrous for analysis

Revision date: 13.07.2023

Product code: 25168

Page 11 of 11

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 11,12.

Abbreviations and acronyms Acute Tox: Acute toxicity Muta: Germ cell mutagenicity Carc: Carcinogenicity

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

| H301 | Toxic if swallowed. |
|--------|---|
| H330 | Fatal if inhaled. |
| H340 | May cause genetic defects. |
| H350 | May cause cancer. |
| H360FD | May damage fertility. May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.