

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Cerium(III) nitrate hexahydrate for analysis

Substance name: Cerium (III) nitrate hexahydrate
REACH Registration Number: 01-2119971282-37-XXXX
CAS No: 10294-41-4
EC No: 233-297-2

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
E-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
E-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 2; H272

Eye Dam. 1; H318

Aquatic Acute 1; H400

Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 2 of 10

Hazard statements

- H272 May intensify fire; oxidiser.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P220 Keep away from clothing and other combustible materials.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: $Ce(NO_3)_2 \cdot 6H_2O$
Molecular weight: 434,23 g/mol

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	Index No
	Classification (Regulation (EC) No 1272/2008)	REACH No
10294-41-4	Cerium (III) nitrate hexahydrate	100 %
	233-297-2	01-2119971282-37-XXXX
	Ox. Sol. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H318 H400 H410	

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.
Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 3 of 10

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Irritant

Risk of serious damage to eyes.

Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Oxidizing

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 4 of 10

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

Material, oxygen-rich, Oxidising

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Hints on joint storage

Keep away from: Combustible substance

Further information on storage conditions

Keep cool. Protect from sunlight.

storage temperature: +15°C - +25°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

PNEC 0,13 µg/l Süßwasser kurzzeitig (einmalig)

PNEC 0,013 µg/l Meerwasser kurzzeitig (einmalig)

PNEC 9,1 mg/l Kläranlage (STP) kurzzeitig (einmalig)

PNEC 17,1 mg/kg Süßwassersediment kurzzeitig (einmalig)

PNEC 1,71 mg/kg Meeressediment kurzzeitig (einmalig)

PNEC 0,451 mg/kg Boden kurzzeitig (einmalig)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 5 of 10

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Filtering device with filter or ventilator filtering device of type: P1

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	white	
Odour:	No data available	
Odour threshold:	No data available	
Melting point/freezing point:		>140 °C
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 6 of 10

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	X
Auto-ignition temperature:	not determined
Decomposition temperature:	140 °C / 982 hPa °C
pH-Value (at 25 °C):	~3,7 (100 g/l)
Viscosity / kinematic:	not determined
Water solubility:	600 g/L
Solubility in other solvents	
not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	No data available
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	2,4 g/cm ³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	not determined
Particle characteristics:	No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	not determined
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	>400 °C
Gas:	not applicable
Oxidizing properties	
oxidising	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	100%
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic:	not determined
Flow time:	not determined

Further Information

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidizing

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 7 of 10

Combustible substance
Metal powder
Ammonium nitrate
Reducing agent
Strong acid
Cyanides
Strong alkali

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.
oral LD50 4.200 mg/kg Ratte ECHA
dermal LD50 >2.000 mg/kg Ratte ECHA

Irritation and corrosivity

Causes serious eye damage.
Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.
No data available

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 8 of 10

Endocrine disrupting properties

No data available

Further information

Gastrointestinal complaints

Irritant

Risk of serious damage to eyes.

Methaemoglobinaemia

SECTION 12: Ecological information

12.1. Toxicity

LC50 0,13 mg/l Regenbogenforelle wasserfrei ECHA 96 h

EC50 6,9 mg/l Daphnia magna wasserfrei ECHA 48 h

ErC50 0,63 mg/l Alge wasserfrei ECHA 72 h

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1477
14.2. UN proper shipping name:	NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Classification code:	O2
Special Provisions:	511
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	50

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 9 of 10

Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: III
 Hazard label: 5.1
 Classification code: O2
 Special Provisions: 511
 Limited quantity: 5 kg
 Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: III
 Hazard label: 5.1
 Special Provisions: 223
 Limited quantity: 5 kg
 Excepted quantity: E1
 EmS: F-A, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: III
 Hazard label: 5.1
 Special Provisions: A3 A803
 Limited quantity Passenger: 10 kg
 Passenger LQ: Y546
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 559
 IATA-max. quantity - Passenger: 25 kg
 IATA-packing instructions - Cargo: 563
 IATA-max. quantity - Cargo: 100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes
 Danger releasing substance: Cerium (III) nitrate hexahydrate

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS
 Additional information: E1

National regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cerium(III) nitrate hexahydrate for analysis

Revision date: 09.11.2023

Product code: 25217

Page 10 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

Ox. Sol: Oxidising solid

Eye Dam: Eye damage

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.