

Revision date: 08.09.2023

Page 1 of 10

# according to Regulation (EC) No 1907/2006 Sodium benzoate pure

Product code: 25241

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Sodium benzoate pure **REACH Registration Number:** 01-2119460683-35-XXXX CAS No: 532-32-1 EC No: 208-534-8 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemical Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet AnalytiChem GmbH Company name: Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 Telefax: 0203/5194-290 info@analytichem.de E-mail: Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 E-mail: produktsicherheit@analytichem.de Internet: www.analytichem.de **Responsible Department:** Abteilung Produktsicherheit 1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### **Further Information**

No data available

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008 Eve Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



# Hazard statements

H319

Causes serious eye irritation.

# **Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to Regulation (EC) No 1907/2006

# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 2 of 10

present and easy to do. Continue rinsing.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Sum formula:	C6H5COONa
Molecular weight:	144,10 g/mol

### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
532-32-1	sodium benzoate	sodium benzoate		
	208-534-8			
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
532-32-1	208-534-8	sodium benzoate	100 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg			

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No data available

### After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Gastrointestinal complaints Vomiting

#### **4.3. Indication of any immediate medical attention and special treatment needed** No data available

No dala available



# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 3 of 10

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Combustible solids Danger of dust explosion. Hazardous combustion products

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

### **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

# For containment

### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling



# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 4 of 10

### Advice on safe handling

Avoid dust formation. Do not breathe dust.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a dry place.

# Further information on storage conditions

Keep container tightly closed.

storage temperature: +2°C - +25°C

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
532-32-1	sodium benzoate			
Worker DNEL	, long-term	inhalation	systemic	3 mg/m³
Worker DNEL	, long-term	inhalation	local	0,1 mg/m³
Worker DNEL	long-term	dermal	systemic	62,5 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,5 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,06 mg/m³
Consumer DN	EL, long-term	dermal	systemic	31,25 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	16,6 mg/kg bw/day



according to Regulation (EC) No 1907/2006

# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 5 of 10

### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
532-32-1	sodium benzoate	
Freshwater		0,13 mg/l
Freshwater	(intermittent releases)	0,305 mg/l
Marine water		0,013 mg/l
Freshwater sediment		1,76 mg/kg
Marine sediment		0,176 mg/kg
Secondary poisoning		300 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,276 mg/kg

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.



according to Regulation (EC) No 1907/2006

# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 6 of 10

Filtering device with filter or ventilator filtering device of type: P2

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	white	
Odour:	odourless	
	not determined	
Melting point/freezing point:		436 °C
Boiling point or initial boiling point and		~450 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		>500 °C °C
Decomposition temperature:		No data available
pH-Value (at 20 °C):		~8 (100 g/l)
Viscosity / kinematic:		not determined
Water solubility: (at 20 °C)		~556 g/L
Solubility in other solvents		
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		log Pow: 1,88
Dispersion stability:		not determined
Vapour pressure:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,5 g/cm <sup>3</sup>
Relative density:		not determined
Bulk density:		~350 kg/m³
Relative vapour density:		not determined
Particle characteristics:		not determined
9.2. Other information		
Information with regard to physical hazar	d classes	
Explosive properties		
Danger of dust explosion.		Ne dete eveileble
Sustaining combustion:		No data available
Self-ignition temperature Solid:		not determined
Gas:		not applicable
Oxidizing properties		not applicable
No data available		
Other safety characteristics		u at datawaiwa d
Evaporation rate:		not determined not determined
Solvent separation test: Solvent content:		not determined
Solid content:		100%
Sublimation point:		not determined
Softening point:		not determined



Sodium benzoate pure				
Revision date: 08.09.2023	Product code: 25241	Page 7 of 10		
Pour point: not determined:	not determined			
Viscosity / dynamic:	not determined			
Flow time:	not determined			
Further Information				

not determined

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Danger of dust explosion.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent, strong Strong acid

# 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

# No data available

Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

### Acute toxicity

Based on available data, the classification criteria are not met.

# CAS No. Chamical no.

CAS NO	Chemical name						
	Exposure route	Dose		Species	Source	Method	
532-32-1	sodium benzoate						
	oral	LD50 mg/kg	3450	Rat	( )	Study predates approved guidelines. Unfa	
	dermal	LD50 mg/kg	> 2000	Rabbit	, , , ,	4 rabbits were dermally exposed	

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



## according to Regulation (EC) No 1907/2006

### Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 8 of 10

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

No data available

### Specific effects in experiment on an animal

No data available

# Additional information on tests

No data available

#### Practical experience No data available

11.2. Information on other hazards

# Endocrine disrupting properties

No data available

# Other information

No data available

# Further information

Irritant Gastrointestinal complaints Vomiting

# **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
532-32-1	sodium benzoate						
	Acute fish toxicity	LC50	484 mg/l	96 h	Pimephales promelas	Vol. 2: 139-140. University of Wisconsin	EPA OPP 72-1
	Acute algae toxicity	ErC50 mg/l	> 30,5		Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201

# 12.2. Persistence and degradability

~90 %; 28 d; aerob OECD 301B Readily biodegradable (according to OECD criteria).

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
532-32-1	sodium benzoate	1,88

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.



# Sodium benzoate pure

Revision date: 08.09.2023

Product code: 25241

Page 9 of 10

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes. Do not allow to enter into surface water or drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No 1907/2006

Sodium benzoate pure					
Revision date: 08.09.2023	Product code: 25241	Page 10 of 10			
EU regulatory information					
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles acco work protection guideline' (94/33/EC).	rding to the 'juvenile			
Water hazard class (D):	1 - slightly hazardous to water				

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 9,12.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Eye Irrit: Eye irritation

### Relevant H and EUH statements (number and full text)

Causes serious eye irritation.

### **Further Information**

H319

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.