

according to Regulation (EC) No 1907/2006

## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

CAS No:	79-20-9
Index No:	607-021-00-X
EC No:	201-185-2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

#### Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Pictograms:





## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023	Product code: 25457	Page 2 of 11
Hazard statements		
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
Precautionary statemen	its	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
Special labelling of cert	ain mixtures	
EUH066	Repeated exposure may cause skin dryness or cracking.	
2.3. Other hazards No information availa	able.	

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Sum formula:	C3H6O2
Molecular weight:	74,08 g/mol

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)			
79-20-9	methyl acetate			100 %
	201-185-2 607-021-00-X			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	C No Chemical name	
	Specific Conc. Limits, M-factors and ATE		
79-20-9	201-185-2	methyl acetate	100 %
	dermal: LD50 =	: > 2000 mg/kg; oral: LD50 = 6482 mg/kg	

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available

## After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

#### Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.



## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 3 of 11

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Dyspnoea Dizziness Unconsciousness Narcotic effects Headache Irritant May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

# Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products Beware of reignition.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



#### an analyti**chem** brand

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.



according to Regulation (EC) No 1907/2006

## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 5 of 11

## Further information on storage conditions

Keep container tightly closed and dry.

## 7.3. Specific end use(s)

Laboratory use Laboratory chemical

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
79-20-9	Methyl acetate	200	610		TWA (8 h)	
		250	760		STEL (15 min)	

## **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
79-20-9	methyl acetate				
Worker DNEL,	long-term	inhalation	systemic	610 mg/m³	
Worker DNEL,	long-term	inhalation	local	305 mg/m³	
Worker DNEL,	long-term	dermal	systemic	88 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	131 mg/m³	
Consumer DN	EL, long-term	inhalation	local	152 mg/m³	
Consumer DN	EL, long-term	dermal	systemic	44 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	44 mg/kg bw/day	

## **PNEC** values

CAS No	Substance		
Environmental compartment Value			
79-20-9	methyl acetate		
Freshwater		0,12 mg/l	
Freshwater (	intermittent releases)	1,2 mg/l	
Marine water		0,012 mg/l	
Freshwater sediment		0,128 mg/kg	
Marine sedir	nent	0,013 mg/kg	
Secondary p	20,4 mg/kg		
Micro-organi	600 mg/l		
Soil	Soil		

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.



according to Regulation (EC) No 1907/2006

## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 6 of 11

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact Trade name/designation: KCL 898 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,7 mm Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: A

#### **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	fruity	
Odour threshold:	No data available	
Melting point/freezing point:		-98 °C
Boiling point or initial boiling point and		57 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		3,1 vol. %
Upper explosion limits:		16 vol. %
Flash point:		-13 °C
Auto-ignition temperature:		455 °C
Decomposition temperature:		not determined
pH-Value:		neutral
Viscosity / kinematic:		No data available
Water solubility:		250 g/L
(at 20 °C)		
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		log Pow: 0,18
Dispersion stability:		No data available
Vapour pressure:		217 hPa
(at 20 °C)		



Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese			
Revision date: 04.09.2023	Product code: 25457	Page 7 of 11	
Vapour pressure: Density (at 20 °C): Relative density: Bulk density: Relative vapour density: Particle characteristics:	No data available 0,93 g/cm³ No data available No data available not determined No data available		
<ul> <li><u>9.2. Other information</u></li> <li>Information with regard to physical hazard classe</li> <li>Explosive properties</li> <li>Vapours can form explosive mixtures with air.</li> <li>Sustaining combustion:</li> <li>Self-ignition temperature</li> <li>Solid:</li> <li>Gas:</li> <li>Oxidizing properties</li> <li>No data available</li> </ul>	s Sustaining combustion not applicable not applicable		
Other safety characteristics         Evaporation rate:         Solvent separation test:         Solvent content:         Solid content:         Sublimation point:         Softening point:         Pour point:         No data available:         Viscosity / dynamic:         (at 20 °C)         Flow time:	not determined No data available 100% not determined No data available No data available No data available 0,381 mPa·s No data available		
Further Information No data available			

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Vapours can form explosive mixtures with air.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Oxidising agent, strong Base Acid

#### 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

plastic Rubber articles

## 10.6. Hazardous decomposition products

No data available

#### Further information

No data available



## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 8 of 11

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met. Irritation to respiratory tract

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
79-20-9	methyl acetate					
		LD50 mg/kg	6482	Rat	Publication (1962)	OECD Guideline 401
		LD50 mg/kg	> 2000	Rat	Study report (1988)	EU Method B.3

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (methyl acetate)

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

## Additional information on tests

No data available

# Practical experience

No data available

## 11.2. Information on other hazards

### Endocrine disrupting properties No data available

Other information No data available

#### Further information

Dyspnoea Dizziness Unconsciousness Narcotic effects Headache Irritant



according to Regulation (EC) No 1907/2006

## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 9 of 11

May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
79-20-9	methyl acetate							
	Acute algae toxicity	ErC50 mg/l	> 120	72 h	Desmodesmus subspicatus	Study report (1994)	EU Method C.3	
	Acute crustacea toxicity	EC50 mg/l	1026,7	48 h	Daphnia magna	Study report (1994)	OECD Guideline 202	
	Acute bacteria toxicity	(EC50 mg/l)	6100	0,5 h	Photobacterium phosphoreum	Bayr. Landesamt für Wasserwirtschaft (19	Method: other: Mikrotoxtest	

## 12.2. Persistence and degradability

> 70 %; 19 d

OECD 301D

Readily biodegradable (according to OECD criteria).

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
79-20-9	methyl acetate	0,18

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

No information available.

## Further information

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.



## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 10 of 11

## **SECTION 14: Transport information**

Land transport (ADR/RID)				
14.1. UN number or ID number:	UN 1231			
14.2. UN proper shipping name:	METHYL ACETATE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	Ш			
Hazard label:	3			
Classification code:	F1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Transport category:	2			
Hazard No:	33			
Tunnel restriction code:	D/E			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	UN 1231			
14.2. UN proper shipping name:	METHYL ACETATE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	II			
Hazard label:	3			
Classification code:	F1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 1231			
14.2. UN proper shipping name:	METHYL ACETATE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	II			
Hazard label:	3			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-E, S-D			
Air transport (ICAO-TI/IATA-DGR)	,			
14.1. UN number or ID number:	UN 1231			
14.2. UN proper shipping name:	METHYL ACETATE			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	U U			
Hazard label:	3			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y341			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:		353		
IATA-max. quantity - Passenger:		5 L		
IATA-packing instructions - Cargo:		364		
IATA-max. quantity - Cargo:		60 L		
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Warning: Combustible liquid.				
14.7. Maritime transport in bulk according to IMO instruments				
not applicable				



## Methylacetat mind. 98 % (Essigsäuremethylester) zur Synthese

Revision date: 04.09.2023

Product code: 25457

Page 11 of 11

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75 Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,11,12,13.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Flam. Liq: Flammable liquid Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure **Relevant H and EUH statements (number and full text)** H225 Hinply flammable liquid and vapour

#### H225 Highly flammable liquid and vapour. H319 Causes serious eve irritation.

H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.