

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

UFI: UA3A-X2FQ-T00T-A8CX

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

Telefax: 0203/5194-290

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Repr. 1A; H360Df STOT RE 2; H373 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

### Hazard components for labelling

nitric acid lead dinitrate

Signal word: Danger



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 2 of 14

Pictograms:









**Hazard statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

Restricted to professional users.

2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 3 of 14

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
7697-37-2	nitric acid			15 - < 20 %	
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				
87-69-4	(+)-tartaric acid		1 - < 5 %		
	201-766-0		01-2119537204-47		
	Eye Irrit. 2; H319				
10099-74-8	lead dinitrate			1 - < 5 %	
	233-245-9	082-001-00-6			
	Repr. 1A, Acute Tox. 4, Acute Tox. 1; H360Df H332 H302 H318 H373	4, Eye Dam. 1, STOT RE 2, Aquatic H400 H410	: Acute 1, Aquatic Chronic		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Limits, M-factors and ATE			
7697-37-2	231-714-2	nitric acid	15 - < 20 %		
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20				
87-69-4	201-766-0	(+)-tartaric acid	1 - < 5 %		
	dermal: LD50 =	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg			
10099-74-8	233-245-9	lead dinitrate	1 - < 5 %		
	I	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Repr. 2; H361f: >= 2,5 - 100 STOT RE 2; H373: >= 0,5 - 100			

### **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: lead dinitrate

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

### After inhalation

Provide fresh air.

Call a physician immediately.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 4 of 14

### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia

Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Metal oxide smoke, toxic

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 5 of 14

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use.

When using do not eat, drink, smoke, sniff.

Handle and open container with care.

Use personal protection equipment.

Provide adequate ventilation.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material:

### Further information on storage conditions

Keep container dry.

### 7.3. Specific end use(s)

Laboratory chemicals



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 6 of 14

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
87-69-4	(+)-tartaric acid				
Worker DNEL,	long-term	inhalation	systemic	5,2 mg/m³	
Worker DNEL, long-term		dermal	systemic	2,9 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	1,3 mg/m³	
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	8,1 mg/kg bw/day	

## **PNEC** values

CAS No	Substance		
Environmental	compartment	Value	
87-69-4	(+)-tartaric acid		
Freshwater		0,312 mg/l	
Freshwater (int	ermittent releases)	0,514 mg/l	
Marine water		0,312 mg/l	
Freshwater sec	liment	1,141 mg/kg	
Marine sedime	nt	1,141 mg/kg	
Micro-organisms in sewage treatment plants (STP)		10 mg/l	
Soil		0,045 mg/kg	
10099-74-8	lead dinitrate		
Freshwater		0,0065 mg/l	
Marine water		0,0034 mg/l	
Freshwater sediment		174 mg/kg	
Marine sediment		164 mg/kg	
Secondary poisoning		10,9 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l	
Soil		147 mg/kg	

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 7 of 14

Wear eye/face protection.

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Colour:

Odour:

Odour threshold:

Liquid

colourless

like: Nitric acid

No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable not applicable

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Flash point: X
Auto-ignition temperature: No data available
Decomposition temperature: No data available
pH-Value: <1

Viscosity / kinematic:

Water solubility:

No data available

No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: No data available



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 8 of 14

Vapour pressure:No data availableDensity:1,10000 g/cm³Bulk density:No data availableRelative vapour density:No data available

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

## **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals. Oxidising agent

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures



according to Regulation (EC) No 1907/2006

# Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 9 of 14

### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

## **Acute toxicity**

Harmful if inhaled.

### **ATEmix** calculated

ATE (inhalation vapour) 16,39 mg/l; ATE (inhalation dust/mist) 2,706 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,6	5 mg/l			
87-69-4	(+)-tartaric acid					
	oral	LD50 mg/kg	> 2000	Rat	N/A (2010)	data sharing dispute
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 402
10099-74-8	lead dinitrate					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l	_		
•	inhalation dust/mist	ATE	1,5 mg/l			

## Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. Suspected of damaging fertility. (lead dinitrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (lead dinitrate)

### Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 10 of 14

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

### Additional information on tests

There are no data available on the preparation/mixture itself.

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## Other information

There are no data available on the preparation/mixture itself.

### **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006

# Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
87-69-4	(+)-tartaric acid						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	51,404	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	93,313	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Nature of inoculum: activated sludge, domestic, no	Study report (2010)	OECD Guideline 209
10099-74-8	lead dinitrate						
	Acute fish toxicity	LC50 mg/l	1,17	96 h	Oncorhynchus mykiss	Publication (1976)	Acute bioassays
	Acute algae toxicity	ErC50 mg/l	0,123	72 h	Pseudokirchneriella subcapitata	Study report (2008)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,59683	48 h	Ceriodaphnia dubia	Study report (2007)	other: USEP
	Fish toxicity	NOEC mg/l	0,087	62 d	Oncorhynchus mykiss	Publication (2008)	methods adapted from the standard guide
	Crustacea toxicity	NOEC mg/l	0,099	7 d	Ceriodaphnia dubia	Publication (1995)	chronic toxicity testing of lead to aqua

## 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
87-69-4	(+)-tartaric acid	0,012

## BCF

CAS No	Chemical name	BCF	Species	Source
10099-74-8	lead dinitrate	3250	Hyalella azteca	Hydrobiologya 259: 7

## 12.4. Mobility in soil

There are no data available on the mixture itself.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 12 of 14

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш Hazard label: 8 Classification code: C<sub>1</sub> **Special Provisions:** 274 Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Special Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 13 of 14

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-BSegregation group:1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 II

 Hazard label:
 8

 Special Provisions:
 A3 A803

Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: lead dinitrate

14.6. Special precautions for user

Warning: strongly corrosive.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

lead dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 63, Entry 75

Information according to 2012/18/EU

(SEVESO III):

E2 Hazardous to the Aquatic Environment

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

## Multi element-standard solution "standard 3" 17 elements in nitric acid 17.5% and tartaric acid 3.5%

Revision date: 27.02.2023 Product code: 26036 Page 14 of 14

### Changes

This data sheet contains changes from the previous version in section(s): 9.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Repr. 1A; H360Df	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 2; H411	Calculation method

### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)