

Potassium bromate solution 0.0333 mol/I for determination of mercury by AAS according to DIN EN ISO			
Revision date: 05.09.2022	Product code: 261	55	Page 1 of 10
SECTION 1: Identification of the s	substance/mixture and of the cor	npany/undertaking	
1.1. Product identifier			
Potassium bromate solution 0.0	0333 mol/l for determination of mercur	y by AAS according to DIN EN ISO	
UFI:	EJEA-52KY-800P-2VQM		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advis	ed against	
	nces as such or in preparations at ind iin (administration, education, entertai		
Uses advised against			
Do not use for private purposes	(household).		
1.3. Details of the supplier of the safe	ety data sheet		
Company name:	Fa. Bernd Kraft GmbH		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
e-mail:	info@berndkraft.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
e-mail:	produktsicherheit@berndkraft.de		
Internet:	www.berndkraft.de		
Responsible Department:	Abteilung Produktsicherheit		
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMT	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada Canada: +1 703-741-5970 (collect calls	a:
Further Information This product is a mixture. REA	CH Registration Number see section 3	3	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 1B; H350

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling potassium bromate

Signal word:

Pictograms:



Danger

Hazard statements H350

May cause cancer.



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to

	Div EN 166	
Revision date: 05.09.2	022 Product code: 26155	Page 2 of 10
Precautionary stat	ements	
D004		

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7758-01-2	potassium bromate		< 1 %	
	231-829-8	035-003-00-6	01-2119518844-34	
	Ox. Sol. 1, Carc. 1B, Acute Tox. 3; H271 H350 H301			

Full text of H and EUH statements: see section 16.

Specific Cor	nc. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
7758-01-2	231-829-8	potassium bromate	< 1 %
	oral: LD50 = 15	57 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to **DIN EN ISO** Revision date: 05.09.2022 Product code: 26155 Page 3 of 10 Protect uninjured eye. After ingestion Rinse mouth immediately and drink plenty of water. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed No data available 4.3. Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1. Extinguishing media Suitable extinguishing media Co-ordinate fire-fighting measures to the fire surroundings. Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to

Revision date: 05.09.2022

DIN EN ISO

Page 4 of 10

Product code: 26155

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to DIN EN ISO

Revision date: 05.09.2022

Product code: 26155

Page 5 of 10

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless odourless No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability		
Solid/liquid:		No data available
Gas:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available



	DIN EN ISO	
Revision date: 05.09.2022 Pro	oduct code: 26155	Page 6 of 1
pH-Value:	6,0	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,003 g/cm ³	
Bulk density:	No data available	
Relative vapour density:	No data available	
0.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature	NI 17 911	
Solid:	No data available	
Gas:	No data available	
Oxidizing properties No data available		
Other safety characteristics		
Evaporation rate:	No data available	
-	No data available	
Solvent separation test: Solvent content:		
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No data available		
10.2. Chemical stability		
No data available		
10.3. Possibility of hazardous reactions		
No data available		
NU Uala avaliable		

10.4. Conditions to avoid

No data available

10.5. Incompatible materials No data available

10.6. Hazardous decomposition products

No data available



Potassium bromate solution 0.0333 mol/I for determination of mercury by AAS according to DIN EN ISO

Revision date: 05.09.2022

Product code: 26155

Page 7 of 10

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7758-01-2	potassium bromate					
	oral	LD50 mg/kg	157		Eisei Kaguku 1991, 37, (4), 258-265. (19	OECD Guideline 401

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (potassium bromate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Other information No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to DIN EN ISO

Revision date: 05.09.2022

Product code: 26155

Page 8 of 10

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
7758-01-2	potassium bromate	_		_	_
	Acute algae toxicity	ErC50 > 100 mg/l	72 h Desmodesmus subspicatus		OECD Guideline 201

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name:



Potassium bromate solution 0.0333 mol/l for determination of mercury by AAS according to DIN EN ISO			
Revision date: 05.09.2022	Product code: 26155	Page 9 of 10	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
No dangerous good in sense of this tra 14.7. Maritime transport in bulk according to No dangerous good in sense of this tra	IMO instruments		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 75 Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC). Observe employment restricti under the Maternity Protection Directive (92/85/EEC) for expectant of nursing mothers.	ons	
Water hazard class (D):	3 - highly hazardous to water		

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Carc. 1B; H350	Calculation method

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H350	May cause cancer.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



Potassium bromate solution 0.0333 mol/I for determination of mercury by AAS according to DIN EN ISO

Revision date: 05.09.2022

Product code: 26155

Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)