

# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

#### **GB CLP Regulation**

## Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 2 of 10

#### **Hazardous components**

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
7758-02-3	potassium bromide	potassium bromide			
	231-830-3		01-2119962195-33		
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
7758-02-3	231-830-3	potassium bromide	1 - < 5 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

No data available

## After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



## **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 3 of 10

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe vapour/aerosol.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

# Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 4 of 10

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No data available

### Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7758-02-3	potassium bromide	·		
Worker DNEL	., long-term	inhalation	systemic	4,75 mg/m³
Worker DNEL	., long-term	dermal	systemic	95 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	95 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	systemic	1,66 mg/m³
Consumer DN	NEL, long-term	dermal	systemic	95 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	95 mg/kg bw/day
Consumer DN	NEL, long-term	oral	systemic	0,475 mg/kg bw/day
Consumer DN	NEL, acute	oral	systemic	50 mg/kg bw/day

#### PNEC values

CAS No	Substance			
Environmenta	Environmental compartment			
7758-02-3 potassium bromide				
Freshwater	0,52 mg/l			
Freshwater (intermittent releases)		109 mg/l		
Marine water	41 mg/l			
Micro-organisi	100 mg/l			
Soil	3,2 mg/kg			

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 5 of 10

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: Upper explosion limits: No data available Flash point: No data available No data available Auto-ignition temperature: No data available Decomposition temperature: pH-Value: 5,0 No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

1,01518 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

#### 9.2. Other information



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 6 of 10

### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

#### **Further Information**

No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

## 10.2. Chemical stability

No data available

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

No data available

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

# **Acute toxicity**

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 7 of 10

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7758-02-3	potassium bromide	potassium bromide						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1992)	EPA OPP 81-1		
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1988)	other: EPA FIFRA 81-6		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

# 11.2. Information on other hazards

## Other information

There are no data available on the mixture itself.

## **Further information**

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7758-02-3	potassium bromide						
	Acute fish toxicity	LC50 mg/l	> 440		Scophthalmus maximus	Study report (2000)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 440	72 h	Skeletonema costatum	Study report (2000)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1996)	OECD Guideline 202
	Fish toxicity	NOEC	10 mg/l	124 d	Poecilia reticulata	Fd. Chem. Toxic. Vol. 21, No. 4, 369-378	Dutch Standardisation Organisation
	Crustacea toxicity	NOEC	7,5 mg/l	21 d	Daphnia magna	Ecotoxicology and Environmental Safety,	other: OECD
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2007)	OECD Guideline 209

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
7758-02-3	potassium bromide	0,23	Artemia salina	Environmental Toxico

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

There are no data available on the mixture itself.

## **Further information**

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 9 of 10

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulatory information**

Water hazard class (D): -- non-hazardous to water

Additional information

No data available

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9.

#### Abbreviations and acronyms

Eye Irrit: Eye irritation

#### Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



# **Safety Data Sheet**

according to UK REACH Regulation

# Potassium bromide solution 0.2 mol/l for determination of mercury by AAS according to DIN EN ISO 128

Revision date: 15.08.2023 Product code: 26156 Page 10 of 10

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)