

Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring liquids R					
Revision date: 23.01.2024	Product code: 26220		Page 1 of 14		
SECTION 1: Identification of the	substance/mixture and of the compar	ny/undertaking			
	color reference solutions B1 - B9, 100 ml e	0			
	ubstance or mixture and uses advised a	gainst			
	nces as such or in preparations at industria ain (administration, education, entertainme				
Uses advised against					
Do not use for private purposes	s (household).				
1.3. Details of the supplier of the safe	ety data sheet				
Company name:	AnalytiChem GmbH ACD				
Street:	Stempelstraße 6				
Place:	D-47167 Duisburg	<b>-</b>   /			
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290			
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117			
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Cana accepted)	Day or Night Within USA and Canada	a:		
Further Information					

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 1B; H350i Repr. 1B; H360F Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

# 2.2. Label elements

#### Regulation (EC) No 1272/2008


# Hazard components for labelling

Iron(III) chloride hexahydrate Cobalt(II) chloride hexahydrate

Signal word:

Revision No: 1,02 - Replaces version: 1,01





# Special labelling of certain mixtures

Restricted to professional users.

# 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

# **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) I	No 1272/2008)			
7758-99-8	copper sulphate pentahydrate			1 - < 5 %	
	231-847-6	029-023-00-4	01-2119520566-40		
	Acute Tox. 4, Skin Irrit. 2, Eye D H400 H410	am. 1, Aquatic Acute 1, Aqua	tic Chronic 1; H302 H315 H318		
7647-01-0	Hydrochloric acid	1 - < 5 %			
	231-595-7	017-002-01-X	01-2119484862-27		
	Skin Corr. 1B, STOT SE 3; H31	4 H335	•		
10025-77-1	Iron(III) chloride hexahydrate			1 - < 5 %	
	231-729-4		01-2119497998-05		
	Acute Tox. 4, Skin Irrit. 2, Eye D	am. 1, Skin Sens. 1; H302 H3	15 H318 H317		
7791-13-1	Cobalt(II) chloride hexahydrate			< 1 %	
	231-589-4	027-004-00-5	01-2119517584-37		
	Carc. 1B, Muta. 2, Repr. 1B, Ac Chronic 1; H350i H341 H360F F		n Sens. 1, Aquatic Acute 1, Aquatic		

Full text of H and EUH statements: see section 16.



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring liquids R

Revision date: 23.01.2024

Product code: 26220

Page 3 of 14

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
7758-99-8	231-847-6	copper sulphate pentahydrate	1 - < 5 %			
		= > 2000 mg/kg; oral: ATE 481 mg/kg Aquatic Acute 1; H400: M=10 ic 1; H410: M=1				
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %			
	,	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < E 3; H335: >= 10 - 100				
10025-77-1	231-729-4	Iron(III) chloride hexahydrate	1 - < 5 %			
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 500 mg/kg				
7791-13-1	231-589-4	231-589-4 Cobalt(II) chloride hexahydrate				
	Aquatic Acute	= > 2000 mg/kg; oral: LD50 = 537 mg/kg Carc. 1B; H350i: >= 0,01 - 100 1; H400: M=10 iic 1; H410: M=10				

# **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Cobalt(II) chloride hexahydrate

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. Call a physician immediately.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

# After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant Allergic reactions Gastrointestinal complaints

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

# liquids R

Revision date: 23.01.2024

Product code: 26220

Page 4 of 14

### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Metal oxide smoke, toxic Sulphur oxides Hydrogen chloride (HCI)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

# liquids R

Revision date: 23.01.2024

Product code: 26220

Page 5 of 14

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

#### Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

Revision date: 23.01.2024

liquids R Product code: 26220

Page 6 of 14

# **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7647-01-0	Hydrochloric acid					
Worker DNEL,	long-term	inhalation	local	8 mg/m³		
Worker DNEL,	acute	inhalation	local	15 mg/m³		
Consumer DN	EL, long-term	inhalation	local	8 mg/m³		
Consumer DN	EL, acute	inhalation	local	15 mg/m³		
10025-77-1	Iron(III) chloride hexahydrate					
Worker DNEL,	long-term	dermal	systemic	2,8 mg/kg bw/day		
Consumer DN	EL, long-term	dermal	systemic	1,4 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,28 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	20 mg/kg bw/day		
7791-13-1	7791-13-1 Cobalt(II) chloride hexahydrate					
Consumer DNEL, long-term		oral	systemic	0,12 mg/kg bw/day		

# **PNEC** values

CAS No	Substance	
Environmenta	al compartment	Value
7758-99-8	copper sulphate pentahydrate	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater se	ediment	87 mg/kg
Marine sedim	ent	676 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		65 mg/kg
7791-13-1	Cobalt(II) chloride hexahydrate	
Freshwater		0,0006 mg/l
Marine water		0,00236 mg/l
Freshwater sediment		9,5 mg/kg
Marine sediment		9,5 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,37 mg/l
Soil		10,9 mg/kg

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

liquids R

Page 7 of 14

# Revision date: 23.01.2024

Product code: 26220

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

o data available
o data available
o data available
acidic
o data available
pletely miscible



Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring liquids R				
Revision date: 23.01.2024	Product code: 26220	Page 8 of 14		
Solubility in other solvents				
No data available				
Partition coefficient n-octanol/water:	No data available			
Vapour pressure:	No data available			
Vapour pressure:	No data available			
Density:	No data available			
Bulk density:	No data available			
Relative vapour density: 9.2. Other information	No data available			
Information with regard to physical hazard clas	ises			
Explosive properties				
No data available	No data available			
Sustaining combustion: Self-ignition temperature	No data available			
Solid:	No data available			
Gas:	No data available			
Oxidizing properties				
Oxidizing				
Other safety characteristics				
Evaporation rate:	No data available			
Solvent separation test:	No data available			
Solvent content:	0			
Solid content:	0			
Sublimation point:	No data available			
Softening point:	No data available			
Pour point: No data available:	No data available			
Viscosity / dynamic:	No data available			
Flow time:	No data available			
Further Information				
Corrosive to metals				
SECTION 10: Stability and reactivity				

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Corrosive to metals

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Metal

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

**SECTION 5: Firefighting measures** 

# **Further information**

No data available



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

liquids R

Revision date: 23.01.2024

Product code: 26220

Page 9 of 14

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7758-99-8	copper sulphate pental	nydrate						
	oral	ATE 481	mg/kg					
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 402		
10025-77-1	-1 Iron(III) chloride hexahydrate							
	oral	LD50 mg/kg	500	Rat	Study report (2004)	OECD Guideline 423		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 402		
7791-13-1	Cobalt(II) chloride hexa	hydrate						
	oral	LD50 mg/kg	537	Rat	Revista Española de Fisiologia, 39: 291	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2007)	OECD Guideline 402		

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Iron(III) chloride hexahydrate; Cobalt(II) chloride hexahydrate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (Cobalt(II) chloride hexahydrate)

May damage fertility. (Cobalt(II) chloride hexahydrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

liquids **R** 

Revision date: 23.01.2024

Product code: 26220

Page 10 of 14

# 11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

# **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name										
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method				
7758-99-8	copper sulphate pentahydrate										
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard				
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201				
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t				
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de				
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef				
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g				
7647-01-0	Hydrochloric acid										
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus						
7791-13-1	Cobalt(II) chloride hexahy	drate									
	Acute fish toxicity	LC50 mg/l	54,1	96 h	Pimephales promelas	Study report (2009)	other: ASTM guideline				
	Acute algae toxicity	ErC50 mg/l	71,314	96 h	Dunaliella tertiolecta	Study report (2010)	other: American Society for Testing and				
	Acute crustacea toxicity	EC50 mg/l	42,7	48 h	Aeolosoma sp.	Study report (2008)	Newman, J.P., Jr. 1975. The effects of h				
	Fish toxicity	NOEC mg/l	0,21	34 d	Pimephales promelas	Study report (2009)	other: This study was conducted accordin				
	Algae toxicity	NOEC mg/l	0,0018	7 d	Champia parvula	Study report - model refit from original	other: EPA 821-R- 02-014, Method 1009.0				
	Crustacea toxicity	NOEC mg/l	0,1697	14 d	Aeolosoma sp.	Study report (2008)	other: Newman, J.P., Jr. 1975. The effec				
	Acute bacteria toxicity	EC50 ()	120 mg/l	0,5 h	Activated sludge	Study report (2010)	OECD Guideline 209				



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

# liquids R

Page 11 of 14

Revision date: 23.01.2024

Product code: 26220

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### BCF

CAS No	Chemical name	BCF	Species	Source
7758-99-8	copper sulphate pentahydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
10025-77-1	Iron(III) chloride hexahydrate		Fish, Oreochromis mossambicus	Indian Journal of En
7791-13-1	Cobalt(II) chloride hexahydrate	23	Asterias rubens	Marine Pollution Bul

# 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E



Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring liquids R			
Revision date: 23.01.2024	Product code: 26220 Page 12 o		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 3264		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
Classification code:	C1		
Special Provisions:	274		
Limited quantity:	5 L		
Excepted quantity:	E1		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 3264		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
Special Provisions:	223, 274		
Limited quantity:	5 L		
Excepted quantity:	E1		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 3264		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)		
<u>14.3. Transport hazard class(es):</u>	8		
14.4. Packing group:	III		
Hazard label:	8		
Special Provisions:	A3 A803		
Limited quantity Passenger:	1L		
Passenger LQ:	Y841		
Excepted quantity:	E1		
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	852 5 L		
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	5 L 856		
IATA-max. quantity - Cargo:	60 L		
	00 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	Yes		
Danger releasing substance:	cobalt dichloride		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture		
EU regulatory information			
Authorisations (REACH, annex XIV):			
Substances of very high concern, SVI			

Substances of very high concern, SVHC (REACH, article 59): Cobalt(II) chloride hexahydrate Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):

E2 Hazardous to the Aquatic Environment

# National regulatory information



Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring liquids R		
Revision date: 23.01.2024	Product code: 26220	Page 13 of 14
Employment restrictions:	Observe restrictions to employment for juveniles acco work protection guideline' (94/33/EC). Observe employ under the Maternity Protection Directive (92/85/EEC) for nursing mothers. Observe employment restrictions for child-bearing age.	yment restrictions for expectant or
Water hazard class (D):	3 - highly hazardous to water	

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 12.

# Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Resp. Sens: Respiratory sensitisation
Skin Sens: Skin sensitisation
Muta: Germ cell mutagenicity
Carc: Carcinogenicity
Repr: Reproductive toxicity
STOT SE: Specific target organ toxicity - single exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 1B; H350i	Calculation method
Repr. 1B; H360F	Calculation method
Aquatic Chronic 2; H411	Calculation method

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.



# Color reference set B contains color reference solutions B1 - B9, 100 ml each for coloring

liquids R

Revision date: 23.01.2024

Product code: 26220

Page 14 of 14

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)