

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangero	ous Goods] Incidents Spill, Leak, Fire,
number:	•	EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Carc. 1B; H350i Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling Cobalt(II) chloride hexahydrate

Signal word:

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H350i	May cause cancer by inhalation.
H411	Toxic to aquatic life with long lasting effects.



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Product code: 26223

Page 2 of 14

Precautionary state	nents
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.
Special labelling of	certain mixtures
EUH208	Contains Iron(III) chloride hexahydrate, Cobalt(II) chloride hexahydrate. May produce an

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

allergic reaction.

Restricted to professional users.

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
7647-01-0	Hydrochloric acid			
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H	1335		
7758-99-8	copper sulphate pentahydrate			< 1 %
	231-847-6	029-023-00-4	01-2119520566-40	
	Acute Tox. 4, Skin Irrit. 2, Eye Dar H400 H410	onic 1; H302 H315 H318		
10025-77-1	Iron(III) chloride hexahydrate			< 1 %
	231-729-4		01-2119497998-05	
	Acute Tox. 4, Skin Irrit. 2, Eye Dar			
7791-13-1	Cobalt(II) chloride hexahydrate			< 1 %
	231-589-4	027-004-00-5	01-2119517584-37	
	Carc. 1B, Muta. 2, Repr. 1B, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H302 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 3 of 14

Specific Co	nc. Limits, M-fac	ctors and ATE			
CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %		
	,	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100			
7758-99-8	231-847-6	copper sulphate pentahydrate	< 1 %		
	dermal: LD50 = > 2000 mg/kg; oral: ATE 481 mg/kg M acute; H400: M=10 M chron.; H410: M=1				
10025-77-1	231-729-4	Iron(III) chloride hexahydrate	< 1 %		
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 500 mg/kg			
7791-13-1	231-589-4	Cobalt(II) chloride hexahydrate	< 1 %		
	dermal: LD50 M acute; H400: M chron.; H410				

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Cobalt(II) chloride hexahydrate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Allergic reactions Gastrointestinal complaints

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 4 of 14

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Metal oxide smoke, toxic Sulphur oxides Hydrogen chloride (HCI)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.


Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 5 of 14

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³
Consumer DN	EL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m³
10025-77-1	Iron(III) chloride hexahydrate		·	
Worker DNEL,	long-term	dermal	systemic	2,8 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	1,4 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,28 mg/kg bw/day
Consumer DNEL, acute oral systemic 20 mg/kg bw/da				20 mg/kg bw/day
7791-13-1 Cobalt(II) chloride hexahydrate				
Consumer DN	EL, long-term	oral	systemic	0,12 mg/kg bw/day

PNEC values

CAS No	Substance		
Environment	al compartment	Value	
7758-99-8	copper sulphate pentahydrate		
Freshwater		0,0078 mg/l	
Marine water		0,0052 mg/l	
Freshwater s	ediment	87 mg/kg	
Marine sedin	nent	676 mg/kg	
Micro-organisms in sewage treatment plants (STP) 0,23 mg/l			
Soil		65 mg/kg	
7791-13-1	Cobalt(II) chloride hexahydrate		
Freshwater		0,0006 mg/l	
Marine water		0,00236 mg/l	
Freshwater s	ediment	9,5 mg/kg	
Marine sediment		9,5 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,37 mg/l	
Soil		10,9 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 7 of 14

control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid clear	
Odour:	odourless	
Changes in the physical state		
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Flash point:		No data available
Flammability		
Solid/liquid:		No data available
Gas:		No data available
Explosive properties		



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022	Product code: 26223	Page 8 of 14
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Auto-ignition temperature:	No data available	
Self-ignition temperature Solid: Gas: Decomposition temperature: pH-Value:	No data available No data available No data available acidic	
	No data available	
Viscosity / dynamic:		
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Water solubility: Solubility in other solvents No data available	completely miscible	
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,009 g/cm ³	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard classes Sustaining combustion: Oxidizing properties Oxidizing	s No data available	
Other safety characteristics		
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Evaporation rate:	No data available	
Further Information		
Corrosive to metals		

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 9 of 14

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	hemical name					
	Exposure route	Dose		Species	Source	Method	
7758-99-8	copper sulphate pentar	ydrate					
	oral	ATE 481	mg/kg				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 402	
10025-77-1	Iron(III) chloride hexahydrate						
	oral	LD50 mg/kg	500	Rat	Study report (2004)	OECD Guideline 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 402	
7791-13-1	Cobalt(II) chloride hexa	hydrate					
	oral	LD50 mg/kg	537	Rat	Revista Española de Fisiologia, 39: 291	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2007)	OECD Guideline 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Iron(III) chloride hexahydrate, Cobalt(II) chloride hexahydrate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (Cobalt(II) chloride hexahydrate) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 10 of 14

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7758-99-8	copper sulphate pentahyo	drate					
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g
7791-13-1	Cobalt(II) chloride hexahy	drate					
	Acute fish toxicity	LC50 mg/l	54,1	96 h	Pimephales promelas	Study report (2009)	other: ASTM guideline
	Acute algae toxicity	ErC50 mg/l	71,314	96 h	Dunaliella tertiolecta	Study report (2010)	other: American Society for Testing and
	Acute crustacea toxicity	EC50 mg/l	42,7	48 h	Aeolosoma sp.	Study report (2008)	Newman, J.P., Jr. 1975. The effects of h
	Fish toxicity	NOEC mg/l	0,21	34 d	Pimephales promelas	Study report (2009)	other: This study was conducted accordin
	Algae toxicity	NOEC mg/l	0,0018	7 d	Champia parvula	Study report - model refit from original	other: EPA 821-R- 02-014, Method 1009.0
	Crustacea toxicity	NOEC mg/l	0,1697	14 d	Aeolosoma sp.	Study report (2008)	other: Newman, J.P., Jr. 1975. The effec
	Acute bacteria toxicity	(EC50 mg/l)	120	0,5 h	Activated sludge	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7758-99-8	copper sulphate pentahydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
10025-77-1	Iron(III) chloride hexahydrate		Fish, Oreochromis mossambicus	Indian Journal of En
7791-13-1	Cobalt(II) chloride hexahydrate	23	Asterias rubens	Marine Pollution Bul



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 12 of 14

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

UN 3264
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)
8
III
8
C1
274
5 L
E1
3
80
E
UN 3264
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)
8
III
8
C1
274
5 L
E1



lor reference solution B3 for coloring liquids Read. Ph. Fur. chapter 2.2.2

Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2					
Revision date: 09.02.2022	Product code: 26223	Page 13 of 14			
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric ac	id)			
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Special Provisions:	223, 274				
Limited quantity:	5 L				
Excepted quantity:	E1				
EmS:	F-A, S-B				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric ac	id)			
14.3. Transport hazard class(es):	8				
14.4. Packing group:					
Hazard label:	8				
Special Provisions:	A3 A803				
Limited quantity Passenger:	1 L Y841				
Passenger LQ: Excepted quantity:	E1				
IATA-packing instructions - Passenger:	852				
IATA-max. quantity - Passenger:	5 L				
IATA-packing instructions - Cargo:	856				
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	Yes				
Danger releasing substance:	cobalt dichloride				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture				
EU regulatory information					
Authorisations (REACH, annex XIV):					
Substances of very high concern, SVH	C (REACH, article 59):				
Cobalt(II) chloride hexahydrate					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 75					
Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction				

Water hazard class (D):

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,5.

child-bearing age.

3 - highly hazardous to water

under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of



Color reference solution B3 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 09.02.2022

Product code: 26223

Page 14 of 14

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350i	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

May be corrosive to metals.
Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
Suspected of causing genetic defects.
May cause cancer by inhalation.
May damage fertility.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Contains Iron(III) chloride hexahydrate, Cobalt(II) chloride hexahydrate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)