

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone: e-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290
Contact person: e-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTI	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



# Hazard statements

H290

May be corrosive to metals.

#### **Precautionary statements**

D004	
P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion-resistant container with a resistant inner liner.



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 2 of 10

### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No			
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	Hydrochloric acid	1 - < 5 %		
	231-595-7	017-002-01-X	01-2119484862-27	
Skin Corr. 1B, STOT SE 3; H314 H335				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %
Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No data available

## After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 3 of 10

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

according to Regulation (EC) No 1907/2006

Revision date: 01.03.2023

Product code: 26237

Page 4 of 10

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

#### Further information on storage conditions

Unsuitable container/equipment material: Metal

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0 Hydrochloric acid				
Worker DNEL, long-term		inhalation	local	8 mg/m³
Worker DNEL, acute		inhalation	local	15 mg/m³
Consumer DNEL, long-term		inhalation	local	8 mg/m³
Consumer DNEL, acute		inhalation	local	15 mg/m³

## 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 5 of 10

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: Face protection shield goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data av	vailable
Melting point/freezir	ng point:	No data available
Boiling point or initia	al boiling point and	No data available
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion lim	nits:	No data available
Upper explosion lim	nits:	No data available
Flash point:		Х
1		



#### Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2 Revision date: 01.03.2023 Product code: 26237 Page 6 of 10 Auto-ignition temperature: No data available No data available Decomposition temperature: pH-Value: acidic Viscosity / kinematic: No data available Water solubility: easily soluble Solubility in other solvents not determined Partition coefficient n-octanol/water: No data available Vapour pressure: No data available Vapour pressure: No data available Density: No data available Bulk density: No data available No data available Relative vapour density: 9.2. Other information Information with regard to physical hazard classes Explosive properties No data available Self-ignition temperature Solid: not applicable Gas: not applicable Oxidizing properties No data available Other safety characteristics Evaporation rate: No data available Solvent separation test: No data available Solvent content: 0 Solid content: 0 No data available Sublimation point: No data available Softening point: Pour point: No data available No data available: Viscosity / dynamic: No data available Flow time: No data available **Further Information** Corrosive to metals

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

# 10.4. Conditions to avoid

Heat

# 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 7 of 10

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

# Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential



# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 8 of 10

There are no data available on the mixture itself.

# 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

## **Further information**

Do not empty into drains.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
	0
14.4. Packing group:	III
<u>14.4. Packing group:</u> Hazard label:	-
	III
Hazard label:	 8
Hazard label: Classification code:	III 8 C1
Hazard label: Classification code: Special Provisions:	III 8 C1 520



Color reference solution	on BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2	
Revision date: 01.03.2023	Product code: 26237	Page 9 of 10
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 75		
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC).	ile
Water hazard class (D):	non-hazardous to water	
CECTION 4C: Other information		

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,5,6,7,8,9,15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Color reference solution BG7 for coloring liquids Reag Ph. Eur., chapter 2.2.2

Revision date: 01.03.2023

Product code: 26237

Page 10 of 10

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification		Classification procedure	
Met. Corr. 1; H290		On basis of test data	
Relevant H and EUH statements (number and full text)			
H290 May be corrosive to metals.		e corrosive to metals.	
H314	Cause	ses severe skin burns and eye damage.	
H335	May ca	lay cause respiratory irritation.	
Further Information	on		

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)