

according to Regulation (EC) No 1907/2006

# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

# **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word:

Pictograms:



### **Hazard statements**

H290

May be corrosive to metals.

# **Precautionary statements**

ecautionaly stat	ements	
P234	Keep only in original packaging.	
P390	Absorb spillage to prevent material damage.	
P406	Store in a corrosion-resistant container with a resistant inner liner.	



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 2 of 11

### Special labelling of certain mixtures

Contains Iron(III) chloride hexahydrate. May produce an allergic reaction.

# EUH208 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

### **Relevant ingredients**

CAS No	Chemical name				
	EC No Index No REACH No				
	Classification (Regulation (EC) No				
7647-01-0	Hydrochloric acid				
	231-595-7	017-002-01-X	01-2119484862-27		
	Skin Corr. 1B, STOT SE 3; H314 H	H335			
10025-77-1	Iron(III) chloride hexahydrate			< 1 %	
	231-729-4		01-2119497998-05		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1; H302 H315 H318 H317				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %		
	· · ·	l314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100			
10025-77-1	231-729-4	Iron(III) chloride hexahydrate	< 1 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg				

# Further Information

No data available

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information No data available

No dala avallad

After inhalation Provide fresh air. Call a doctor if you feel unwell.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 3 of 11

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Metal oxide smoke, toxic Hydrogen chloride (HCI)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Wipe up with absorbent material (eg. cloth, fleece).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Further information on storage conditions

Store in a dry place.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 5 of 11

# DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7647-01-0	Hydrochloric acid		-			
Worker DNEL,	long-term	inhalation	local	8 mg/m³		
Worker DNEL,	acute	inhalation	local	15 mg/m³		
Consumer DN	EL, long-term	inhalation	local	8 mg/m³		
Consumer DN	EL, acute	inhalation	local	15 mg/m³		
10025-77-1	Iron(III) chloride hexahydrate		-			
Worker DNEL,	long-term	dermal	systemic	2,8 mg/kg bw/day		
Consumer DN	EL, long-term	dermal	systemic	1,4 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,28 mg/kg bw/day		
Consumer DN	EL, acute	oral	systemic	20 mg/kg bw/day		

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

goggles

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 6 of 11

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. mormation on basic physical and che		
Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data available	<b>N</b> I I <i>A</i> <b>N</b> I I
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		<b>N</b> I I <i>A</i> <b>N</b> I I
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024	Product code: 26254	Page 7 of 11
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

Corrosive to metals

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid No data available

### 10.5. Incompatible materials

Metal

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### Further information

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
10025-77-1	Iron(III) chloride hexahydrate							
	oral	LD50 mg/kg	500	Rat	Study report (2004)	OECD Guideline 423		
		LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 402		

# Irritation and corrosivity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Revision date: 26.01.2024	Product code: 26254	Page 8 of 1
Sensitising effects Based on available data, the classi Contains Iron(III) chloride hexahydi	fication criteria are not met. rate. May produce an allergic reaction.	
Carcinogenic/mutagenic/toxic effects Based on available data, the classi		
STOT-single exposure Based on available data, the classi	fication criteria are not met.	
STOT-repeated exposure Based on available data, the classi	fication criteria are not met.	
Aspiration hazard Based on available data, the classi	fication criteria are not met.	
Information on likely routes of expos There are no data available on the		
Specific effects in experiment on an a	animal	
There are no data available on the	preparation/mixture itself.	
Additional information on tests There are no data available on the	preparation/mixture itself.	
<b>Practical experience</b> There are no data available on the	preparation/mixture itself.	
11.2. Information on other hazards		
Endocrine disrupting properties There are no data available on the	preparation/mixture itself.	
<b>Other information</b> There are no data available on the	preparation/mixture itself.	
Further information There are no data available on the	preparation/mixture itself.	

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7647-01-0	Hydrochloric acid							
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus			

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# BCF

CAS No	Chemical name	BCF	Species	Source
10025-77-1	Iron(III) chloride hexahydrate	48	Fish, Oreochromis	Indian Journal of En
			mossambicus	

# 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 9 of 11

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

### **Further information**

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	111	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	520	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	111	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	520	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	111	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO TI/IATA DCB)		

# Air transport (ICAO-TI/IATA-DGR)



	an OOA fan a clasing lingida Daag. Dh. Euro a hantan 0.00	
	on GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2	
Revision date: 26.01.2024	Product code: 26254	Page 10 of 11
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	EU regulatory i	information
---------------------------	-----------------	-------------

Restrictions on use (REACH, annex XVII):	
Entry 75	
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)
2012/18/EU (SEVESO III):	
National regulatory information	
Water hazard class (D):	non-hazardous to water

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 12.

# Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
EUH208	Contains Iron(III) chloride hexahydrate. May produce an allergic reaction.



according to Regulation (EC) No 1907/2006

# Color reference solution GG4 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision date: 26.01.2024

Product code: 26254

Page 11 of 11

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)