

according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

25322-68-3

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

AnalytiChem GmbH Company name: Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Abteilung Produktsicherheit Contact person: Telephone: 0203/5194-107/117

produktsicherheit@analytichem.de e-mail:

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This substance is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
25322-68-3	Polyglycol			100 %

Full text of H and EUH statements: see section 16.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 2 of 9

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
25322-68-3		Polyglycol	100 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

No data available

### After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Combustible solids

Danger of dust explosion.

Hazardous combustion products

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 3 of 9

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Keep container tightly closed.

Do not breathe dust.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Danger of dust explosion.

### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Avoid contact with skin, eyes and clothes.

# Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: +15°C - +25°C

# Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)



according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 4 of 9

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
25322-68-3	Polyglycol			
Consumer DNEL, long-term		dermal	systemic	40 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	40 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	40,2 mg/m³
Worker DNEL, long-term		dermal	systemic	112 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	7,14 mg/m³

#### **PNEC values**

CAS No	Substance		
Environmenta	Environmental compartment Value		
25322-68-3	Polyglycol		
Freshwater		273 mg/l	
Freshwater (ir	termittent releases)	1 mg/l	
Marine water		27,3 mg/l	
Freshwater sediment		1030 mg/kg	
Marine sediment		103 mg/kg	
Soil		46,4 mg/kg	

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 5 of 9

and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

### Respiratory protection

Respiratory protection necessary at: dust formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: whitish
Odour: odourless

Melting point/freezing point: 60-65 °C
Boiling point or initial boiling point and No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: >320 °C pH-Value (at 20 °C): 5-7 (100 g/l) Viscosity / kinematic: No data available No data available Water solubility:

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Partition coefficient n-octanol/water:

No data available

No data available

Relative vapour density:

No data available

## 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Danger of dust explosion.

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Solid content:

No data available
Sublimation point:

No data available



according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 6 of 9

Softening point:

Pour point:

No data available

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air. Danger of dust explosion.

### 10.2. Chemical stability

Protect against: Humidity

# 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

Heat

Humidity

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25322-68-3	Polyglycol				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2014)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2014)	OECD Guideline 402

### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

# Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 7 of 9

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

### **Practical experience**

No data available

### 11.2. Information on other hazards

### Other information

No data available

#### **Further information**

No data available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
25322-68-3	Polyglycol						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Poecilia reticulata	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	1000	96 h	Desmodesmus subspicatus	Other company data (2018)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Fish toxicity	NOEC 86 mg/l	13671,5	28 d	Fish, 2: guppy fish	REACh Registration Dossier	other: Refer below principle
	Crustacea toxicity	NOEC 7 mg/l	17475,2	21 d	Daphnia magna	REACh Registration Dossier	other: Modeling database

### 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
25322-68-3	Polyglycol	0,2

### **BCF**

CAS No	Chemical name	BCF	Species	Source
25322-68-3	Polyglycol	3,162	Fish	REACh Registration D



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 8 of 9

### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Polyethylene glycol (PEG) 35000 for synthesis stabilized with 2-tert-butyl-4-methoxyphenol

Revision date: 23.02.2023 Product code: 26310 Page 9 of 9

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.