

# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 1 of 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Hazard components for labelling

methanol

**Pictograms:** 

Signal word:







sources. No

# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

according to Regulation (EC) No 1907/2006

Revision	date.	03	03	2023
	uale.	00	.00	.2020

Product code: 26549

Page 2 of 13

#### **Hazard statements**

H225	Highly flammable liquid and vapour.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H370	Causes damage to organs.
Precautionary statemen	ts
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition smoking.

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P403+P235	Store in a well-ventilated place. Keep cool.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
67-56-1	1 methanol			90 - < 95 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			
2492-26-4	Sodium 2-Benzothiazolethiolate			10 - < 15 %
	219-660-8			
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1; H315 H319 H400			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
67-56-1	200-659-6	methanol	90 - < 95 %
		0 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ‹g; oral: LD50 = 6000 mg/kg_STOT SE 1; H370: >= 10 - 100_STOT SE 2; I0	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 3 of 13

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Provide fresh air. Call a physician immediately. Notes for the doctor : Methanol

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness Dizziness, Anaesthetic state Agitation, Spasms Inebriation, Vomiting Headache, Impairment of vision Repeated exposure may cause skin dryness or cracking.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide, Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Keep away from sources of ignition - No smoking. This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 4 of 13

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 5 of 13

a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep cool. Protect from sunlight.

# 7.3. Specific end use(s)

Laboratory chemicals

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-56-1	Methyl alcohol	200	260		TWA (8 h)	

#### **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-56-1	Methanol	Methanol	15 mg/L	Urine	End of shift

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
67-56-1	methanol			
Consumer DN	EL, acute	inhalation	systemic	50 mg/m³
Worker DNEL,	long-term	inhalation	systemic	260 mg/m³
Worker DNEL,	acute	inhalation	systemic	260 mg/m <sup>3</sup>
Worker DNEL,	long-term	inhalation	local	260 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	local	260 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	40 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	50 mg/m³
Consumer DN	EL, long-term	inhalation	local	50 mg/m³
Consumer DN	EL, acute	inhalation	local	50 mg/m³
Consumer DN	EL, long-term	dermal	systemic	8 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	8 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	8 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	8 mg/kg bw/day



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 6 of 13

## **PNEC** values

CAS No	Substance		
Environmental compartment Value		Value	
67-56-1	methanol		
Freshwater		20,8 mg/l	
Freshwater (intermittent releases) 1540 mg/l			
Marine water 2,08 r		2,08 mg/l	
Freshwater sediment 77		77 mg/kg	
Marine sediment		7,7 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil		100 mg/kg	

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Take off immediately all contaminated clothing and wash it before reuse. Wear fire resistant or flame retardant clothing. Wash hands and face before breaks and after work and take a shower if necessary.



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 7 of 13

Draw up and observe skin protection programme.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

# **Environmental exposure controls**

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch		
Physical state:	Liquid	
Colour:	yellow	
Odour:	like: Methanol	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		<21 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,85798 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical ha	and classes	
Explosive properties		
Vapours can form explosive mixture	e with air	
Sustaining combustion:	s with all.	Sustaining compustion
Self-ignition temperature		Sustaining combustion
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		not applicable
not determined		
Other safety characteristics		
Evaporation rate:		No data available
-		No data available
Solvent separation test: Solvent content:		No data available
Solid content:		No data available
Sublimation point:		No data available
Softening point:		No data available
Bevision No: 1.01 Benlasse version: 1.00		



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023	Product code: 26549	Page 8 of 13
Pour point: No data available:	No data available	
Viscosity / dynamic: (at  °C)	No data available	
Flow time:	No data available	
Further Information		
No data available		

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapours can form explosive mixtures with air.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent, Nitrogen oxides (NOx) Potassium chlorate, peroxides, for example hydrogen peroxide Nitric acid, sulphuric acid , Acid halogen Acetic anhydride, Maleic anhydride Reducing agent, Acid Bromine, Chlorine Chloroform, Fluorine Alkali metals, Alkaline earth metal

#### 10.4. Conditions to avoid

Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

Plastic articles

Zinc

# 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

## Further information

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

# Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Irritation to respiratory tract

# ATEmix calculated

ATE (oral) 111,1 mg/kg; ATE (dermal) 333,3 mg/kg; ATE (inhalation vapour) 3,33 mg/l; ATE (inhalation dust/mist) 0,556 mg/l



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 9 of 13

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-56-1	methanol							
	oral	LD50 mg/kg	6000	Monkey	Amer J Ophthalmol 40: 76-83 (cited in D0	Determination of the acute toxicity of t		
	dermal	ATE mg/kg	300					
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	Study report (1980)	Study performed according to internal co		
	inhalation dust/mist	ATE	0,5 mg/l					

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Has degreasing effect on the skin.

# Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Causes damage to organs. (methanol) (eves)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

# Additional information on tests

No data available

# **Practical experience**

No data available

#### 11.2. Information on other hazards

#### Other information

Irritation to respiratory tract Repeated exposure may cause skin dryness or cracking. Causes damage to organs. Organs affected: Liver and kidney damage eyes heart

# Further information

Irritant, Dizziness, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache, Impairment of vision Repeated exposure may cause skin dryness or cracking.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	Calculation performed with ECOSAR
	Crustacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	Toxicity of the target chemical is predi

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

E	31		г	
_		-	•	

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	1	Cyprinus carpio	Comparative Biochemi

# 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Avoid release to the environment.

# **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 11 of 13

#### **Contaminated packaging**

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number or ID number:</u>	UN 1230
14.2. UN proper shipping name:	METHANOL
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3+6.1
Classification code:	FT1
Special Provisions:	279
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	336
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1230
14.2. UN proper shipping name:	METHANOL
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+6.1
Classification code:	FT1
Special Provisions:	279 802
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1230
14.2. UN proper shipping name:	METHANOL
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+6.1
Special Provisions:	279
Limited quantity:	1L
Excepted quantity:	E2
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 1230
14.2. UN proper shipping name:	METHANOL
14.3. Transport hazard class(es):	3
14.4. Packing group:	9 II
Hazard label:	3+6.1
Special Provisions:	A113
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	
IATA-max. quantity - Passenger:	
IATA-packing instructions - Cargo:	
Revision No: 1,01 - Replaces version: 1,00	



Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch					
Revision date: 03.03.2023	Product code: 26549	Page 12 of 13			
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
<u>14.6. Special precautions for user</u> Warning: Combustible liquid. Toxic. <u>14.7. Maritime transport in bulk according to</u> not applicable	o IMO instruments				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 40, Entry 69					
Information according to 2012/18/EU (SEVESO III):	H2 ACUTE TOXIC				
Additional information:	P5c				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC).	nile			
Water hazard class (D):	2 - obviously hazardous to water				
Skin resorption/Sensitization:	Permeates easily through outer skin and causes poisoning.				

# 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,7,9,11,14,15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 1; H370	Calculation method



# Mercaptobenzothiazol-Natriumsalz-Lösung 10 % zur Synthese in Methanol technisch

Revision date: 03.03.2023

Product code: 26549

Page 13 of 13

# Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)