

#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

UFI:

#### WH2D-T2KS-600N-YNUX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

**GB CLP Regulation** 

Hazard components for labelling sulphuric acid Danger

Signal word:

**Pictograms:** 





#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date:	19.04.2023
----------------	------------

Product code: 26749

Page 2 of 11

#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement	nts
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
7664-93-9	sulphuric acid		15 - < 20 %		
	231-639-5	016-020-00-8	01-2119458838-20		
	Met. Corr. 1, Skin Corr. 1A, Eye Da	m. 1; H290 H314 H318			
10294-42-5	Cerium(IV) sulphate tetrahydrate			< 1 %	
	237-029-5				
	Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	15 - < 20 %
	oral: LD50 = 21 Eye Irrit. 2; H31	40 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 9: >= 5 - < 15	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air.

Call a physician immediately.



Safety Data Sheet

#### according to UK REACH Regulation

#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 3 of 11

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage Causes burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Sulphur oxides

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



an analyti**chem** brand

# according to UK REACH Regulation

#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 4 of 11

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.3. Methods and material for containment and cleaning up

For containment

#### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Vapour pressure modifiers Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool place.

#### Hints on joint storage

national regulations



#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 5 of 11

#### Further information on storage conditions

Unsuitable container/equipment material: Metal Protect against: Light

#### 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### **DNEL/DMEL** values

CAS No	Substance		_				
DNEL type		Exposure route	Effect	Value			
7664-93-9	sulphuric acid						
Worker DNEL, long-term         inhalation         local         0,05 mg/m³							

#### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
7664-93-9 sulphuric acid					
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l					

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: Face protection shield goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



### Safety Data Sheet

#### according to UK REACH Regulation

#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 6 of 11

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	odourless	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		Х
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		acidic
	Viscosity / kinematic:		No data available
	Water solubility:		No data available
	Solubility in other solvents		
	not determined		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		No data available
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density:		No data available
	Relative density:		No data available
	Bulk density:		No data available
	Relative vapour density:		No data available
	Particle characteristics:		No data available
<u>9.2</u>	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	No data available		

No data available



# according to UK REACH Regulation Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023	Product code: 26749	Page 7 of 11
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

Protect against: Light

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

#### 10.4. Conditions to avoid

Protect against: Light

#### 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.



#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 8 of 11

CAS No	Chemical name									
	Exposure route Dose Species Source Method									
7664-93-9	sulphuric acid	sulphuric acid								
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser				

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name									
	Aquatic toxicity	Dose	Dose		Species	Source	Method			
7664-93-9	sulphuric acid									
	Acute algae toxicity ErC50 > 100 mg/l					Study report (2009)	OECD Guideline 201			
	Acute crustacea toxicity	Acute crustacea toxicity EC50 > 100 mg/l		48 h Daphnia magna		Study report (2009)	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish			



#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 9 of 11

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

#### **Further information**

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
nland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8

h



Revision date: 19.04.2023Product code: 26749Page 10 of 11Classification code:C1Limited quantity:1 LExcepted quantity:E2Warine transport (IMDG)14.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:1 LExcepted quantity:52EmS:F-A, S-BAir transport (ICAO-TI/IATA-DGR)UN 2796		
Limited quantity:1 LExcepted quantity:E2Marine transport (IMDG)UN 279614.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:2EmS:F-A, S-BAir transport (ICAO-TI/IATA-DGR)		
Excepted quantity:E2Marine transport (IMDG)UN 279614.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B		
Marine transport (IMDG)       14.1. UN number or ID number:       UN 2796         14.2. UN proper shipping name:       Sulphuric acid         14.3. Transport hazard class(es):       8         14.4. Packing group:       II         Hazard label:       8         Special Provisions:       -         Limited quantity:       1 L         Excepted quantity:       E2         EmS:       F-A, S-B		
14.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B		
14.2. UN proper shipping name:Sulphuric acid14.2. UN proper shipping name:Sulphuric acid14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B		
14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B		
14.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B		
Hazard label:       8         Special Provisions:       -         Limited quantity:       1 L         Excepted quantity:       E2         EmS:       F-A, S-B		
Special Provisions:       -         Limited quantity:       1 L         Excepted quantity:       E2         EmS:       F-A, S-B		
Limited quantity: 1 L Excepted quantity: E2 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR)		
Excepted quantity:     E2       EmS:     F-A, S-B       Air transport (ICAO-TI/IATA-DGR)		
EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR)		
14.2. UN proper shipping name: Sulphuric acid		
14.3. Transport hazard class(es): 8		
14.4. Packing group:		
Hazard label: 8		
Limited quantity Passenger: 0.5 L		
Passenger LQ: Y840 Excepted guantity: E2		
Excepted quantity: E2 IATA-packing instructions - Passenger: 851		
IATA-max. quantity - Passenger: 1L		
IATA-packing instructions - Cargo: 855		
IATA-max. quantity - Cargo: 30 L		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS: No		
14.6. Special precautions for user		
Warning: Oxidising substances. strongly corrosive.		
14.7. Maritime transport in bulk according to IMO instruments		
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3		
National regulatory information		
Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile		
work protection guideline' (94/33/EC).		
Water hazard class (D): 2 - obviously hazardous to water		
SECTION 16: Other information		

#### Changes

This data sheet contains changes from the previous version in section(s): 9.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods



# Safety Data Sheet

#### according to UK REACH Regulation

#### Ammonium molybdate solution R 6 Reag. Ph. Eur., chapter 4.1.1

Revision date: 19.04.2023

Product code: 26749

Page 11 of 11

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)