

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1

Revision date: 16.12.2022

Product code: 26772

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| e-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| e-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Flam. Liq. 3; H226  
Acute Tox. 3; H301  
Acute Tox. 3; H311  
Acute Tox. 3; H331  
STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

methanol

**Signal word:** Danger**Pictograms:**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 2 of 13

**Hazard statements**

H226 Flammable liquid and vapour.  
H290 May be corrosive to metals.  
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.  
H370 Causes damage to organs.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
P403+P235 Store in a well-ventilated place. Keep cool.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

| CAS No  | Chemical name   |              |                  | Quantity    |
|---------|---|--------------|------------------|-------------|
|         | EC No   | Index No     | REACH No         |             |
|         | Classification (Regulation (EC) No 1272/2008)   |              |                  |             |
| 67-56-1 | methanol  |              |                  | 40 - < 45 % |
|         | 200-659-6   | 603-001-00-X | 01-2119433307-44 |             |
|         | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370 |              |                  |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No  | EC No  | Chemical name | Quantity    |
|---------|--|---------------|-------------|
|         | Specific Conc. Limits, M-factors and ATE   |               |             |
| 67-56-1 | 200-659-6  | methanol      | 40 - < 45 % |
|         | inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10 |               |             |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1

Revision date: 16.12.2022

Product code: 26772

Page 3 of 13

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Consult an ophthalmologist.

#### After ingestion

Provide fresh air.  
Call a physician immediately.  
Notes for the doctor : Methanol

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness  
Dizziness, Anaesthetic state  
Agitation, Spasms  
Inebriation, Vomiting  
Headache, Impairment of vision  
Repeated exposure may cause skin dryness or cracking.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquids  
Hazardous combustion products  
In case of fire may be liberated: Carbon dioxide, Carbon monoxide  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.  
Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.  
Wear full chemical protective clothing.  
In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Keep away from sources of ignition - No smoking.  
This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).  
Take action to prevent static discharges.  
Corrosive to metals.

##### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1

Revision date: 16.12.2022

Product code: 26772

Page 4 of 13

Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion  
Do not allow to enter into surface water or drains.  
The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.  
Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.  
Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 5 of 13

**Requirements for storage rooms and vessels**

Keep in a cool, well-ventilated place.

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

**Further information on storage conditions**

Keep cool. Protect from sunlight.

Unsuitable container/equipment material: Metal

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

| CAS No  | Substance      | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category  | Origin |
|---------|----------------|-----|-------------------|---------------------|-----------|--------|
| 67-56-1 | Methyl alcohol | 200 | 260               |                     | TWA (8 h) |        |

**Biological limit values**

| CAS No  | Substance | Parameter | Value   | Test material | Sampling time |
|---------|-----------|-----------|---------|---------------|---------------|
| 67-56-1 | Methanol  | Methanol  | 15 mg/L | Urine         | End of shift  |

**DNEL/DMEL values**

| CAS No  | Substance                | Exposure route | Effect   | Value                 |
|---------|--------------------------|----------------|----------|-----------------------|
| 67-56-1 | methanol                 |                |          |                       |
|         | Consumer DNEL, acute     | inhalation     | systemic | 50 mg/m <sup>3</sup>  |
|         | Worker DNEL, long-term   | inhalation     | systemic | 260 mg/m <sup>3</sup> |
|         | Worker DNEL, acute       | inhalation     | systemic | 260 mg/m <sup>3</sup> |
|         | Worker DNEL, long-term   | inhalation     | local    | 260 mg/m <sup>3</sup> |
|         | Worker DNEL, acute       | inhalation     | local    | 260 mg/m <sup>3</sup> |
|         | Worker DNEL, long-term   | dermal         | systemic | 40 mg/kg bw/day       |
|         | Worker DNEL, acute       | dermal         | systemic | 40 mg/kg bw/day       |
|         | Consumer DNEL, long-term | inhalation     | systemic | 50 mg/m <sup>3</sup>  |
|         | Consumer DNEL, long-term | inhalation     | local    | 50 mg/m <sup>3</sup>  |
|         | Consumer DNEL, acute     | inhalation     | local    | 50 mg/m <sup>3</sup>  |
|         | Consumer DNEL, long-term | dermal         | systemic | 8 mg/kg bw/day        |
|         | Consumer DNEL, acute     | dermal         | systemic | 8 mg/kg bw/day        |
|         | Consumer DNEL, long-term | oral           | systemic | 8 mg/kg bw/day        |
|         | Consumer DNEL, acute     | oral           | systemic | 8 mg/kg bw/day        |

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 6 of 13

**PNEC values**

| CAS No   | Substance | Value     |
|--|-----------|-----------|
| Environmental compartment                        |           |           |
| 67-56-1  | methanol  |           |
| Freshwater                                       |           | 20,8 mg/l |
| Freshwater (intermittent releases)               |           | 1540 mg/l |
| Marine water                                     |           | 2,08 mg/l |
| Freshwater sediment                              |           | 77 mg/kg  |
| Marine sediment                                  |           | 7,7 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |           | 100 mg/l  |
| Soil   |           | 100 mg/kg |

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 7 of 13

Draw up and observe skin protection programme.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|   |                |                          |
|---|----------------|--------------------------|
| Physical state:   | Liquid         |                          |
| Colour:   | colourless     |                          |
| Odour:  | like: Methanol |                          |
| Melting point/freezing point:                             |                | No data available        |
| Boiling point or initial boiling point and boiling range: |                | No data available        |
| Flammability  |                |                          |
| Solid/liquid:   |                | not applicable           |
| Gas:  |                | not applicable           |
| Lower explosion limits:                                   |                | No data available        |
| Upper explosion limits:                                   |                | No data available        |
| Flash point:  |                | >23 °C                   |
| Auto-ignition temperature:                                |                | No data available        |
| Decomposition temperature:                                |                | No data available        |
| pH-Value:   |                | alkaline                 |
| Viscosity / kinematic:                                    |                | No data available        |
| Water solubility:   |                | easily soluble           |
| Solubility in other solvents                              |                |                          |
| No data available   |                |                          |
| Partition coefficient n-octanol/water:                    |                | No data available        |
| Vapour pressure:  |                | No data available        |
| Vapour pressure:  |                | No data available        |
| Density (at 20 °C):                                       |                | 0,9248 g/cm <sup>3</sup> |
| Bulk density:   |                | No data available        |
| Relative vapour density:                                  |                | No data available        |

**9.2. Other information**

**Information with regard to physical hazard classes**

**Explosive properties**

Vapours can form explosive mixtures with air.

**Sustaining combustion:**

Not sustaining combustion

**Self-ignition temperature**

Solid:

not applicable

Gas:

not applicable

**Oxidizing properties**

No data available

**Other safety characteristics**

**Evaporation rate:**

No data available

**Solvent separation test:**

No data available

**Solvent content:**

No data available

**Solid content:**

No data available

**Sublimation point:**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1

Revision date: 16.12.2022

Product code: 26772

Page 8 of 13

|                                    |                   |
|------------------------------------|-------------------|
| Softening point:                   | No data available |
| Pour point:                        | No data available |
| No data available:                 |                   |
| Viscosity / dynamic:<br>(at 20 °C) | No data available |
| Flow time:                         | No data available |

#### Further Information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Vapours can form explosive mixtures with air.  
Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent, Nitrogen oxides (NO<sub>x</sub>), Potassium chlorate, peroxides, for example hydrogen peroxide, Nitric acid, sulphuric acid, Acid halogen, Acetic anhydride, Maleic anhydride, Reducing agent, Acid, Bromine, Chlorine, Chloroform, Fluorine, Alkali metals, Alkaline earth metal;

### 10.4. Conditions to avoid

Vapours can form explosive mixtures with air.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Metal  
Plastic articles

### 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

#### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### Acute toxicity

Toxic if swallowed.  
Toxic in contact with skin.  
Toxic if inhaled.  
Irritation to respiratory tract

#### ATE<sub>mix</sub> calculated

ATE (oral) 227,3 mg/kg; ATE (dermal) 681,8 mg/kg; ATE (inhalation vapour) 6,82 mg/l; ATE (inhalation dust/mist) 1,136 mg/l



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 9 of 13

| CAS No  | Chemical name           |                    |         |  |  |
|---------|-------------------------|--------------------|---------|--|--|
|         | Exposure route          | Dose               | Species | Source                                       | Method   |
| 67-56-1 | methanol                |                    |         |  |  |
|         | oral                    | LD50<br>mg/kg 6000 | Monkey  | Amer J Ophthalmol<br>40: 76-83 (cited in DG) | Determination of the<br>acute toxicity of t    |
|         | dermal                  | ATE<br>mg/kg 300   |         |  |  |
|         | inhalation (4 h) vapour | LC50<br>mg/l 128,2 | Rat     | Study report (1980)                          | Study performed<br>according to internal<br>co |
|         | inhalation dust/mist    | ATE 0,5 mg/l       |         |  |  |

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.  
Has degreasing effect on the skin.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Causes damage to organs. (methanol)  
(eyes)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Other information**

Irritation to respiratory tract  
Repeated exposure may cause skin dryness or cracking.  
Causes damage to organs.  
Organs affected:  
Liver and kidney damage  
eyes  
heart

**Further information**

Irritant, Dizziness, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache,  
Impairment of vision  
Repeated exposure may cause skin dryness or cracking.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 10 of 13

| CAS No  | Chemical name            |                      |           |                                 |  |  |
|---------|--------------------------|----------------------|-----------|---------------------------------|--|--|
|         | Aquatic toxicity         | Dose                 | [h]   [d] | Species                         | Source                                   | Method                                   |
| 67-56-1 | methanol                 |                      |           |                                 |  |  |
|         | Acute fish toxicity      | LC50 15400 mg/l      | 96 h      | Lepomis macrochirus             | Bulletin of Environmental Contamination  | other: EPA-660/3-75-009, 1975            |
|         | Acute algae toxicity     | ErC50 ca. 22000 mg/l | 96 h      | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201                       |
|         | Acute crustacea toxicity | EC50 > 10000 mg/l    | 48 h      | Daphnia magna                   | Water Research 23(4): 495-499 (1989)     | other: DIN 38412 Teil 11                 |
|         | Fish toxicity            | NOEC 446,7 mg/l      | 28 d      | Pimephales promelas             | SAR and QSAR in Environmental Research,  | Calculation performed with ECOSAR        |
|         | Crustacea toxicity       | NOEC 208 mg/l        | 21 d      | Daphnia magna                   | OECD QSAR Toolbox Report (2013)          | Toxicity of the target chemical is predi |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

| CAS No  | Chemical name | Log Pow |
|---------|---------------|---------|
| 67-56-1 | methanol      | -0,77   |

**BCF**

| CAS No  | Chemical name | BCF | Species         | Source               |
|---------|---------------|-----|-----------------|----------------------|
| 67-56-1 | methanol      | 1   | Cyprinus carpio | Comparative Biochemi |

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 11 of 13

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

|  |   |
|--|---|
| <b>14.1. UN number or ID number:</b>     | UN 2927   |
| <b>14.2. UN proper shipping name:</b>    | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (methanol, sodium hydroxide) |
| <b>14.3. Transport hazard class(es):</b> | 6.1   |
| <b>14.4. Packing group:</b>              | II  |
| Hazard label:                            | 6.1+8+3   |
| Classification code:                     | TC1   |
| Special Provisions:                      | 274   |
| Limited quantity:                        | 100 mL  |
| Excepted quantity:                       | E4  |
| Transport category:                      | 2   |
| Hazard No:                               | 68  |
| Tunnel restriction code:                 | D/E   |

**Inland waterways transport (ADN)**

|  |   |
|--|---|
| <b>14.1. UN number or ID number:</b>     | UN 2927   |
| <b>14.2. UN proper shipping name:</b>    | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (methanol, sodium hydroxide) |
| <b>14.3. Transport hazard class(es):</b> | 6.1   |
| <b>14.4. Packing group:</b>              | II  |
| Hazard label:                            | 6.1+8+3   |
| Classification code:                     | TC1   |
| Special Provisions:                      | 274 802   |
| Limited quantity:                        | 100 mL  |
| Excepted quantity:                       | E4  |

**Marine transport (IMDG)**

|  |   |
|--|---|
| <b>14.1. UN number or ID number:</b>     | UN 2927   |
| <b>14.2. UN proper shipping name:</b>    | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (methanol, sodium hydroxide) |
| <b>14.3. Transport hazard class(es):</b> | 6.1   |
| <b>14.4. Packing group:</b>              | II  |
| Hazard label:                            | 6.1+8+3   |
| Special Provisions:                      | 274   |
| Limited quantity:                        | 100 mL  |
| Excepted quantity:                       | E4  |
| EmS:                                     | F-A, S-B  |

**Air transport (ICAO-TI/IATA-DGR)**

|  |   |
|--|---|
| <b>14.1. UN number or ID number:</b>     | UN 2927   |
| <b>14.2. UN proper shipping name:</b>    | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (methanol, sodium hydroxide) |
| <b>14.3. Transport hazard class(es):</b> | 6.1   |
| <b>14.4. Packing group:</b>              | II  |
| Hazard label:                            | 6.1+8+3   |
| Special Provisions:                      | A4 A137   |
| Limited quantity Passenger:              | 0.5 L   |
| Passenger LQ:                            | Y640  |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 12 of 13

|  |    |      |
|--|----|------|
| Excepted quantity:                     | E4 |      |
| IATA-packing instructions - Passenger: |    | 653  |
| IATA-max. quantity - Passenger:        |    | 1 L  |
| IATA-packing instructions - Cargo:     |    | 660  |
| IATA-max. quantity - Cargo:            |    | 30 L |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid. Toxic.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 69, Entry 75

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Additional information: P5c

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 9.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution methanolic R Reag. Ph. Eur., chapter 4.1.1**

Revision date: 16.12.2022

Product code: 26772

Page 13 of 13

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data    |
| Flam. Liq. 3; H226 | On basis of test data    |
| Acute Tox. 3; H301 | Calculation method       |
| Acute Tox. 3; H311 | Calculation method       |
| Acute Tox. 3; H331 | Calculation method       |
| STOT SE 1; H370    | Calculation method       |

**Relevant H and EUH statements (number and full text)**

|                |   |
|----------------|---|
| H225           | Highly flammable liquid and vapour.                     |
| H226           | Flammable liquid and vapour.                            |
| H290           | May be corrosive to metals.                             |
| H301           | Toxic if swallowed.                                     |
| H301+H311+H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H311           | Toxic in contact with skin.                             |
| H331           | Toxic if inhaled.                                       |
| H370           | Causes damage to organs.                                |

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*