

Safety Data Sheet

according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

pyridine

phthalic anhydride 1-methylimidazole

Signal word: Danger



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 2 of 14

Pictograms:









Hazard statements

H225 Highly flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	-			
110-86-1	pyridine				
	203-809-9	203-809-9 613-002-00-7 01-2119493105-40			
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H225 H332 H312 H302 H315 H319				
85-44-9	phthalic anhydride				
	201-607-5	607-009-00-4			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H302 H315 H318 H334 H317 H335				
616-47-7	1-methylimidazole			1 - < 5 %	
	210-484-7	613-035-00-7			
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B; H311 H302 H314				

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
110-86-1	203-809-9	pyridine			
		inhalation: LC50 = 4900 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 1000 - < 2000 mg/kg; oral: LD50 = > 800 - < 1600 mg/kg			
85-44-9	201-607-5	phthalic anhydride	10 - < 15 %		
	oral: LD50 = 1530 mg/kg				
616-47-7	210-484-7	1-methylimidazole	1 - < 5 %		
	dermal: LD50 =	400 - 640 mg/kg; oral: LD50 = ca. 1144 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.



Safety Data Sheet

according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 4 of 14

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).



Safety Data Sheet

according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 5 of 14

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
85-44-9	Phthalic anhydride	-	4		TWA (8 h)	WEL
		-	12	Î	STEL (15 min)	WEL
110-86-1	Pyridine	5	16	Î	TWA (8 h)	WEL
		10	33	ĺ	STEL (15 min)	WEL



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
110-86-1	pyridine			
Consumer DNI	EL, long-term	oral	systemic	0,07 mg/kg bw/day
Worker DNEL,	acute	inhalation	systemic	7,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,14 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	0,42 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,6 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	0,07 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,5 mg/m³
85-44-9	phthalic anhydride			
Worker DNEL,	long-term	inhalation	systemic	32,2 mg/m³
Worker DNEL,	long-term	dermal	systemic	10 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	8,6 mg/m³
Consumer DN	EL, long-term	dermal	systemic	5 mg/kg bw/day
Consumer DNI	Consumer DNEL, long-term		systemic	5 mg/kg bw/day
616-47-7	1-methylimidazole			
Worker DNEL,	long-term	inhalation	systemic	7,9 mg/m³
Worker DNEL,	long-term	dermal	systemic	2,25 mg/kg bw/day



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 7 of 14

PNEC values

Environmental	compartment	Value		
110-86-1		value		
110 00 1	pyridine			
Freshwater		0,3 mg/l		
Freshwater (int	Freshwater (intermittent releases)			
Marine water		0,03 mg/l		
Freshwater sec	diment	3,2 mg/kg		
Marine sedime	nt	0,32 mg/kg		
Micro-organism	ns in sewage treatment plants (STP)	2 mg/l		
Soil		0,46 mg/kg		
85-44-9	phthalic anhydride			
Freshwater		1 mg/l		
Freshwater (int	ermittent releases)	5,6 mg/l		
Marine water		0,1 mg/l		
Freshwater sec	diment	3,8 mg/kg		
Marine sedime	nt	0,38 mg/kg		
Micro-organism	ns in sewage treatment plants (STP)	10 mg/l		
Soil		0,173 mg/kg		
616-47-7	1-methylimidazole			
Freshwater		0,1 mg/l		
Freshwater (int	ermittent releases)	1 mg/l		
Marine water	0,01 mg/l			
Freshwater sec	4,43 mg/kg			
Marine sedime	0,443 mg/kg			
Micro-organism	ns in sewage treatment plants (STP)	589,6 mg/l		
Soil		0,825 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact: No data available



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 8 of 14

By short-term hand contact

Trade name/designation KCL 898 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,7 mm Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH. D-36124 Eichenzell. Internet; www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

No data available
?

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: not determined Upper explosion limits: not determined

Upper explosion limits: not determined Flash point: <21 °C

Flash point: <21 °C
Auto-ignition temperature: No data available
Decomposition temperature: not determined
pH-Value: No data available

Viscosity / kinematic:

Water solubility:

No data available

No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

1,02093 g/cm³

Bulk density:

No data available

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Self-ignition temperature

Solid: not applicable
Gas: not applicable



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 9 of 14

No data available

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate: not determined No data available Solvent separation test: Solvent content: No data available Solid content: No data available Sublimation point: No data available Softening point: No data available Pour point: No data available No data available Viscosity / dynamic: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time:

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 10 of 14

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
110-86-1	pyridine					
	oral	LD50 > 8 1600 mg/kg	300 - <	Rat	Study report (1978)	Precedes establishment of guideline and
	dermal	LD50 > 1 < 2000 mg/kg	000 -	Rabbit	Study report (1973)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 490	00 mg/l	Rat	Other company data (1984)	EPA OPPTS 870.1300
	inhalation dust/mist	ATE 1,5	mg/l			
85-44-9	phthalic anhydride					
	oral	LD50 153 mg/kg	30	Rat	Study report (1978)	10 male rats/dose
616-47-7	1-methylimidazole					
	oral	LD50 ca. mg/kg	1144	Rat	Study report (1966)	OECD Guideline 401
	dermal	LD50 400 mg/kg	0 - 640	Rabbit	Study report (1981)	OECD Guideline 402

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (phthalic anhydride)

May cause an allergic skin reaction. (phthalic anhydride)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
110-86-1	pyridine						
	Acute fish toxicity	LC50 1000 mg/l	> 560 - <	96 h	Danio rerio	Study report (1991)	OECD Guideline 203
	Acute algae toxicity	ErC50	320 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1991)	OECD Guideline 201
85-44-9	phthalic anhydride						
	Acute fish toxicity	LC50 mg/l	> 99	96 h	Oryzias latipes	Review article or handbook (2003)	OECD Guideline 203
	Acute algae toxicity	ErC50	68 mg/l	72 h	Pseudokirchneriella subcapitata	Review article or handbook (2003)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 640	48 h	Daphnia magna	Publication (1986)	Method is following the procedures descr
	Fish toxicity	NOEC	10 mg/l	60 d	Oncorhynchus mykiss	Ecotoxicology and Environmental Safety 2	Method: other: according to OECD Guideli
	Crustacea toxicity	NOEC	16 mg/l	21 d	Daphnia magna	Review article or handbook (2003)	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	Activated sludge	Study report (1984)	ISO 8192
616-47-7	1-methylimidazole						
	Acute fish toxicity	LC50 215 mg/l	> 100 - <	96 h	Leuciscus idus	Study report (1989)	other: DIN 38 412
	Acute algae toxicity	ErC50 mg/l	202,5	72 h	Desmodesmus subspicatus	Study report (1990)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	267,94	48 h	Daphnia magna	Study report (1989)	EU Method C.2

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-86-1	pyridine	0,64
85-44-9	phthalic anhydride	1,6
616-47-7	1-methylimidazole	-0,19

BCF

CAS No	Chemical name	BCF	Species	Source
85-44-9	phthalic anhydride	3,4	calculated	Study report (2004)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 12 of 14

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3+8 Classification code: FC **Special Provisions:** 274 Limited quantity: 1 I Excepted quantity: F2 Transport category: 2 Hazard No: 338 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Classification code:FCSpecial Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924



Safety Data Sheet

according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 13 of 14

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:A3Limited quantity Passenger:0.5 LPassenger LQ:Y340Excepted quantity:E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:363IATA-max. quantity - Cargo:5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning. Causes

allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.



according to UK REACH Regulation

Phthalic anhydride solution 160 g PSA + 30 g 1-methylimidazole + 1 l pyridine

Revision date: 02.01.2024 Product code: 26880 Page 14 of 14

Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)