

Revision date: 18.09.2023

Page 1 of 11

according to Regulation (EC) No 1907/2006 Sodium perchlorate monohydrate for analysis

Product code: 27006

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Sodium perchlorate monohydrate for analysis CAS No: 7791-07-3 Index No: 017-010-00-6 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: AnalytiChem GmbH Street: Stempelstraße 6 D-47167 Duisburg Place: Telefax: 0203/5194-290 Telephone: 0203/5194-0 E-mail: info@analytichem.de Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 E-mail: produktsicherheit@analytichem.de Internet: www.analytichem.de Responsible Department: Abteilung Produktsicherheit For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, 1.4. Emergency telephone Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Ox. Sol. 1; H271 Acute Tox. 4; H302 Eve Irrit. 2; H319


STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:





according to Regulation (EC) No 1907/2006

Revision date: 18.09.2023	Product code: 27006	Page 2 of 1
Hazard statements		
H271	May cause fire or explosion; strong oxidiser.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
Precautionary statemer	its	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P221	Take any precaution to avoid mixing with combustibles.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P314	Get medical advice/attention if you feel unwell.	
2.3. Other hazards		
No data available		

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	NaClO4 * H2O
Molecular weight:	140.46 g/mol

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
7791-07-3	Natriumperchlorat-Monohydrat				
		017-010-00-6			
Ox. Sol. 1, Acute Tox. 4, Eye Irrit. 2, STOT RE 2; H271 H302 H319 H373					

Full text of H and EUH statements: see section 16.

Specific Conc	Specific Conc. Limits, M-factors and ATE					
CAS No	EC No Chemical name					
	Specific Conc. Limits, M-factors and ATE					
7791-07-3		Natriumperchlorat-Monohydrat	100 %			
	oral: ATE = 500) mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 3 of 11

After contact with eyes Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Dyspnoea

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Oxidizing Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) In case of warming: Decomposition with: Danger of explosion

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 4 of 11

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Avoid dust formation. Do not breathe dust. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion Keep away from combustible material.

May intensify fire; oxidiser.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Hints on joint storage

Keep away from combustible material.

Further information on storage conditions

storage temperature +5°C - +30°C

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		-		
DNEL type	DNEL type		Effect	Value	
7791-07-3	Natriumperchlorat-Monohydrat				
Worker DNEL, long-term		dermal	systemic	2,16 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	0,28 mg/m³	

PNEC values

CAS No	Substance		
Environment	al compartment	Value	
7791-07-3	Natriumperchlorat-Monohydrat		
Freshwater		0,021 mg/l	
Freshwater (intermittent releases) 1 mg/l			
Marine water	r	0,002 mg/l	
Freshwater s	sediment	4,67 mg/kg	
Marine sedin	nent	0,467 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	7 mg/l	
Soil		2,55 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation:KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.



according to Regulation (EC) No 1907/2006

Sodium perchlora	te monohydrate f	or analysis
------------------	------------------	-------------

Revision date: 18.09.2023

Product code: 27006

Page 6 of 11

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and c		
Physical state:	solid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		130 °C
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not determined not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		130/482 °C
pH-Value (at 25 °C):		4,5 - 7,0 (50 g/l)
Viscosity / kinematic:		No data available
Water solubility:		2090 g/L
(at 15 °C)		
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		2,02 g/cm ³
Relative density:		No data available
Bulk density:		900 kg/m³
Relative vapour density:		not determined
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical h	azard classes	
Explosive properties		
No data available		No data available
Sustaining combustion: Self-ignition temperature		No data avaliable
Solid:		not determined
Gas:		not applicable
Oxidizing properties		not applicable
The product is: oxidising, Oxidising	l.	
Oxidizing solids, Category 1		
Other safety characteristics		
Evaporation rate:		not determined



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis					
Revision date: 18.09.2023	Product code: 27006	Page 7 of 11			
Solvent separation test:	No data available				
Solvent content:	No data available				
Solid content:	100%				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available				
	No data available				
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Light metal, Metal Alcohol, Fluorine, Metal powder SULPHUR, Acid Reducing agent, Combustible substance

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

iron and steel

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

040.11

Harmful if swallowed.

May cause respiratory irritation.

CAS No							
	Exposure route	Dose	Species	Source	Method		
7791-07-3	Natriumperchlorat-Monohydrat						
	oral	ATE 500 mg/kg					

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 8 of 11

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Natriumperchlorat-Monohydrat)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information

No data available

Further information

Irritant

Dyspnoea

SECTION 12: Ecological information

12.1. Toxicity

CAS No	No Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7791-07-3	Natriumperchlorat-Monohydrat						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Danio rerio	Study report (2005)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 435,7	72 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Crustacea toxicity	NOEC	10 mg/l	7 d	Ceriodaphnia dubia	Study report (1998)	other: EPA/600/4-91/00 2
	Acute bacteria toxicity	(EC50 mg/l)	> 700	0,5 h	Activated sludge	Study report (1997)	ISO 8192

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

BCF

CAS No	Chemical name	BCF	Species	Source
7791-07-3	Natriumperchlorat-Monohydrat	> 0,06 - < 0,14	Danio rerio	Chemosphere 65 (2006

12.4. Mobility in soil

No data available



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 9 of 11

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No data available 12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1502	
14.2. UN proper shipping name:	SODIUM PERCHLORATE	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	
Hazard label:	5.1	
Classification code:	O2	
Limited quantity:	1 kg	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	50	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1502	
14.2. UN proper shipping name:	SODIUM PERCHLORATE	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	
Hazard label:	5.1	
Classification code:	O2	
Limited quantity:	1 kg	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1502	
14.2. UN proper shipping name:	SODIUM PERCHLORATE	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis			
Revision date: 18.09.2023	Product code: 27006	Page 10 of 11	
Hazard label:	5.1		
Special Provisions:	-		
Limited quantity:	1 kg		
Excepted quantity:	E2		
EmS:	F-H, S-Q		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1502		
14.2. UN proper shipping name:	SODIUM PERCHLORATE		
14.3. Transport hazard class(es):	5.1		
14.4. Packing group:			
Hazard label:	5.1		
Limited quantity Passenger: Passenger LQ:	2.5 kg Y544		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:	558		
IATA-max. quantity - Passenger:	5 kg		
IATA-packing instructions - Cargo:	562		
IATA-max. quantity - Cargo:	25 kg		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: Oxidising substances.			
14.7. Maritime transport in bulk according to IMO instruments			
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU regulatory information	······································		
Information according to 2012/18/EU	P8 OXIDISING LIQUIDS AND SOLIDS		
(SEVESO III):			
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.		
Water hazard class (D):			
,	· · ·		

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

Sodium perchlorate monohydrate for analysis

Revision date: 18.09.2023

Product code: 27006

Page 11 of 11

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Ox. Sol: Oxidising solid Acute Tox: Acute toxicity Eye Irrit: Eye irritation STOT RE: Specific target organ toxicity - repeated exposure

Relevant H and EUH statements (number and full text)

- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.