

according to Regulation (EC) No 1907/2006

# Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Print date: 20.11.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 2 of 11

P337+P313 If eye irritation persists: Get medical advice/attention.

## Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No			
	Classification (Regulation (EC) No 1272/2008)			
333-20-0	potassium thiocyanate			20 - < 25 %
	206-370-1 615-004-00-3 01-2119543697-26			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H332 H312 H302 H319 H412 EUH032			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
333-20-0	206-370-1	potassium thiocyanate	20 - < 25 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 508 mg/kg			

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider

### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water.



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 3 of 11

Water, to which activated charcoal may be added

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Agitation

Spasms

Cardiac arrhythmias

Circulatory collapse

# 4.3. Indication of any immediate medical attention and special treatment needed

Release of: Hydrogen cyanide (hydrocyanic acid)

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

Hydrogen cyanide (hydrocyanic acid)

## 5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Print date: 20.11.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 4 of 11

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

Provide adequate ventilation. Do not breathe vapour/aerosol.

Use extractor hood (laboratory).

### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat or drink.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

# Hints on joint storage

No data available

# Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
333-20-0 potassium thiocyanate						
Worker DNEL, long-term		inhalation	systemic	3,6 mg/m³		
Worker DNEL, long-term		dermal	systemic	5,1 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	0,9 mg/m³		
Consumer DNEL, long-term		dermal	systemic	2,6 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,3 mg/kg bw/day		

#### **PNEC** values

CAS No	Substance		
Environment	Environmental compartment		
333-20-0	potassium thiocyanate		
Freshwater		0,095 mg/l	
Freshwater (intermittent releases)		0,027 mg/l	
Marine wate	r	0,009 mg/l	
Freshwater	sediment	0,543 mg/kg	
Marine sediment		0,054 mg/kg	
Secondary poisoning		1,667 mg/kg	
Micro-organisms in sewage treatment plants (STP)		30 mg/l	
Soil	6,336 mg/kg		

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

## **Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 6 of 11

### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour:

Odour threshold:

No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

Upper explosion limits:

No data available

Flash point:

X

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available

pH-Value:

No data available

Viscosity / kinematic:

No data available

Solubility in other solvents

No data available

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available No data available Dispersion stability: Vapour pressure: No data available Vapour pressure: No data available Density: 1,1074 g/cm<sup>3</sup> Relative density: No data available No data available Bulk density: Relative vapour density: No data available Particle characteristics: No data available

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 7 of 11

Solvent separation test:

Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available
No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent

Acid - Formation of: Hydrogen cyanide (hydrocyanic acid)

### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

Contact with acids liberates very toxic gas.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 8 of 11

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
333-20-0	potassium thiocyanate						
	oral	LD50 mg/kg	508	Japanese quail	Study report (1999)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402	
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### Other information

No data available

### **Further information**

Irritant

Agitation

Spasms

Cardiac arrhythmias

Circulatory collapse

# **SECTION 12: Ecological information**

## 12.1. **Toxicity**

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

## Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
333-20-0	potassium thiocyanate						
	Acute fish toxicity	LC50	65 mg/l	96 h	Oncorhynchus mykiss	Study report (1999)	EU Method C.1
	Acute algae toxicity	ErC50	116 mg/l		Pseudokirchneriella subcapitata	Study report (1999)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	3,56	48 h	Daphnia magna	Study report (1999)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	1,84	124 d	Pimephales promelas	Study report (1994)	Test was based on exposing juvenile fath
	Crustacea toxicity	NOEC mg/l	1,25	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
333-20-0	potassium thiocyanate	-2,52

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

## Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

# Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 10 of 11

14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

# Abbreviations and acronyms

Acute Tox: Acute toxicity
Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Eye Irrit. 2; H319	Calculation method				

Print date: 20.11.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Kaliumrhodanid-Lösung 234 g/l zur W / Mo-Bestimmung Farbreagenz für METROHM

Revision date: 20.11.2023 Product code: 27013 Page 11 of 11

### Relevant H and EUH statements (number and full text)

Harmful if swallowed. H302 H312 Harmful in contact with skin. H319 Causes serious eye irritation.

Harmful if inhaled. H332

H412 Harmful to aquatic life with long lasting effects. FUH032 Contact with acids liberates very toxic gas.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)