

	0	, 	
Potassium hydrogen	phthalate standard solution 1500 sulfuric acid	mg COD /l 1.275 g C8H5KO4 + 8	5 ml
Revision date: 07.03.2023	Product code: 27218		Page 1 of 11
SECTION 1: Identification of the	e substance/mixture and of the comp	any/undertaking	
1.1. Product identifier			
Potassium hydrogen phthala	te standard solution 1500 mg COD /l 1.275	g C8H5KO4 + 85 ml sulfuric acid	
UFI:	1TCE-629X-U00R-7S56		
1.2. Relevant identified uses of the	substance or mixture and uses advised	against	
	tances as such or in preparations at indust main (administration, education, entertainm		
Uses advised against			
Do not use for private purpos	ses (household).		
1.3. Details of the supplier of the s Company name: Street: Place:	<u>afety data sheet</u> AnalytiChem GmbH Stempelstraße 6 D-47167 Duisburg		
Telephone: e-mail: Contact person: e-mail: Internet: Responsible Department:	0203/5194-0 info@analytichem.de Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telefax: 0203/5194-290 Telephone: 0203/5194-107/117	
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerou Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca accepted)	C Day or Night Within USA and Canada	a:
Further Information inapplicable, this product is a	mixture REACH registration number see s	ection 3	
SECTION 2: Hazards identificat	ion		
2.1. Classification of the substance GB CLP Regulation	e or mixture		

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation	
Signal word:	

Pictograms:



Warning

Hazard statements H290 H315

May be corrosive to metals. Causes skin irritation.



Potassium hydrogen phthalate standard solution 1500 mg COD /I 1.275 g C8H5KO4 + 85 ml

sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 2 of 11

Causes serious eye irritation.

Precautionary statements

P302+P352IF ON SKIN: Wash with plenty of soap and water.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.

2.3. Other hazards

H319

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No Index No REACH No					
	Classification (GB CLP Regulation)					
7664-93-9	sulphuric acid	sulphuric acid				
	231-639-5 016-020-00-8 01-2119458838-20					
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
7664-93-9	231-639-5	sulphuric acid	10 - < 15 %	
	oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml

sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

Irritant Circulatory collapse

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml

sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 4 of 11

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal, Light metal The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml

Revision date: 07.03.2023

sulfuric acid Product code: 27218

Page 5 of 11

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
7664-93-9	sulphuric acid						
Worker DNEL, long-term		inhalation	local	0,05 mg/m³			
Worker DNEL, acute		inhalation	local	0,1 mg/m³			

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment			
7664-93-9 sulphuric acid				
Freshwater 0,00		0,003 mg/l		
Marine water		0 mg/l		
Freshwater sediment		0,002 mg/kg		
Marine sediment		0,002 mg/kg		
Micro-organis	Micro-organisms in sewage treatment plants (STP) 8			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.



Potassium hydrogen phthalate standard solution 1500 mg COD /I 1.275 g C8H5KO4 + 85 ml

Revision date: 07.03.2023

sulfuric acid

Product code: 27218

Page 6 of 11

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1	I. Information on basic physical and chen	nical properties	
	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	odourless	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		No data available
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		acidic
	Viscosity / kinematic:		No data available
	Water solubility:		completely miscible
	Solubility in other solvents		
	No data available		
	Partition coefficient n-octanol/water:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density:		~1,06 g/cm ³
	Bulk density:		No data available
	Relative vapour density:		No data available
<u>9.</u> 2	2. Other information		
	Information with regard to physical haza	rd classes	
	Explosive properties		
	No data available		
	Sustaining combustion:		No data available
	Self-ignition temperature		
	Solid:		No data available
	Gas:		No data available
	Oxidizing properties		
	Oxidizing		
	Other safety characteristics		
	Evaporation rate:		No data available
	Solvent separation test:		No data available
	Solvent content:		0
	Solid content:		0
	Sublimation point:		No data available
	Softening point:		No data available
	Pour point:		No data available
	No data available:		
	Viscosity / dynamic:		No data available



Potassium hydrogen phthalate standard solution 1500 mg COD /I 1.275 g C8H5KO4 + 85 ml

sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 7 of 11

Flow time:

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Water Alkali metals Ammonia (NH3) Alkali (lye) Alkaline earth metal Acids metals

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. Following ingestion Gastric perforation Irritating to respiratory system.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7664-93-9	sulphuric acid							
	oral	LD50 mg/kg	2140		1969 Sep-Oct; 30(5):	The study was performed as part of a ser		

Irritation and corrosivity

Causes skin irritation. Causes serious eye irritation.



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml sulfuric acid									
Revision date: 07.03.2023			ode: 27218		Page 8 of 11				
Sensitising effects Based on available data, the cla	assification criteria are	e not me	t.						
Carcinogenic/mutagenic/toxic effects for reproduction Based on available data, the classification criteria are not met.									
STOT-single exposure Based on available data, the classification criteria are not met.									
STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.									
Specific effects in experiment on There are no data available on		re itself.							
Additional information on tests There are no data available on	the preparation/mixtu	re itself.							
Practical experience There are no data available on t	the preparation/mixtu	re itself.							
11.2. Information on other hazards Other information There are no data available on the second	the preparation/mixtu	re itself.							
Further information Symptoms may be delayed.									
SECTION 12: Ecological informat	ion								
<u>12.1. Toxicity</u> There are no data available on a	the mixture itself.								
CAS No Chemical name									
Aquatic toxicity	Dose	[h] [d]	Species	Source	Method				
7664-93-9 sulphuric acid									
Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201				
Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202				

12.2. Persistence and degradability

Fish toxicity

There are no data available on the mixture itself.

NOEC

mg/l

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

0,025

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

65 d Jordanella floridae

Groups of

sexually mature flagfish

Water Research

1977

Vol. 11, 612 - 626,



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml

sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 9 of 11

12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2



Potassium hydrogen phthalate standard solution 1500 mg COD /I 1.275 g C8H5KO4 + 85 ml

Potassium hydrogen phthalate standard solution 1500 mg COD /I 1.275 g C8H5KO4 + 85 ml						
	sulfuric a	acid				
Revision date: 07.03.2023	Product code	e: 27218	Page 10 of 11			
EmS:	F-A, S-B					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	UN 2796					
14.2. UN proper shipping name:	Sulphuric acid					
14.3. Transport hazard class(es):	8					
14.4. Packing group:	II					
Hazard label:	8					
Limited quantity Passenger:	0.5 L					
Passenger LQ:	Y840					
Excepted quantity:	E2					
IATA-packing instructions - Passenger:	-	351				
IATA-max. quantity - Passenger:	-					
IATA-packing instructions - Cargo:	-	355				
IATA-max. quantity - Cargo:	3	30 L				
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regul	ations/legislation speci	ific for the substance or mixture				
EU regulatory information						
Restrictions on use (REACH, annex XVII):						
Entry 3						
Information according to 2012/18/EU	Not subject to 2012/18					
(SEVESO III):						
National regulatory information						
Employment restrictions:	Observe restrictions to work protection guideli	employment for juveniles according to the 'juveniles' (94/33/EC).	enile			

Water hazard class (D):

work protection guideline' (94/33/EC). 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H290May be corrosive to metals.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



Potassium hydrogen phthalate standard solution 1500 mg COD /l 1.275 g C8H5KO4 + 85 ml sulfuric acid

Revision date: 07.03.2023

Product code: 27218

Page 11 of 11

processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)