

Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 1; H372 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

zinc chloride potassium iodide iodine

Signal word: Danger



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 2 of 14

Pictograms:









Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 **2.3. Other hazards**

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regul	ation)			
7646-85-7	zinc chloride			50 - < 55 %	
	231-592-0	030-003-00-2	01-2119472431-44		
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H400 H410				
7681-11-0	potassium iodide	15 - < 20 %			
	231-659-4		01-2119906339-35		
	STOT RE 1; H372				
7553-56-2	iodine		1 - < 5 %		
	231-442-4	053-001-00-3	01-2119485285-30		
	Acute Tox. 4, Acute Tox. 4, S H332 H312 H315 H319 H335				

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
7646-85-7	231-592-0	zinc chloride	50 - < 55 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1100 mg/kg STOT SE 3; H335: >= 5 - 100			
7681-11-0	231-659-4	potassium iodide	15 - < 20 %	
	oral: LD50 = 3118 mg/kg			
7553-56-2	231-442-4	iodine	1 - < 5 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = > 4,588 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCI)



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 4 of 14

Hydrogen iodide (HI)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 5 of 14

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7553-56-2	lodine	0.1	1.1		STEL (15 min)	WEL
7646-85-7	Zinc chloride, fume	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7646-85-7	zinc chloride			
Worker DNEL,	long-term	inhalation	systemic	1 mg/m³
Worker DNEL,	long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,25 mg/m³
Consumer DNEL, long-term		dermal	systemic	8,3 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day
7553-56-2	iodine			
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m³
Worker DNEL,	Worker DNEL, long-term		systemic	0,01 mg/kg bw/day



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 6 of 14

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7646-85-7	zinc chloride	
Freshwater		0,0206 mg/l
Marine water	ſ	0,0061 mg/l
Freshwater s	sediment	117,8 mg/kg
Marine sedin	nent	56,5 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,1 mg/l
Soil		35,6 mg/kg
7553-56-2	iodine	
Freshwater		0,01813 mg/l
Marine water	r	0,06001 mg/l
Freshwater sediment		3,99 mg/kg
Marine sediment		20,22 mg/kg
Micro-organisms in sewage treatment plants (STP)		11 mg/l
Soil		5,95 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and



Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 7 of 14

under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Melting point/freezing point:

Boiling point or initial boiling point and

?

boiling range:

Flammability:

not applicable
not applicable
Lower explosion limits:

not determined
Upper explosion limits:

not determined
Flash point:

Auto-ignition temperature:

No data available

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

Viscosity / kinematic:

No data available

No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

1,80000 g/cm³

Bulk density:

No data available

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: 0 Solid content: not determined Sublimation point: No data available Softening point: No data available



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 8 of 14

Pour point: No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 914,7 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
7646-85-7	zinc chloride					
	oral	LD50 mg/kg	1100	Rat	Vet Hum Toxicol. 30(3): 224-228 (1988)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1999)	OECD Guideline 402
7681-11-0	potassium iodide					
	oral	LD50 mg/kg	3118	Rat	Study report (1980)	OECD Guideline 401
7553-56-2	iodine					
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2006)	EPA OPPTS 870.1200
	inhalation vapour	ATE	11 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	> 4,588	Rat	Study report (2008)	OECD Guideline 403



Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 9 of 14

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (zinc chloride)

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (potassium iodide)

May cause damage to organs through prolonged or repeated exposure. (iodine)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 10 of 14

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7646-85-7	zinc chloride							
	Acute fish toxicity	LC50 mg/l	0,439	96 h	Cottus bairdii	Environm; Toxic; & Chemistry, vol 24, nr	lab-designed dose-response test	
	Acute crustacea toxicity	EC50 mg/l	1,22	48 h	Daphnia magna	Publication (1995)	other: US EPA/600/4-85/01 3: methods for	
	Fish toxicity	NOEC mg/l	0,172	30 d	Cottus bairdi	Environm. Tox & Chem. Vol 24, Nr 6, 1515	lab-designed dose-response test	
	Algae toxicity	NOEC mg/l	1,071	16 d	Macrocystis pyrifera	Mar Environ Res 26(2):113-134 (1988)	16-d and 2-d toxicity test to early life	
	Crustacea toxicity	NOEC mg/l	0,031	50 d	Daphnia magna	Aquatic Toxicologhy 12,273-290 (1988)	chronic tests were performed for an exte	
	Acute bacteria toxicity	(EC50	5,2 mg/l)	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209	
7681-11-0	potassium iodide							
	Acute fish toxicity	LC50 mg/l	3780	96 h	Oncorhynchus mykiss	Publication (1995)	other: Protocol to d	
	Acute crustacea toxicity	EC50 mg/l	1,27	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202	
7553-56-2	iodine							
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Oncorhynchus mykiss	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute algae toxicity	ErC50 mg/l	0,13	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,59	48 h	Daphnia magna	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute bacteria toxicity	(EC50 mg/l)	280	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7553-56-2	iodine	2,49

BCF

CAS No	Chemical name	BCF	Species	Source
7646-85-7	zinc chloride	96,05	Danio rerio	Chemosphere 128:125-

12.4. Mobility in soil

The product has not been tested.



Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 11 of 14

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1. UN number or ID number:	UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: Classification code: C₁ Limited quantity: 5 I Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Marine pollutant:PSpecial Provisions:223



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 12 of 14

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-B

Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 L

Passenger LQ: Y841
Excepted quantity: E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,4,5,6,7,8,9,10,13,14.



according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 13 of 14

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eve Irrit: Eve irritation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method
STOT RE 1; H372	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H30)2	Harmful if swallowed.
H31	2	Harmful in contact with skin.
H31	4	Causes severe skin burns and eye damage.
H31	5	Causes skin irritation.
H31	8	Causes serious eye damage.
H31	9	Causes serious eye irritation.
H33	32	Harmful if inhaled.
H33	35	May cause respiratory irritation.
H37	'2	Causes damage to organs through prolonged or repeated exposure.
H37	'3	May cause damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H37	'3	May cause damage to organs through prolonged or repeated exposure.
H40	00	Very toxic to aquatic life.
H41	0	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Safety Data Sheet

according to UK REACH Regulation

Zinc chloride solution, iodine-containing R Reag. Ph. Eur., chapter 4.1.1

Revision date: 05.09.2023 Product code: 27223 Page 14 of 14

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)