

according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one) CAS No: 96-49-1 EC No: 202-510-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dange	rous Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008 Signal word: Warning

Pictograms:



Harmful if swallowed.

Hazard statements

H302



 $a_{nata} > 0.9 \% / 1.2 Diavalan 2$

according to Regulation (EC) No 1907/2006

	Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)							
Revision date: 26.07.2023	Product code: 27233	Page 2 of 11						
H319	Causes serious eye irritation.							
H373	May cause damage to organs through prolonged or repeated exposure.							
Precautionary statemen	ts							
P260	Do not breathe dust/fume/gas/mist/vapours/spray.							
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.							
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.							
P337+P313	If eye irritation persists: Get medical advice/attention.							
2.3. Other hazards								

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C3H4O3
Molecular weight:	88,06 g/mol

Hazardous components

CAS No	Chemical name	hemical name					
	EC No	Index No	REACH No				
	Classification (Regulation (EC) No 1272/2008)						
96-49-1	ethylene carbonate	ethylene carbonate					
	202-510-0						
	Acute Tox. 4, Eye Irrit. 2, STOT RE	2; H302 H319 H373	•				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
96-49-1	202-510-0 ethylene carbonate		100 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 10400 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant corrosive Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water Carbon dioxide (CO2) Foam Extinguishing powder

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible solids

Hazardous combustion products In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 4 of 11

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid dust formation. Do not breathe dust.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Hints on joint storage

No data available

Further information on storage conditions

Protect from sunlight. storage temperature < +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		-	
DNEL type		Exposure route	Effect	Value
96-49-1	ethylene carbonate			
Worker DNEL,	long-term	inhalation	systemic	15 mg/m³
Worker DNEL, long-term		dermal	systemic	4,3 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	3,7 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,1 mg/kg bw/day
Consumer DNE	Consumer DNEL, long-term		systemic	2,1 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmenta	al compartment	Value			
96-49-1	ethylene carbonate				
Freshwater		5,9 mg/l			
Freshwater (intermittent releases)		59 mg/l			
Marine water		0,59 mg/l			
Freshwater s	sediment	28,3 mg/kg			
Marine sediment		2,83 mg/kg			
Soil		2,2 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection goggles Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse. Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands and face before breaks and after work and take a shower if necessary.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P1

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-	Physical state:	solid	
	Colour:	colourless	
	Odour:	odourless	
	Odour threshold:	No data available	
	Melting point/freezing point:		36 °C
	Boiling point or initial boiling point and		248 °C
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		3,6 vol. %
	Upper explosion limits:		16,1 vol. %
	Flash point:		143 °C
	Auto-ignition temperature:		465 °C °C
	Decomposition temperature:		246 °C
	pH-Value (at 20 °C):		7 (200 g/l)
	Viscosity / kinematic:		No data available
	Water solubility:		214 g/L
	(at 20 °C)		
	Solubility in other solvents		
	No data available		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		log Pow: -0,34
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density:		1,32 g/cm ³
	Bulk density:		No data available
	Relative vapour density:		No data available
	Particle characteristics:		No data available
<u>9</u>	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	Danger of dust explosion.		
	Sustaining combustion:		Sustaining combustion

Sustaining combustion: Self-ignition temperature



according to Regulation (EC) No 1907/2006

	ing to Regulation (EC) No 1907/2006	
Ethylene car	bonate > 98 % (1,3-Dioxolan-2-one)	
Revision date: 26.07.2023	Product code: 27233	Page 7 of 11
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content: Sublimation point:	No data available No data available	
Softening point:	No data available	
Pour point:	No data available	
	No data available	
Viscosity / dynamic:	1,92 mPa·s	
(at 40 °C)	<i>,</i>	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Danger of dust explosion.		
10.2. Chemical stability		
The product is stable under storage at normal	ambient temperatures	
10.3. Possibility of hazardous reactions		
No data available		
10.4. Conditions to avoid		
Heat		
10.5. Incompatible materials		
No data available		
10.6. Hazardous decomposition products		
No data available		
Further information		
No data available		
SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in F	Regulation (EC) No 1272/2008	
	Acguiation (LO) NO 1212/2000	
Toxicocinetics, metabolism and distribution		
No data available		
Acute toxicity		

Harmful if swallowed.



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 8 of 11

CAS No	Chemical name	Chemical name							
	Exposure route Dose S			Species	Source	Method			
96-49-1	ethylene carbonate								
oral LD50 10400 mg/kg		Rat	J Ind Hyg Occup Mec 10: 61-68 (1954)	OECD Guideline 401					
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 402			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (ethylene carbonate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Irritant

corrosive Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
96-49-1	ethylene carbonate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	5900	48 h	Ceriodaphnia dubia	REACh Registration Dossier	other: EPA/600/4-85/01 3
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	· ·	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

log Pow: -0,34

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
96-49-1	ethylene carbonate	ca. 0,11

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)		
Revision date: 26.07.2023	Product code: 27233	Page 10 of 11
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this	ransport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this	ransport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the	'iuvenile

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation STOT RE: Specific target organ toxicity - repeated exposure

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to Regulation (EC) No 1907/2006

Ethylene carbonate > 98 % (1,3-Dioxolan-2-one)

Revision date: 26.07.2023

Product code: 27233

Page 11 of 11

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.