

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2-methoxyethanol

REACH Registration Number: 01-2119494721-33-XXXX
CAS No: 109-86-4
Index No: 603-011-00-4
EC No: 203-713-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical
Industrial uses: Uses of substances as such or in preparations at industrial sites
Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
E-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
E-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit
Telefax: 0203/5194-290
Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226
Repr. 1B; H360FD
Acute Tox. 4; H332
Acute Tox. 4; H312
Acute Tox. 4; H302
STOT SE 1; H370
STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 2 of 13

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C3H8O2
Molecular weight:	76,09 g/mol

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
109-86-4	2-methoxyethanol			100 %
	203-713-7	603-011-00-4	01-2119494721-33-XXXX	
	Flam. Liq. 3, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, STOT SE 1, STOT RE 2; H226 H360FD H332 H312 H302 H370 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
109-86-4	203-713-7	2-methoxyethanol	100 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); inhalation: LC50 = > 12,4 - < 17,8 ppm (gases); dermal: LD50 = 3930 mg/kg; oral: LD50 = 2257 mg/kg		

Further Information

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 3 of 13

General information

No data available

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Headache

The product causes narcotic-like effects.

4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water) with plenty of activated coal.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂)

Foam

Extinguishing powder

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO₂), Carbon monoxide

Peroxides

Methanol

Beware of reignition.

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 4 of 13

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 5 of 13

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
If handled uncovered, arrangements with local exhaust ventilation have to be used.
Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Store in a place accessible by authorized persons only.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Vapours may form explosive mixtures with air.
storage temperature +15°C - +25°C
Handle and store contents under inert gas. Protect from moisture. Inert gas: nitrogen
Protect against: Air, Light
May form explosive peroxides.

7.3. Specific end use(s)

Laboratory use Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
109-86-4	2-Methoxyethanol	5	16		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
109-86-4	2-Methoxyethanol	Methoxyacetic acid (metabolite)	8 mg/g	Creatinine	Sampled at end of work week after at least two weeks work

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
109-86-4	2-methoxyethanol			
Worker DNEL, long-term		inhalation	systemic	3,2 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,91 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,55 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 6 of 13

PNEC values

CAS No	Substance	
Environmental compartment		Value
109-86-4	2-methoxyethanol	
Freshwater		10 mg/l
Freshwater (intermittent releases)		94 mg/l
Marine water		1 mg/l
Freshwater sediment		36,8 mg/kg
Marine sediment		3,68 mg/kg
Secondary poisoning		7,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		1,87 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: A-(P2)

Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 7 of 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
 Colour: colourless
 Odour: like: Ether
 Odour threshold: No data available

Test method

Melting point/freezing point: -85 (1013 hPa) °C
 Boiling point or initial boiling point and boiling range: 125 °C
 Flammability: not applicable
 Lower explosion limits: 2,5 vol. %
 Upper explosion limits: 20 vol. %
 Flash point: 37 °C
 Auto-ignition temperature: 325 °C
 Decomposition temperature: not determined
 pH-Value (at 20 °C): neutral
 Viscosity / kinematic: 1,6 mm²/s
 (at 20 °C)
 Water solubility: easily soluble
 (at 20 °C)
 Solubility in other solvents: not determined
 Dissolution rate: No data available
 Partition coefficient n-octanol/water: log Pow: -0,77
 Dispersion stability: No data available
 Vapour pressure: 12,6 hPa
 (at 20 °C)
 Vapour pressure: No data available
 Density (at 20 °C): 0,964 g/cm³
 Relative density: No data available
 Bulk density: No data available
 Relative vapour density: not determined
 Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties
 In case of warming:
 Vapours can form explosive mixtures with air.
 Sustaining combustion: Sustaining combustion
 Self-ignition temperature: 285°C
 Solid: not applicable
 Gas: not applicable
 Oxidizing properties
 Not oxidising.

Other safety characteristics

Evaporation rate: not determined
 Solvent separation test: No data available
 Solvent content: 100%
 Solid content: not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 8 of 13

Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic: (at 20 °C)	1,7 mPa·s
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours can form explosive mixtures with air.
May form explosive peroxides.

10.2. Chemical stability

Protect against: Air, Light, Heat

10.3. Possibility of hazardous reactions

Oxidising agent
Aluminium
Alkali (lye)
Zinc

10.4. Conditions to avoid

Protect against: Air, Light, Heat
Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
Vapours can form explosive mixtures with air.
May form explosive peroxides.

10.5. Incompatible materials

Aluminium
Plastic articles

10.6. Hazardous decomposition products

Peroxides
In case of fire may be liberated:
Carbon dioxide (CO₂), Carbon monoxide
Peroxides
Methanol

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 9 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
109-86-4	2-methoxyethanol				
	oral	LD50 2257 mg/kg	Rat	Study report (1981)	OECD Guideline 401
	dermal	LD50 3930 mg/kg	Rabbit	Study report (1981)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
	inhalation (4 h) gas	LC50 > 12,4 - < 17,8 ppm	Rat	Tox App Pharmacol 4, p148-64 (1962)	Purpose of study was as a range finder f

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (2-methoxyethanol)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (2-methoxyethanol)
immune system

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (2-methoxyethanol)
thymus

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Liver and kidney damage

Further information

Irritant

Headache

The product causes narcotic-like effects.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 10 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
109-86-4	2-methoxyethanol					
	Acute fish toxicity	LC50 > 10000 mg/l	96 h	Lepomis macrochirus	J Haz Mat, 1, p303-18 (1975)	OECD Guideline 203
	Acute algae toxicity	ErC50 25500 mg/l	72 h	Pseudokirchneriella subcapitata	Toxicol Mech & meth 12, 241-54 (2002)	ISO 8692
	Acute crustacea toxicity	EC50 27000 mg/l	48 h	Daphnia magna	Toxicol Mech & meth 12, 241-54 (2002)	ISO 6341 15
	Crustacea toxicity	NOEC > 500 mg/l	21 d	Daphnia magna	Toxicol Mech & meth 12, 241-54 (2002)	OECD Guideline 211
	Acute bacteria toxicity	EC50 > 1000 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

97 %; 10 d
OECD 302B

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
109-86-4	2-methoxyethanol	-0,77

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Do not empty into drains.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.
Send to a physico-chemical treatment facility under observation of official regulations.
Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 11 of 13

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1188
14.2. UN proper shipping name:	ETHYLENE GLYCOL MONOMETHYL ETHER
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1188
14.2. UN proper shipping name:	ETHYLENE GLYCOL MONOMETHYL ETHER
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1188
14.2. UN proper shipping name:	ETHYLENE GLYCOL MONOMETHYL ETHER
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1188
14.2. UN proper shipping name:	ETHYLENE GLYCOL MONOMETHYL ETHER
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 12 of 13

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 40

Information according to Directive 2012/18/EU (SEVESO III):

H3 STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Additional information:

P5c

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid

Acute Tox: Acute toxicity

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-methoxyethanol

Revision date: 15.11.2023

Product code: 27235

Page 13 of 13

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.
The receiver of our product is singularly responsible for adhering to existing laws and regulations.