

Multielement-Standard	lösung Spurenelemente 3.0 +Ch Salpetersäure	lorid Nr. 9 11 Kationen + 1 Anio	n in				
Revision date: 15.04.2024	Product code: 27348		Page 1 of 18				
SECTION 1: Identification of the s	ubstance/mixture and of the comp	any/undertaking					
<u>1.1. Product identifier</u> Multielement-Standardlösung S	purenelemente 3.0 +Chlorid Nr. 9 11 Ka	tionen + 1 Anion in Salpetersäure					
UFI:	EYQE-021J-P003-74WK						
1.2. Relevant identified uses of the se	ubstance or mixture and uses advised	<u>against</u>					
	nces as such or in preparations at indust in (administration, education, entertainm						
Uses advised against							
Do not use for private purposes	(household).						
1.3. Details of the supplier of the safe	ety data sheet						
Company name:	AnalytiChem GmbH ACD						
Street:	Stempelstraße 6						
Place:	D-47167 Duisburg						
Telephone:	0203/5194-0	Telefax:0203/5194-290					
E-mail: Contact person: E-mail: Internet: Responsible Department:	info@analytichem.de Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117					
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerou Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Car accepted)	C Day or Night Within USA and Canada	a:				
<b>Further Information</b> This product is a mixture. REAC							

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Regulation	(EC) No	1272/2008	

Signal word:

**Pictograms:** 



Warning

# Hazard statements H290

May be corrosive to metals.



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

# Salpetersäure

Revision date: 15.04.2024 Product code: 27348 Page 2 of 18 H315 Causes skin irritation. H319 Causes serious eye irritation. **Precautionary statements** P280 Wear protective gloves and eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. P302+P352 If skin irritation occurs: Get medical advice/attention. P332+P313 P406 Store in a corrosion-resistant container with a resistant inner liner. Special labelling of certain mixtures EUH208 Contains nickel dinitrate. May produce an allergic reaction.

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (E	C) No 1272/2008)	-	
7697-37-2	nitric acid			1 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acut	e Tox. 3, Skin Corr. 1A; H272 H	290 H331 H314 EUH071	
1336-21-6	Ammonia			< 0.01 %
	215-647-6	007-001-01-2	01-2119488876-14	
	Skin Corr. 1B, Aquatic Acute			
13138-45-9	nickel dinitrate			< 0.01 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2 Resp. Sens. 1, Skin Sens. 1, H360D H332 H302 H315 H3			
7664-39-3	hydrofluoric acid %			< 0.0001 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, A			

Full text of H and EUH statements: see section 16.



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Salpetersäure

Revision date: 15.04.2024

#### Product code: 27348

Page 3 of 18

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
1336-21-6	215-647-6	Ammonia	< 0.01 %
	inhalation: LC5 Aquatic Acute 1	50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg   STOT SE 3; H335: >= 5 - 100 1; H400: M=10	
13138-45-9	236-068-5	nickel dinitrate	< 0.01 %
	361,9 mg/kg S		
7664-39-3	231-634-8	hydrofluoric acid %	< 0.0001 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: pm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: sin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# **General information**

No data available

# After inhalation

Provide fresh air. Call a doctor if you feel unwell.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Methaemoglobinaemia

#### <u>4.3. Indication of any immediate medical attention and special treatment needed</u> No data available

#### **SECTION 5: Firefighting measures**



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

## Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 4 of 18

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Product code: 27348

# Salpetersäure

Revision date: 15.04.2024

Page 5 of 18

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. When using do not eat, drink, smoke, sniff. Handle and open container with care. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

# Further information on storage conditions

Keep container tightly closed.

# 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Salpetersäure

Page 6 of 18

Revision date: 15.04.2024

Product code: 27348

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	
12125-02-9	Ammonium chloride, fume	-	10		TWA (8 h)	
		-	20		STEL (15 min)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
7440-50-8	Copper, dusts and mists	-	1		TWA (8 h)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

# **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Revision date: 15.04.2024

Salpetersäure Product code: 27348

Page 7 of 18

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
12125-02-9	ammonium chloride			
Consumer DN	IEL, long-term	inhalation	systemic	9,9 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	114 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	11,4 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	33,5 mg/m³
Worker DNEL	, long-term	dermal	systemic	190 mg/kg bw/day
10043-35-3	boric acid			
Worker DNEL	, long-term	inhalation	systemic	8,3 mg/m³
Worker DNEL	, long-term	dermal	systemic	392 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	4,15 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	dermal	systemic	196 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,98 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,98 mg/kg bw/day
1336-21-6	Ammonia			
Worker DNEL	, long-term	inhalation	systemic	47,6 mg/m <sup>3</sup>
Worker DNEL	, acute	inhalation	systemic	47,6 mg/m <sup>3</sup>
Norker DNEL	, long-term	inhalation	local	14 mg/m <sup>3</sup>
Worker DNEL	, acute	inhalation	local	36 mg/m <sup>3</sup>
Worker DNEL	, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	6,8 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	IEL, acute	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	inhalation	local	2,8 mg/m <sup>3</sup>
Consumer DN	IEL, acute	inhalation	local	7,2 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DN	IEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	6,8 mg/kg bw/day
13138-45-9	nickel dinitrate			
Consumer DN	EL, acute	oral	systemic	0,012 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL	, acute	inhalation	systemic	104 mg/m <sup>3</sup>
Norker DNEL	, acute	inhalation	local	1,6 mg/m³
Consumer DN	IEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
	IEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in Salpetersäure

Revision date: 15.04.2024	Product code: 27348		Page 8 of 18
Worker DNEL, long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL, acute	inhalation	systemic	2,5 mg/m³
Worker DNEL, long-term	inhalation	local	1,5 mg/m³
Worker DNEL, acute	inhalation	local	2,5 mg/m³
Consumer DNEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer DNEL, acute	inhalation	systemic	0,03 mg/m³
Consumer DNEL, long-term	inhalation	local	0,2 mg/m³
Consumer DNEL, acute	inhalation	local	1,25 mg/m³
Consumer DNEL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,01 mg/kg bw/day



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 9 of 18

**PNEC** values

CAS No	Substance			
Environment	tal compartment	Value		
12125-02-9	ammonium chloride			
Freshwater		1,2 mg/l		
Freshwater (	(intermittent releases)	1,2 mg/l		
Marine wate	r	11,2 mg/l		
Micro-organi	isms in sewage treatment plants (STP)	16,2 mg/l		
Soil		0,163 mg/kg		
10043-35-3	boric acid	· · · · · · · · · · · · · · · · · · ·		
Freshwater		2,9 mg/l		
Freshwater (	(intermittent releases)	13,7 mg/l		
Marine wate	r	2,9 mg/l		
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l		
Soil		5,7 mg/kg		
1336-21-6	Ammonia			
Freshwater		0,001 mg/l		
Freshwater (	(intermittent releases)	0,007 mg/l		
Marine wate	r	0,001 mg/l		
13138-45-9	nickel dinitrate	• •		
Freshwater		0,0071 mg/l		
Freshwater (	(intermittent releases)	0 mg/l		
Marine wate	r	0,0086 mg/l		
Freshwater s	sediment	109 mg/kg		
Marine sedin	nent	109 mg/kg		
Secondary p	oisoning	0,12 mg/kg		
Micro-organi	isms in sewage treatment plants (STP)	0,33 mg/l		
Soil		29,9 mg/kg		
7664-39-3	hydrofluoric acid %			
Freshwater		0,89 mg/l		
Marine wate	r	0,089 mg/l		
Freshwater s	sediment	3,38 mg/kg		
Marine sediment 0,338 mg/k				
Micro-organi	isms in sewage treatment plants (STP)	51 mg/l		
Soil		10,6 mg/kg		

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

# Eye/face protection goggles



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 10 of 18

Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	light yellow	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		No data available



Multielement-Standardlösung Spure	Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in					
	Salpetersäure					
Revision date: 15.04.2024	Product code: 27348	Page 11 of 18				
Upper explosion limits:	No data available					
Flash point:	?					
Auto-ignition temperature:	No data available					
Decomposition temperature:	not determined					
pH-Value:	0					
Viscosity / kinematic:	No data available					
Water solubility:	completely miscible					
Solubility in other solvents not determined						
Partition coefficient n-octanol/water:	No data available					
Vapour pressure:	No data available					
Vapour pressure:	No data available					
Density:	1,0122 g/cm³					
Bulk density:	No data available					
Relative vapour density:	not determined					
9.2. Other information						
Information with regard to physical hazard classe	S					
Explosive properties						
No data available						
Sustaining combustion:	No data available					
Self-ignition temperature						
Solid:	not applicable					
Gas:	not applicable					
Oxidizing properties						
Not oxidising.						
Other safety characteristics						
Evaporation rate:	not determined					
Solvent separation test:	No data available					
Solvent content:	0					
Solid content:	not determined					
Sublimation point:	No data available					
Softening point:	No data available					
Pour point:	No data available					
No data available:						
Viscosity / dynamic:	No data available					
Flow time:	No data available					
Further Information						
Corrosive to metals.						

Corrosive to metals.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Alkali (lye)

# 10.4. Conditions to avoid

No data available



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 12 of 18

#### 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7697-37-2	nitric acid						
	inhalation vapour	ATE 2,6	5 mg/l				
1336-21-6	Ammonia						
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401	
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity	
13138-45-9	nickel dinitrate						
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425	
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				
7664-39-3	hydrofluoric acid %						
	oral	ATE	5 mg/kg				
	dermal	ATE	5 mg/kg				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				
	inhalation (1 h) gas	LC50 ppm	2240	Rat	Study report (1990)	OECD Guideline 403	

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

# Sensitising effects



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

# Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 13 of 18

Based on available data, the classification criteria are not met. Contains nickel dinitrate. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

# **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 14 of 18

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		
1336-21-6	Ammonia								
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80		
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210		
13138-45-9	nickel dinitrate								
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported		
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m		
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729		
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported		
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat		
	Acute bacteria toxicity	EC50 )	33 mg/l (	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192		
7664-39-3	hydrofluoric acid %								
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen		
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.		



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 15 of 18

Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of
Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge		ISO 8192

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Chemical name					
1336-21-6	Ammonia				-1,38		
BCF							
CAS No	Chemical name	BCF	Species	Source			

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
7664-39-3	hydrofluoric acid %	53 - 58	not specified	REACh Registration D

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8



Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in Salpetersäure						
Revision date: 15.04.2024	Product code: 27348	Page 16 of 18				
14.4. Packing group:	III					
Hazard label:	8					
Classification code:	C1					
Special Provisions:	274					
Limited quantity:	5 L					
Excepted quantity:	E1					
Transport category:	3					
Hazard No:	80					
Tunnel restriction code:	E					
Inland waterways transport (ADN)						
14.1. UN number or ID number:	UN 3264					
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)					
14.3. Transport hazard class(es):	8					
14.4. Packing group:	III					
Hazard label:	8					
Classification code:	C1					
Special Provisions:	274					
Limited quantity:	5 L					
Excepted quantity:	E1					
Marine transport (IMDG)						
<u>14.1. UN number or ID number:</u>	UN 3264					
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)					
14.3. Transport hazard class(es):	8					
14.4. Packing group:						
Hazard label:	8					
Special Provisions:	223, 274					
Limited quantity:	5 L					
Excepted quantity:	E1					
EmS:	F-A, S-B					
Segregation group:	1 - acids					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	UN 3264					
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)					
14.3. Transport hazard class(es):	8					
14.4. Packing group:						
Hazard label:	8					
Special Provisions:	A3 A803					
Limited quantity Passenger:	1 L					
Passenger LQ:	Y841					
Excepted quantity:	E1					
IATA-packing instructions - Passenger:	852					
IATA-max. quantity - Passenger:	5 L					
IATA-packing instructions - Cargo:	856					
IATA-max. quantity - Cargo:	60 L					
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
14.6. Special precautions for user						
Warning: strongly corrosive.						
14.7. Maritime transport in bulk according	to IMO instruments					
not applicable						



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

# Salpetersäure

Revision date: 15.04.2024

Product code: 27348

Page 17 of 18

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 30, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Water hazard class (D): Skin resorption/Sensitization: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water Causes allergic hypersensitivity reactions.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,9.

# Abbreviations and acronyms

Pyr. Sol: Pyrophoric solid Water-react: Substance and mixture which, in contact with water, emits flammable gas Ox. Lia: Oxidisina liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Flam, Sol: Flammable solid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50%



# Multielement-Standardlösung Spurenelemente 3.0 +Chlorid Nr. 9 11 Kationen + 1 Anion in

according to Regulation (EC) No 1907/2006

# Salpetersäure

Revision date: 15.04.2024 Product code: 27348 Page 18 of 18 Relevant H and EUH statements (number and full text) May intensify fire; oxidiser. H272 H290 May be corrosive to metals. H300 Fatal if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. Causes skin irritation. H315 May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H319 Causes serious eye irritation. Fatal if inhaled. H330 H331 Toxic if inhaled. Harmful if inhaled. H332 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- H341 Suspected of causing genetic defects. H350i May cause cancer by inhalation.
- H360D May damage the unborn child.
- Causes damage to organs through prolonged or repeated exposure. H372
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
  - EUH208 Contains nickel dinitrate. May produce an allergic reaction.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 1,04 - Replaces version: 1,03