

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

CAS No: 1304-85-4

EC No: 215-136-8

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

Street: Stempelstraße 6

Place: D-47167 Duisburg

Telephone: 0203/5194-0

Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit

Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 2; H272

Skin Irrit. 2; H315

Eye Irrit. 2; H319

STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 2 of 11

Hazard statements

H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	Bi5H9N4O22
Molecular weight:	1461,99 g/mol

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (Regulation (EC) No 1272/2008)	
1304-85-4	bismuth subnitrate	100 %
	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H272 H315 H319 H335	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1304-85-4		bismuth subnitrate	100 %
	inhalation: LC50 = > 5,07 mg/l (dusts or mists); oral: LD50 = > 2000 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.
Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 3 of 11

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Oxidizing

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 4 of 11

For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

- Clean contaminated articles and floor according to the environmental legislation.

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Read label before use.
- Handle and open container with care.
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.
- Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

- Material, oxygen-rich, Oxidising

Advice on general occupational hygiene

- Take off contaminated clothing.
- Wash hands before breaks and after work.
- When using do not eat or drink.

Further information on handling

- Take off contaminated clothing and wash it before reuse.
- Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed and dry.

Hints on joint storage

- Keep away from: Combustible substance

Further information on storage conditions

- storage temperature +5°C - +30°C
- Protect against: Light

7.3. Specific end use(s)

- Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
1304-85-4	bismuth subnitrate		
Worker DNEL, long-term	inhalation	systemic	2,7 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	0,67 mg/m ³
Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day

PNEC values

CAS No	Substance		Value
Environmental compartment			
1304-85-4	bismuth subnitrate		
Freshwater			0,137 mg/l
Freshwater (intermittent releases)			1,37 mg/l
Marine water			0,014 mg/l
Freshwater sediment			14176,5 mg/kg
Marine sediment			1417,7 mg/kg
Secondary poisoning			33,3 mg/kg
Micro-organisms in sewage treatment plants (STP)			17,5 mg/l
Soil			120,3 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 6 of 11

of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation
Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		260 °C
pH-Value (at 20 °C):		~3,2 (50 g/l)
Viscosity / kinematic:		No data available
Water solubility:		practically insoluble
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		4,93 g/cm ³
Relative density:		No data available
Bulk density:		600 kg/m ³
Relative vapour density:		No data available
Particle characteristics:		No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 7 of 11

Oxidizing properties
oxidising
Oxidizing solids, Category 2

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidizing

10.2. Chemical stability

Protect against:
Light
Humidity

10.3. Possibility of hazardous reactions

Combustible substance

10.4. Conditions to avoid

Light
Humidity

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 8 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1304-85-4	bismuth subnitrate				
	oral	LD50 mg/kg > 2000	Rat	Study report (2012)	EU Method B.1 tris
	inhalation (4 h) dust/mist	LC50 mg/l > 5,07	Rat	Study report (2010)	OECD Guideline 436

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (bismuth subnitrate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

No data available

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Irritant

Methaemoglobinaemia

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 9 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1304-85-4	bismuth subnitrate					
	Acute fish toxicity	LC50 > 137 mg/l	96 h	Danio rerio	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 > 137 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 137 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not empty into drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	UN 1477
14.2. UN proper shipping name:	NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1
Classification code:	O2
Special Provisions:	511
Limited quantity:	1 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	50

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 10 of 11

Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1
 Classification code: O2
 Special Provisions: 511
 Limited quantity: 1 kg
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1
 Special Provisions: -
 Limited quantity: 1 kg
 Excepted quantity: E2
 EmS: F-A, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1477
14.2. UN proper shipping name: NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1
 Special Provisions: A3 A803
 Limited quantity Passenger: 2.5 kg
 Passenger LQ: Y544
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 558
 IATA-max. quantity - Passenger: 5 kg
 IATA-packing instructions - Cargo: 562
 IATA-max. quantity - Cargo: 25 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 2 - obviously hazardous to water

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bismuth nitrate, alkaline R for analysis, Reag. Ph. Eur., chapter 4.1.1

Revision date: 01.12.2023

Product code: 27528

Page 11 of 11

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Ox. Sol: Oxidising solid

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.