

according to UK REACH Regulation Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

UFI:

4TJF-A2T1-V001-AWA0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--|-----------------------------------|---|
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone:0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| <u>1.4. Emergency telephone</u> number: | Exposure, or Accident Call CHEMTR | ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls |

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 2; H371 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

GB CLP Regulation Signal word:

Danger



Hazard statements

H225

Highly flammable liquid and vapour.



Safety Data Sheet

according to UK REACH Regulation

Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

| Revision date: 10.01.2024 | Product code: 27649 | Page 2 of 13 |
|---------------------------|---|--------------|
| H315 | Causes skin irritation. | |
| H319 | Causes serious eye irritation. | |
| H371 | May cause damage to organs (central nervous system). | |
| H373 | May cause damage to organs (liver, thymus) through prolonged or repeated exposure in contact with skin. | |
| Precautionary statemer | nts | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. | |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures

Relevant ingredients

| CAS No | Chemical name | Quantity | | |
|------------|--|-------------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation | · | | |
| 64-17-5 | ethanol | | | 60 - < 65 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H31 | | | |
| 7021-09-2 | (±)-(methoxy)phenylacetic acid | 10 - < 15 % | | |
| | 230-300-9 | | | |
| | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 | 3; H315 H319 H335 | | |
| 10424-65-4 | Tetramethylammonium-5-hydrat | | | 1 - < 5 % |
| | | | 01-2119970562-34 | |
| | Acute Tox. 1, Acute Tox. 2, Skin C H300 H314 H370 H372 H411 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| | ••••••••••••••••••••••••••••••••••••••• | | | | | | |
|------------|---|---|-----------|--|--|--|--|
| CAS No | EC No | Chemical name | Quantity | | | | |
| | Specific Conc. | Limits, M-factors and ATE | | | | | |
| 64-17-5 | 200-578-6 | 78-6 ethanol | | | | | |
| | inhalation: LC 100 | 50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg | | | | | |
| 10424-65-4 | | Tetramethylammonium-5-hydrat | 1 - < 5 % | | | | |
| | dermal: LD50 = 1000 - 2000 mg/kg; oral: LD50 = 300 - 2000 mg/kg | | | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 3 of 13

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

Revision No: 1,04 - Replaces version: 1,03





an analyti**chem** brand

Safety Data Sheet

according to UK REACH Regulation

Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 4 of 13

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used. Store in a place accessible by authorized persons only.

7.2. Conditions for safe storage, including any incompatibilities



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 5 of 13

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|-----------|------|-------|-----------|-----------|--------|
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|------------------------------|----------------|----------|-----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 64-17-5 | ethanol | | | |
| Worker DNEL | long-term | inhalation | systemic | 950 mg/m³ |
| Worker DNEL | long-term | dermal | systemic | 343 mg/kg bw/day |
| Consumer DN | EL, long-term | inhalation | systemic | 114 mg/m ³ |
| Consumer DN | EL, long-term | dermal | systemic | 206 mg/kg bw/day |
| Consumer DN | EL, long-term | oral | systemic | 87 mg/kg bw/day |
| 10424-65-4 | Tetramethylammonium-5-hydrat | | | |
| Worker DNEL | long-term | inhalation | systemic | 0,49 mg/m³ |
| Worker DNEL | long-term | dermal | systemic | 0,14 mg/kg bw/day |
| Consumer DN | EL, long-term | inhalation | systemic | 0,29 mg/m³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,083 mg/kg bw/day |
| Consumer DN | EL, long-term | oral | systemic | 0,042 mg/kg bw/day |



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 6 of 13

PNEC values

| CAS No | Substance | | | |
|--|-------------------------------------|--------------|--|--|
| Environmenta | al compartment | Value | | |
| 64-17-5 | ethanol | | | |
| Freshwater | | 0,96 mg/l | | |
| Freshwater (i | ntermittent releases) | 2,75 mg/l | | |
| Marine water | | 0,79 mg/l | | |
| Freshwater se | ediment | 3,6 mg/kg | | |
| Marine sedim | ent | 2,9 mg/kg | | |
| Secondary po | 380 mg/kg | | | |
| Micro-organisms in sewage treatment plants (STP) | | | | |
| Soil | | 0,63 mg/kg | | |
| 10424-65-4 | Tetramethylammonium-5-hydrat | | | |
| Freshwater | | 0,0005 mg/l | | |
| Freshwater (i | ntermittent releases) | 0,03 mg/l | | |
| Marine water | | 0,00005 mg/l | | |
| Freshwater se | Freshwater sediment | | | |
| Marine sedim | Marine sediment | | | |
| Micro-organis | ms in sewage treatment plants (STP) | 5 mg/l | | |
| Soil | | 0,0057 mg/kg | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min



Safety Data Sheet

according to UK REACH Regulation

Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 7 of 13

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|--|------|
| Colour: | colourless | |
| Odour: | characteristic | |
| Odour threshold: | not determined | |
| Melting point/freezing point: | not determi | ned |
| Boiling point or initial boiling point and | | ? |
| boiling range: | | |
| Flammability: | not applica | able |
| | not applica | |
| Lower explosion limits: | not determi | ned |
| Upper explosion limits: | not determi | ned |
| Flash point: | <21 | °C |
| Auto-ignition temperature: | No data availa | able |
| Decomposition temperature: | not determi | ned |
| pH-Value: | | 4,5 |
| Viscosity / kinematic: | No data availa | able |
| Water solubility: | No data availa | able |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | not determi | ned |
| Vapour pressure: | No data availa | able |
| Vapour pressure: | No data availa | able |
| Density: | 0,8866 g/ | |
| Bulk density: | No data availa | |
| Relative vapour density: | not determi | ned |
| 9.2. Other information | | |
| Information with regard to physical haz | ard classes | |
| Explosive properties | | |
| | along floors and form explosive mixtures with air. | |
| Self-ignition temperature | | |
| Solid: | not applica | |
| Gas: | not applica | able |



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

| Revision date: 10.01.2024 | Product code: 27649 | Page 8 of 13 |
|--|---------------------|--------------|
| Oxidizing properties Not oxidising. | | |
| Other safety characteristics | | |
| Evaporation rate: | not determined | |
| Solvent separation test: | No data available | |
| Solvent content: | No data available | |
| Solid content: | 0 | |
| Sublimation point: | No data available | |
| Softening point: | No data available | |
| Pour point: | No data available | |
| | No data available | |
| Viscosity / dynamic: | No data available | |
| Flow time: | No data available | |
| Further Information | | |
| No data available | | |
| | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 9 of 13

| CAS No | Chemical name | | | | | | | | |
|------------|-------------------------|--------------------|--------|---------|---------------------|--------------------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 64-17-5 | ethanol | ethanol | | | | | | | |
| | oral | LD50 mg/kg | 10470 | Rat | Study report (1976) | OECD Guideline 401 | | | |
| | inhalation (4 h) vapour | LC50 mg/l | 124,7 | Rat | Study report (1980) | OECD Guideline 403 | | | |
| 10424-65-4 | Tetramethylammonium- | 5-hydrat | | | | | | | |
| | oral | LD50 2000 mg/kg | 300 - | Rat | Study report (2005) | OECD Guideline 423 | | | |
| | dermal | LD50 2000 mg/kg | 1000 - | Rat | Study report (2005) | OECD Guideline 402 | | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause damage to organs. (Tetramethylammonium-5-hydrat)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Tetramethylammonium-5-hydrat)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 10 of 13

| CAS No | Chemical name | | | | | | | | |
|------------|--------------------------|---------------------|----------|-----------|--|---|--|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 64-17-5 | ethanol | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Lepomis macrochirus | Bulletin of Environmental Contamination | other: EPA-660/3-75-00 9, 1975 | | |
| | Acute algae toxicity | ErC50 22000 mg/l | ca. | 96 h | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201 | | |
| | Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia magna | Water Research 23(4): 495-499 (1989) | other: DIN 38412 Teil 11 | | |
| | Algae toxicity | NOEC mg/l | 5400 | 5 d | Skeletonema costatum | Environ Toxicol Chem 8(5):451-455. (1989 | Study to determine the sensitivity of a | | |
| | Crustacea toxicity | NOEC | 2 mg/l | 10 d | Ceriodaphnia dubia | Arch Environ Contam Toxicol 20(2):211-21 | Follows the basic methodology for the th | | |
| 10424-65-4 | Tetramethylammonium-5- | hydrat | | | | | | | |
| | Acute fish toxicity | LC50 | 462 mg/l | 96 h | Pimephales promelas | Center for Lake Superior Environmental S | OECD Guideline 203 | | |
| | Acute algae toxicity | ErC50 mg/l | 96,3 | 72 h | Pseudokirchneriella subcapitata | Study report (2005) | OECD Guideline 201 | | |
| | Acute crustacea toxicity | EC50 | 3 mg/l | 48 h | Daphnia magna | Study report (2001) | OECD Guideline 202 | | |
| | Acute bacteria toxicity | EC50 mg/l() | > 1000 | 3 h | activated sludge of a predominantly domestic sewag | Study report (2013) | OECD Guideline 209 | | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|------------------------------|---------|
| 64-17-5 | ethanol | -0,77 |
| 10424-65-4 | Tetramethylammonium-5-hydrat | < 0,036 |
| BCF | | |

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|-----------------|----------------------|
| 64-17-5 | ethanol | 1 | Cyprinus carpio | Comparative Biochemi |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 11 of 13

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| Land transport (ADR/RID) | 1111 4000 |
|--------------------------------------|---|
| 14.1. UN number or ID number: | UN 1993 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | |
| Hazard label: | 3 |
| Classification code: | F1 |
| Special Provisions: | 274 601 640D |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number or ID number:</u> | UN 1993 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Classification code: | F1 |
| Special Provisions: | 274 601 640D |
| Limited quantity: | 1L |
| Excepted quantity: | E2 |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 1993 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | |
| Hazard label: | 3 |
| Special Provisions: | 274 |
| Limited quantity: | 1L |
| Excepted quantity: | E2 |
| Excepted quantity. EmS: | F-E, S-E |
| | 1-L, 3-L |
| Air transport (ICAO-TI/IATA-DGR) | |
| 14.1. UN number or ID number: | UN 1993 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol) |
| | |



| Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1 | | | | | | |
|---|---|---------------|--|--|--|--|
| Revision date: 10.01.2024 | Product code: 27649 | Page 12 of 13 | | | | |
| 14.3. Transport hazard class(es): | 3 | | | | | |
| 14.4. Packing group: | ll | | | | | |
| Hazard label: | 3 | | | | | |
| Special Provisions: | A3 | | | | | |
| Limited quantity Passenger: | 1 L | | | | | |
| Passenger LQ: | Y341 | | | | | |
| Excepted quantity: | E2 | | | | | |
| IATA-packing instructions - Passenger: | 353 | | | | | |
| IATA-max. quantity - Passenger: | 5 L | | | | | |
| IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | 364 60 L | | | | | |
| | 00 L | | | | | |
| 14.5. Environmental hazards | | | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | | | |
| <u>14.6. Special precautions for user</u> Warning: Combustible liquid. <u>14.7. Maritime transport in bulk according to</u> not applicable | IMO instruments | | | | | |
| SECTION 15: Regulatory information | | | | | | |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | | | |
| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 | | | | | | |
| National regulatory information | | | | | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | | | | | |
| Water hazard class (D): | 3 - highly hazardous to water | | | | | |
| 15.2. Chemical safety assessment | | | | | | |
| | ances in this mixture were not carried out. | | | | | |
| SECTION 16: Other information | | | | | | |

Changes

This data sheet contains changes from the previous version in section(s): 1,9.



according to UK REACH Regulation Methoxyphenylacetic acid reagent R Reag. Ph. Eur., chapter 4.1.1

Revision date: 10.01.2024

Product code: 27649

Page 13 of 13

Abbreviations and acronyms Flam. Lig: Flammable liquids

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) H225 Highly flammable liquid and vapour. Fatal if swallowed. H300 H310 Fatal in contact with skin. H314 Causes severe skin burns and eve damage. H315 Causes skin irritation. H319 Causes serious eve irritation. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs (central nervous system). H371 May cause damage to organs. H372 Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs (liver, thymus) through prolonged or repeated exposure in contact with skin. H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)