

# according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

UFI:

### 0VTF-W2PC-N00K-G032

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household). No data available

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:		REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**GB CLP Regulation** Met. Corr. 1; H290 Carc. 1A; H350

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### **GB CLP Regulation**

#### Hazard components for labelling diarsenic trioxide

Signal word: Danger







### Hazard statements H290

H350

May be corrosive to metals. May cause cancer.



according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 2 of 11

### **Precautionary statements**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.

### Special labelling of certain mixtures

Restricted to professional users.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### Chemical characterization

Mixtures in aqueous solution

### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP R	egulation)		
1310-73-2	2 sodium hydroxide			
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1/	A; H290 H314		
1327-53-3	diarsenic trioxide			< 1 %
	215-481-4	033-003-00-0		
	Carc. 1A, Acute Tox. 2, S H400 H410	kin Corr. 1B, Aquatic Acute 1, Aqua	atic Chronic 1; H350 H300 H314	

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
1310-73-2	215-185-5	sodium hydroxide	< 1 %
	,	l314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2	
1327-53-3	215-481-4	diarsenic trioxide	< 1 %
	oral: ATE = 5 n	ng/kg	

### **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: diarsenic trioxide; arsenic trioxide This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: diarsenic trioxide; arsenic trioxide

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available



# according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 3 of 11

# After inhalation

Provide fresh air. Call a physician immediately.

### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Wash immediately with: Water Call a physician immediately.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Metal oxide smoke, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

#### Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

### **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8



according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 4 of 11

### 6.2. Environmental precautions

No special environmental measures are necessary.

# 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal Aluminium Tin Zinc

# Hints on joint storage

national regulations

# Further information on storage conditions

Store in a dry place.

Store in a place accessible by authorized persons only.

### 7.3. Specific end use(s)

Laboratory chemicals



according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 5 of 11

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

### DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
1310-73-2	sodium hydroxide						
Worker DNEL, long-term inhalation local 1 mg/m³				1 mg/m³			
Consumer DNEL, long-term		inhalation	local	1 mg/m³			

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



# according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

### Product code: 27743

Page 6 of 11

Skin protection

Wear suitable protective clothing.

# Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and	chemical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and	d	not determined
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		12,1
Viscosity / kinematic:		not determined
•		
Water solubility: Solubility in other solvents		very soluble
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		not determined
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		1,002 g/cm <sup>3</sup>
Relative density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not determined
9.2. Other information		net determined
Information with regard to physical	hazard classes	
Explosive properties		
not determined		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solvent separation test:		not determined



according to UK REACH Regulation

Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2				
Revision date: 11.09.2023	Product code: 27743	Page 7 of 11		
Solvent content:	0			
Solid content:	0			
Sublimation point:	not determined			
Softening point:	not determined			
Pour point:	not determined			
not determined:				
Viscosity / dynamic:	not determined			
Flow time:	not determined			
Further Information				

Corrosive to metals.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid No data available

### 10.5. Incompatible materials

Metal Aluminium Tin Zinc

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Metal oxide smoke, toxic

### Further information

No data available

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	hemical name								
	Exposure route	Dose		Species	Source	Method				
1327-53-3	diarsenic trioxide									
	oral	ATE	5 mg/kg							

### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.



according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 8 of 11

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

#### May cause cancer. (diarsenic trioxide)

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

### **Further information**

There are no data available on the mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
1310-73-2	sodium hydroxide	-						
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h		Environmental	other: acute 48-h immobilization test ac	

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties



### according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 9 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not empty into drains.

Harmful effect due to pH shift.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Special Provisions:	223
Limited quantity:	51
Excepted quantity:	F1
EmS:	F-A, S-B
Segregation group:	alkalis
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	



according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Arsenic Solution (0.1 % AS) K Reag. Ph. Eur., Chapter 4.1.2				
Revision date: 11.09.2023	Product code: 27743	Page 10 of 11		
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 1824			
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Warning: strongly corrosive.				
14.7. Maritime transport in bulk according to	IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
EU regulatory information				
Authorisations (REACH, annex XIV):				
diarsenic trioxide				
	NOT SUDJECT TO 2012/18/EU (SEVESU III)			
	3 - highly hazardous to water			
diarsenic trioxide Restrictions on use (REACH, annex XVII): Entry 3, Entry 19, Entry 75 Information according to 2012/18/EU (SEVESO III): <b>National regulatory information</b> Water hazard class (D):	Not subject to 2012/18/EU (SEVESO III)			

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 9.



# according to UK REACH Regulation

# Arsenic solution (0.1 % As) R Reag. Ph. Eur., chapter 4.1.2

Revision date: 11.09.2023

Product code: 27743

Page 11 of 11

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Met. Corr: Corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Carc: Carcinogenicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1A; H350	Calculation method

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H314	Causes severe skin burns and eye damage.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)