



an analyti**chem** brand

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Acute Tox. 3; H331 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Muta. 2; H341 Carc. 2; H351 Repr. 2; H361d STOT SE 3; H336 STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling trichloromethane

Signal word: Danger



## Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 2 of 13





## Hazard statements

H331	Toxic if inhaled.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

## **Precautionary statements**

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

#### Special labelling of certain mixtures

For use in industrial installations only.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
67-66-3	trichloromethane					
	200-663-8	602-006-00-4	01-2119486657-20			
	Carc. 2, Muta. 2, Repr. 2, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1; H351 H341 H361d H331 H302 H315 H319 H336 H372					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
67-66-3	200-663-8	trichloromethane	95 - < 100 %
	inhalation: AT mg/kg	E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 908	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 3 of 13

## 4.1. Description of first aid measures

## General information

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Give sodium sulfate as laxative (1 tablespoon in 1 glass of water) with plenty of activated coal. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse Cardiac arrhythmias

#### 4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Phosgene



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

according to Regulation (EC) No 1907/2006

Revision date: 02.01.2024

Product code: 27753

Page 4 of 13

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 5 of 13

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against: Light

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

## Further information on storage conditions

storage temperature +2°C - +25°C

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-66-3	Chloroform	2	9.8		TWA (8 h)	

## **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
67-66-3	trichloromethane						
Worker DNEL,	long-term	inhalation	systemic	2,5 mg/m³			
Worker DNEL,	acute	inhalation	systemic	333 mg/m³			
Worker DNEL,	long-term	inhalation	local	2,5 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,94 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	0,18 mg/m³			

#### **PNEC** values

CAS No	Substance					
Environmental	Environmental compartment Value					
67-66-3	trichloromethane					
Freshwater		0,146 mg/l				
Freshwater (intermittent releases) 0,133 mg/l						
Marine water 0,015 mg/l						
Freshwater sediment 0,45 mg/kg						
Marine sediment		0,09 mg/kg				
Micro-organisms in sewage treatment plants (STP)		0,048 mg/l				
Soil		0,56 mg/kg				

## 8.2. Exposure controls



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 6 of 13

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation:KCL 890 Vitoject®Recommended material:FKM (fluoro rubber)0,7 mmWearing time with occasional contact (splashes):> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		-63 °C
Boiling point or initial boiling point and boiling range:		61 - 62 °C
Flammability:		No data available



#### .... . . .

Hydroxyquinoline solution	on 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.	4.6
Revision date: 02.01.2024	Product code: 27753	Page 7 of 13
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	No data available	
Viscosity / kinematic:	No data available	
Water solubility:	8,7 g/L	
(at 23 °C)	0,1 g/L	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	211 hPa	
(at 20 °C)		
Vapour pressure:	No data available	
Density:	1,4759 g/cm³	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard o	lasses	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	0,57 mPa·s	
(at 20 °C)	••••••••••••••••••••••••••••••••••••••	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		

# 10.1. Reactivity

No data available

# 10.2. Chemical stability





an analyti**chem** brand

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 8 of 13

Protect against: Light Heat

#### 10.3. Possibility of hazardous reactions

Ammonia (NH3), Amines, Nitrogen oxides (NOx), Alkali (lye), Fluorine, Alkali metals Alkaline earth metal, metals, Powdered metals, Methanol, Light metal, Ketone, Oxidising agent, strong

## 10.4. Conditions to avoid

Protect against: Light Heat

#### 10.5. Incompatible materials

Rubber articles

plastics

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### Acute toxicity

Toxic if inhaled. Harmful if swallowed.

#### ATEmix calculated

ATE (oral) 908,6 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 3,000 mg/l; ATE (inhalation dust/mist) 0,5000 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-66-3	trichloromethane							
	oral	LD50 mg/kg	908	Rat	Toxicology and Applied Pharmacology 52,	OECD Guideline 401		
	inhalation vapour	ATE	3 mg/l					
	inhalation dust/mist	ATE	0,5 mg/l					

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (trichloromethane) Suspected of causing cancer. (trichloromethane) Suspected of damaging the unborn child. (trichloromethane)

#### STOT-single exposure

May cause drowsiness or dizziness. (trichloromethane)



## Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 9 of 13

## STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (trichloromethane)

#### Aspiration hazard

Based on available data, the classification criteria are not met. Observe risk of aspiration if vomiting occurs. (Pulmonary oedema Pneumonia)

## Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse Cardiac arrhythmias

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



# according to Regulation (EC) No 1907/2006 Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 10 of 13

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
67-66-3	trichloromethane								
	Acute fish toxicity	LC50 171 mg/l	103 -	96 h	Pimephales promelas	Bulletin of Environmental Contamination	Method after: Procedures recommended by		
	Acute algae toxicity	ErC50 mg/l	13,3	72 h	Chlamydomonas reinhardtii	Environmental Science and Pollution Rese	A modified cell multiplication inhibitio		
	Acute crustacea toxicity	EC50 mg/l	152,5	48 h	other aquatic mollusc: Crassostrea gigas	Study report (2002)	other: ASTM Method E724-94		
	Crustacea toxicity	NOEC	13 mg/l	21 d	Daphnia magna	Water Research 23(4), 501-510 (1989)	other: Recommendation of the		
	Acute bacteria toxicity	EC50 ()	840 mg/l	0,5 h	activated sludge of a predominantly domestic sewag	Toxicity Assessment: An International Jo	OECD Guideline 209		

#### 12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-66-3	trichloromethane	1,97

## BCF

CAS No	Chemical name	BCF	Species	Source
67-66-3	trichloromethane	690	Selenastrum capricornutum	Environmental Scienc

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 11 of 13

to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 1888	
14.2. UN proper shipping name:	CHLOROFORM	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:	III	
Hazard label:	6.1	
Classification code:	T1	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	2	
Hazard No:	60	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1888	
14.2. UN proper shipping name:	CHLOROFORM	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:		
Hazard label:	6.1	
Classification code:	T1	
Special Provisions:	802	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1888	
14.2. UN proper shipping name:	CHLOROFORM	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:	III	
Hazard label:	6.1	
Special Provisions:	-	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-A	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1888	
14.2. UN proper shipping name:	CHLOROFORM	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:	III	
Hazard label:	6.1	
Limited quantity Passenger:	2 L	
Passenger LQ:	Y680	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		680
IATA-max. quantity - Passenger:		60 L
IATA-packing instructions - Cargo:		680
IATA-max. quantity - Cargo:		220 L
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

Revision date: 02.01.2024

Product code: 27753

Page 12 of 13

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 32 Information according to Directive 2012/18/EU (SEVESO III):

# H2 ACUTE TOXIC

## National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age. 3 - highly hazardous to water

# Water hazard class (D):

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

## Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 3; H331	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Muta. 2; H341	Calculation method
Carc. 2; H351	Calculation method
Repr. 2; H361d	Calculation method
STOT SE 3; H336	Calculation method
STOT RE 1; H372	Calculation method

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs (kidneys, liver, central nervous system) through prolonged or



# Hydroxyquinoline solution 1 g/l in chloroform R Reag. Ph. Eur., chapter 2.4.6

according to Regulation (EC) No 1907/2006

Revision date: 02.01.2024

Product code: 27753

Page 13 of 13

repeated exposure.

Causes damage to organs through prolonged or repeated exposure.

## **Further Information**

H372

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)