

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

TSVF-12V3-D00F-2GWG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 Repr. 1B; H360FD

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

sulphuric acid borax decahydrate

Signal word: Danger

Pictograms:







Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 2 of 13

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H360FD May damage fertility. May damage the unborn child.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Chemical name | | |
|-----------|---|-------------------|------------------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No | 1272/2008) | | |
| 7664-93-9 | sulphuric acid | sulphuric acid | | |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |
| 1303-96-4 | borax decahydrate | borax decahydrate | | |
| | 215-540-4 | | 01-2119490790-32 | |
| | Repr. 1B, Eye Irrit. 2; H360FD H319 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|---|--|--------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 7664-93-9 | 231-639-5 | sulphuric acid | 95 - < 100 % |
| | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 | | |
| 1303-96-4 | 215-540-4 | borax decahydrate | < 1 % |
| | inhalation: LC | 50 = > 2,04 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > | |

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:

disodium tetraborate decahydrate; borax decahydrate

SECTION 4: First aid measures

4.1. Description of first aid measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 3 of 13

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes.

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 4 of 13

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Use extractor hood (laboratory).

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 5 of 13

Requirements for storage rooms and vessels

Keep container tightly closed.

Unsuitable container/equipment material: Metal

Store in a place accessible by authorized persons only.

Further information on storage conditions

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|---|-----|-------|---------|-----------|--------|
| | Borate compounds inorganic: Borate (tetra) sodium decahydrate | - | 2 | | TWA (8 h) | |
| 7664-93-9 | Sulphuric acid | - | 0.05 | | TWA (8 h) | |

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|-------------------|----------------|----------|-----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 7664-93-9 | sulphuric acid | | | |
| Worker DNEI | , long-term | inhalation | local | 0,05 mg/m³ |
| Worker DNEI | _, acute | inhalation | local | 0,1 mg/m³ |
| 1303-96-4 | borax decahydrate | | | |
| Worker DNEI | _, long-term | inhalation | systemic | 6,7 mg/m³ |
| Worker DNEI | ., long-term | dermal | systemic | 316,4 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 3,4 mg/m³ |
| Consumer DI | NEL, long-term | dermal | systemic | 159,5 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,79 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 0,79 mg/kg bw/day |



according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 6 of 13

PNEC values

| CAS No | Substance | |
|--|-------------------|-------------|
| Environment | al compartment | Value |
| 7664-93-9 | sulphuric acid | |
| Freshwater | | 0,003 mg/l |
| Marine water | | 0 mg/l |
| Freshwater s | ediment | 0,002 mg/kg |
| Marine sediment | | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 8,8 mg/l |
| 1303-96-4 | borax decahydrate | |
| Freshwater | | 2,9 mg/l |
| Freshwater (intermittent releases) | | 13,7 mg/l |
| Marine water | | 2,9 mg/l |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l |
| Soil | | 5,7 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection:

goggles

Face protection shield

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 7 of 13

(e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless
Odour threshold: No data available

Changes in the physical state

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available:

Flash point: X

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No data available

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Auto-ignition temperature:

No data available

Self-ignition temperature

Solid:
Gas:
No data available
No data available
Decomposition temperature:
No data available
pH-Value:

Viscosity / dynamic:
No data available
Viscosity / kinematic:
No data available
Flow time:
No data available

Water solubility: very soluble (Heat)

Solubility in other solvents

No data available

Dissolution rate: No data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 8 of 13

Partition coefficient n-octanol/water: No data available No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: Density: 1,83977 g/cm³ Relative density: No data available No data available Bulk density: No data available Relative vapour density: Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

No data available

Other safety characteristics

Solvent separation test:

Solvent content:

No data available

Solid content:

No data available

Evaporation rate:

No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.
Oxidising agent, strong

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with:

Water, Alkali metals, Ammonia

aldehydes, Alkaline earth metal, Acids

Alkali (lye), Metal,

Phosphorus oxides, Combustible substance

Solvent, Aniline, permanganates, e.g. potassium permanganate

Peroxides, Amines, Carbide

peroxides, for example hydrogen peroxide, Nitriles

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Cellulose

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 9 of 13

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Irritation to respiratory tract (Cough, Dyspnoea)

| CAS No | Chemical name | | | | | |
|-----------|-------------------------------|---------------|--------|---------|---|--|
| | Exposure route | Dose | | Species | Source | Method |
| 7664-93-9 | sulphuric acid | | | | | |
| | oral | LD50 mg/kg | 2140 | Rat | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a ser |
| 1303-96-4 | borax decahydrate | | | | | |
| | oral | LD50 mg/kg | > 2500 | Rat | Study report (1996) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | > 2000 | Rabbit | Study report (1985) | other: This study was carried out to com |
| | inhalation (4 h) dust/mist | LC50 mg/l | > 2,04 | Rat | Study report (1994) | OECD Guideline 403 |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (borax decahydrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 10 of 13

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Risk of serious damage to eyes.

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | | | | | | |
|-----------|--------------------------|----------------|----------|-----------|--|---|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 7664-93-9 | sulphuric acid | | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Desmodesmus subspicatus | Study report (2009) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2009) | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | 0,025 | 65 d | Jordanella floridae | Water Research Vol. 11, 612 - 626, 1977 | Groups of sexually mature flagfish |
| 1303-96-4 | borax decahydrate | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 79,7 | 96 h | Pimephales promelas | Study report (2010) | other: ASTM E729-95 Standard Guide for C |
| | Acute algae toxicity | ErC50 | 66 mg/l | 72 h | Phaeodactylum tricornutum | Study report (2011) | ISO 10253 |
| | Acute crustacea toxicity | EC50 | 102 mg/l | 48 h | Ceriodaphnia dubia | Study report (2010) | other: ASTM E729-95 Standard Guide for C |
| | Fish toxicity | NOEC | 6,4 mg/l | 34 d | Danio rerio | Study report (2000) | OECD Guideline 210 |
| | Algae toxicity | NOEC mg/l | 17,5 | 3 d | Pseudokirchneriella subcapitata | Study report (2000) | OECD Guideline 201 |
| | Crustacea toxicity | NOEC mg/l | 10,8 | 21 d | Daphnia magna | Study report (2000) | OECD Guideline 211 |
| | Acute bacteria toxicity | (EC50 mg/l) | > 10000 | 3 h | activated sludge of a predominantly domestic sewag | Study report (2001) | OECD Guideline 209 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 11 of 13

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|-------------------|---------|
| 1303-96-4 | borax decahydrate | -1,53 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-----------|-------------------|-------|--------------------|---------------------|
| 1303-96-4 | borax decahydrate | 0,558 | Oncorhynchus nerka | Water Research Vol. |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 1830 |
|------------------------------------|----------|
| 14. I. ON HUILIDEL OF ID HUILIDEL. | 014 1030 |

14.2. UN proper shipping name: SULPHURIC ACID

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш Hazard label: 8 Classification code: C₁ Limited quantity: Excepted quantity: E2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 183014.2. UN proper shipping name:Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1



according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 12 of 13

Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1830 **14.2. UN proper shipping name:** Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1830

14.2. UN proper shipping name: SULPHURIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

borax decahydrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium tetraborate solution R Reag. Ph. Eur., chapter 4.1.1

Revision date: 18.05.2022 Product code: 27765 Page 13 of 13

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,7,8,9,11,12,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Corr. 1A; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Repr. 1B; H360FD | Calculation method |

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)