

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| e-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| e-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225
Asp. Tox. 1; H304
Skin Irrit. 2; H315
Eye Irrit. 2; H319
Skin Sens. 1; H317
Muta. 2; H341
Carc. 2; H351
STOT SE 3; H336
STOT RE 1; H372
Aquatic Acute 1; H400
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

cyclohexane
aniline

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006


Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 2 of 13

Pictograms:



Hazard statements

| | |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary statements

| | |
|-----------|---|
| P201 | Obtain special instructions before use. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P308+P311 | IF exposed or concerned: Call a POISON CENTER/doctor. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity |
|----------|--|--------------|
| | EC No Index No REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | |
| 110-82-7 | cyclohexane | 95 - < 100 % |
| | 203-806-2 601-017-00-1 01-2119463273-41 | |
| | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410 | |
| 62-53-3 | aniline | 1 - < 5 % |
| | 200-539-3 612-008-00-7 01-2119451454-41 | |
| | Carc. 2, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Eye Dam. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H351 H341 H331 H311 H301 H318 H317 H372 H400 H410 | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|-----------|--|--------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 110-82-7 | 203-806-2 | cyclohexane | 95 - < 100 % |
| | | inhalation: LC50 = > 5540 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 62-53-3 | 200-539-3 | aniline | 1 - < 5 % |
| | | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 1316 mg/kg; oral: LD50 = 442 mg/kg STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,2 - < 1 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Unconsciousness,

Vomiting, Circulatory collapse

May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2)

Foam

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 4 of 13

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 5 of 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment. Use extractor hood (laboratory).
Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.
Keep container dry.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|-------------|-----|-------------------|---------------------|---------------|--------|
| 62-53-3 | Aniline | 2 | 7.74 | | TWA (8 h) | |
| | | 5 | 19.35 | | STEL (15 min) | |
| 110-82-7 | Cyclohexane | 200 | 700 | | TWA (8 h) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-----------|---------------|--------|---------------|----------------------------|
| 62-53-3 | Aniline | p-Aminophenol | 0 mg/L | Urine | 0-2hr after exposure/shift |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 6 of 13

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|----------------|----------|------------------------|
| DNEL type | Exposure route | Effect | Value |
| 110-82-7 | cyclohexane | | |
| Consumer DNEL, long-term | inhalation | systemic | 206 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | 412 mg/m ³ |
| Consumer DNEL, long-term | inhalation | local | 206 mg/m ³ |
| Consumer DNEL, acute | inhalation | local | 412 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 1186 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 59,4 mg/kg bw/day |
| Worker DNEL, long-term | inhalation | systemic | 700 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | 1400 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 700 mg/m ³ |
| Worker DNEL, acute | inhalation | local | 1400 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 2016 mg/kg bw/day |
| 62-53-3 | aniline | | |
| Worker DNEL, long-term | inhalation | systemic | 7,7 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | 15,4 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 2 mg/kg bw/day |
| Worker DNEL, acute | dermal | systemic | 4 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|-------------|--|
| Environmental compartment | Value | |
| 110-82-7 | cyclohexane | |
| Freshwater | 0,207 mg/l | |
| Freshwater (intermittent releases) | 0,207 mg/l | |
| Marine water | 0,207 mg/l | |
| Freshwater sediment | 16,68 mg/kg | |
| Marine sediment | 16,68 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | 3,24 mg/l | |
| Soil | 3,38 mg/kg | |
| 62-53-3 | aniline | |
| Freshwater | 0,001 mg/l | |
| Marine water | 0 mg/l | |
| Freshwater sediment | 0,153 mg/kg | |
| Marine sediment | 0,015 mg/kg | |
| Secondary poisoning | 2300 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | 2 mg/l | |
| Soil | 0,033 mg/kg | |

8.2. Exposure controls

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 7 of 13

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 890 Vitoject®

Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with occasional contact (splashes): > 30 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | clear | |
| Odour: | characteristic | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | ~81 °C |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | -18 °C |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 8 of 13

| | |
|--|-------------------------|
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | No data available |
| No data available | |
| Dissolution rate: | No data available |
| Partition coefficient n-octanol/water: | No data available |
| Dispersion stability: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density: | 0,785 g/cm ³ |
| Relative density: | No data available |
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion:

Sustaining combustion

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

100%

Solid content:

0

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Viscosity / dynamic:

No data available

(at 20 °C)

Flow time:

No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

NO₂

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 9 of 13

10.5. Incompatible materials

Rubber articles
plastic

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.
Irritation to respiratory tract
Pulmonary oedema
Pneumonia

| CAS No | Chemical name | | | | |
|----------|-------------------------|-------------------|--------------------|--|--|
| | Exposure route | Dose | Species | Source | Method |
| 110-82-7 | cyclohexane | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1982) | OECD Guideline 401 |
| | dermal | LD50 > 2000 mg/kg | Rabbit | Study report (1982) | OECD Guideline 402 |
| | inhalation (4 h) vapour | LC50 > 5540 mg/l | Rat | Study report (1981) | OECD Guideline 403 |
| 62-53-3 | aniline | | | | |
| | oral | LD50 442 mg/kg | Rat | Study report (1969) | 5 doses, 5 male rats per dose, observati |
| | dermal | LD50 1316 mg/kg | guinea pig, rabbit | Toxicology and Applied Pharmacology 7, 5 | other: 21 CFR 191.10 |
| | inhalation vapour | ATE 3 mg/l | | | |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (aniline)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (aniline)
Suspected of causing cancer. (aniline)
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (cyclohexane)

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (aniline)

Aspiration hazard

May be fatal if swallowed and enters airways.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 10 of 13

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Unconsciousness, Vomiting, Circulatory collapse
May cause drowsiness or dizziness.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | | | | | |
|----------|--------------------------|----------------|-----------|---------|---------------------------------|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 110-82-7 | cyclohexane | | | | | |
| | Acute fish toxicity | LC50 mg/l | 4,53 | 96 h | Pimephales promelas | Vol. 5, Centre for Lake Superior Studies |
| | Acute algae toxicity | ErC50 mg/l | 9,317 | 72 h | Pseudokirchneriella subcapitata | Study report (1998) |
| | Acute crustacea toxicity | EC50 | 0,9 mg/l | 48 h | Daphnia magna | Publication (1987) |
| 62-53-3 | aniline | | | | | |
| | Acute fish toxicity | LC50 mg/l | 36,2 | 96 h | Oncorhynchus mykiss | Environ Toxicol Chem 3: 243-254. (1984) |
| | Acute algae toxicity | ErC50 | 175 mg/l | 72 h | Chlorella pyrenoidosa | Aquat Toxicol 46(1): 1-10 (1999) |
| | Acute crustacea toxicity | EC50 mg/l | 0,16 | 48 h | Daphnia magna | Study report (1998) |
| | Fish toxicity | NOEC mg/l | 0,39 | 32 d | Pimephales promelas | Study report (1991) |
| | Crustacea toxicity | NOEC mg/l | 0,016 | 21 d | Daphnia magna | Study report (1989) |
| | Acute bacteria toxicity | (EC50 mg/l) | 65,93 | 0,5 h | Photobacterium phosphoreum | REACH Registration Dossier |
| | | | | | | other: EPA Daphnia acute toxicity test. |
| | | | | | | Early life stage test, no further inform |
| | | | | | | other: 21-day Reproduction Test acc. to |
| | | | | | | Method: other: Microtox Test |

12.2. Persistence and degradability

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 11 of 13

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------|---------|
| 110-82-7 | cyclohexane | 3,44 |
| 62-53-3 | aniline | 0,91 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|----------|---------------|-----|---------------------|----------------------|
| 110-82-7 | cyclohexane | 167 | Pimephales promelas | J. Fish. Board Can. |
| 62-53-3 | aniline | 2,6 | Danio rerio | Sci Total Environ 10 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|-------------|
| 14.1. UN number or ID number: | UN 1145 |
| 14.2. UN proper shipping name: | CYCLOHEXANE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Classification code: | F1 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 12 of 13

Inland waterways transport (ADN)

| | |
|--|-------------|
| 14.1. UN number or ID number: | UN 1145 |
| 14.2. UN proper shipping name: | CYCLOHEXANE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Classification code: | F1 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Marine transport (IMDG)

| | |
|--|-------------|
| 14.1. UN number or ID number: | UN 1145 |
| 14.2. UN proper shipping name: | CYCLOHEXANE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Special Provisions: | - |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-E, S-D |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|-------------|
| 14.1. UN number or ID number: | UN 1145 |
| 14.2. UN proper shipping name: | CYCLOHEXANE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y341 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 353 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 364 |
| IATA-max. quantity - Cargo: | 60 L |

14.5. Environmental hazards

| | |
|-----------------------------|-------------|
| ENVIRONMENTALLY HAZARDOUS: | Yes |
| Danger releasing substance: | cyclohexane |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

| | |
|---|---|
| Restrictions on use (REACH, annex XVII): | |
| Entry 3, Entry 40, Entry 57, Entry 75 | |
| Information according to 2012/18/EU (SEVESO III): | E1 Hazardous to the Aquatic Environment |
| Additional information: | P5c |

National regulatory information

| | |
|--------------------------|---|
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age. |
| Water hazard class (D): | 2 - obviously hazardous to water |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aniline solution 9 g/l in cyclohexane R Reag. Ph. Eur., chapter 2.5.3

Revision date: 22.02.2023

Product code: 27769

Page 13 of 13

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Asp. Tox. 1; H304 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Muta. 2; H341 | Calculation method |
| Carc. 2; H351 | Calculation method |
| STOT SE 3; H336 | Calculation method |
| STOT RE 1; H372 | Calculation method |
| Aquatic Acute 1; H400 | Calculation method |
| Aquatic Chronic 1; H410 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H372 | Causes damage to organs (blood) through prolonged or repeated exposure. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)