

according to Regulation (EC) No 1907/2006

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

REACH Registration Number:	01-2119463273-41-XXXX
CAS No:	110-82-7
Index No:	601-017-00-1
EC No:	203-806-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

.3. Details of the supplier of the safety data sheet
--

1.3. Details of the supplier of the sa	fety data sheet	
Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Cana accepted)	Day or Night Within USA and Canada:

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2: H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger



	Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.	
Revision date: 26.07.2023	Product code: 27771	Page 2 of 12
Pictograms:		
Hazard statements		
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P273	Avoid release to the environment.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C6H12
Molecular weight:	84,16 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)			
110-82-7	cyclohexane			100 %
	203-806-2 601-017-00-1 01-2119463273-41-XXXX			
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
110-82-7	203-806-2	cyclohexane	100 %
inhalation: LC50 = > 5540 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available



Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 3 of 12

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness, Vomiting, Circulatory collapse May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media
 - Carbon dioxide (CO2) Foam

Extinguishing powder

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting. Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,



according to Regulation (EC) No 1907/2006

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 4 of 12

and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 5 of 12

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Keep container dry.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight. storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
110-82-7	Cyclohexane	200	700		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
110-82-7	cyclohexane			
Consumer DN	EL, long-term	inhalation	systemic	206 mg/m ³
Consumer DN	EL, acute	inhalation	systemic	412 mg/m ³
Consumer DN	EL, long-term	inhalation	local	206 mg/m ³
Consumer DN	EL, acute	inhalation	local	412 mg/m ³
Consumer DN	EL, long-term	dermal	systemic	1186 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	59,4 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	700 mg/m³
Worker DNEL	, acute	inhalation	systemic	1400 mg/m ³
Worker DNEL	, long-term	inhalation	local	700 mg/m³
Worker DNEL	, acute	inhalation	local	1400 mg/m ³
Worker DNEL	, long-term	dermal	systemic	2016 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmenta	Environmental compartment Value		
110-82-7	cyclohexane		
Freshwater		0,207 mg/l	
Freshwater (intermittent releases) 0,207 mg/l			
Marine water 0,207 mg/l			
Freshwater sediment 16,68 mg/kg			
Marine sediment 16,68 mg/kg		16,68 mg/kg	
Micro-organisms in sewage treatment plants (STP)		3,24 mg/l	
Soil		3,38 mg/kg	



Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 6 of 12

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse. Wear fire resistant or flame retardant clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: A

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		6,5 °C
Boiling point or initial boiling point and		81 °C
boiling range:		
Flammability:		No data available
Lower explosion limits:		1,3 vol. %




-	I. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.	
Revision date: 26.07.2023	Product code: 27771	Page 7 of 12
Upper explosion limits:	8,4 vol. %	
Flash point:	-18 °C	
Auto-ignition temperature:	260 °C	
Decomposition temperature:	No data available	
pH-Value:	No data available	
Viscosity / kinematic:	1,26 mm²/s	
(at 20 °C)	, - · ·	
Water solubility:	0,05 g/L	
(at 20 °C)		
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	124 hPa	
(at 20 °C)		
Vapour pressure:	No data available	
Density:	0,78 g/cm³	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard cla Explosive properties Vapours are heavier than air, spread along f	loors and form explosive mixtures with air.	
Sustaining combustion:	Sustaining combustion	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	100%	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
	No data available	
Viscosity / dynamic:	No data available	
(at 20 °C)		
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		
10.1 Departivity		

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability





an analyti**chem** brand

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 8 of 12

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent NO2

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Rubber articles

plastic

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met. Irritation to respiratory tract Pulmonary oedema Pneumonia

CAS No Chemical name

	Chemical hame					
	Exposure route	Dose		Species	Source	Method
110-82-7	cyclohexane					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1982)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 mg/l	> 5540	Rat	Study report (1981)	OECD Guideline 403

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (cyclohexane)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data available



Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 9 of 12

Specific effects in experiment on an animal

No data available

Additional information on tests No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available

Further information

Irritant, Cough, Respiratory complaints, Gastrointestinal complaints, Dizziness, Dizziness, Unconsciousness, Vomiting, Circulatory collapse May cause drowsiness or dizziness.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
110-82-7	cyclohexane						
	Acute fish toxicity	LC50 mg/l	4,53	96 h	Pimephales promelas	Vol. 5, Centre for Lake Superior Studies	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	9,317		Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Acute crustacea toxicity	EC50	0,9 mg/l	48 h	Daphnia magna	Publication (1987)	OECD Guideline 202

12.2. Persistence and degradability

77 %; 28 d; aerob

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-82-7	cyclohexane	3,44

BCF

CAS No	Chemical name	BCF	Species	Source
110-82-7	cyclohexane	167	Pimephales promelas	J. Fish. Board Can.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.



Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 10 of 12

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Do not allow to enter into surface water or drains. Avoid release to the environment.

Further information

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1145
14.2. UN proper shipping name:	CYCLOHEXANE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 1145
14.2. UN proper shipping name:	CYCLOHEXANE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1145
14.2. UN proper shipping name:	CYCLOHEXANE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D



Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.					
Revision date: 26.07.2023	Product code: 27771	Page 11 of 12			
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 1145				
14.2. UN proper shipping name:	CYCLOHEXANE				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	II				
Hazard label:	3				
Limited quantity Passenger:	1L				
Passenger LQ:	Y341				
Excepted quantity:	E2				
IATA-packing instructions - Passenger:	353				
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364				
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	504 60 L				
	00 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	Yes				
Danger releasing substance:	cyclohexane				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 40, Entry 57					
Information according to 2012/18/EU	E1 Hazardous to the Aquatic Environment				
(SEVESO III):	·				
Additional information:	P5c				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju	ivenile			
	work protection guideline' (94/33/EC).				
Water hazard class (D):	2 - obviously hazardous to water				

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,11,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to Regulation (EC) No 1907/2006

Cyclohexan mind. 99,5 % zur Analyse, ACS, Reag. Ph. Eur.

Revision date: 26.07.2023

Product code: 27771

Page 12 of 12

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.