

Chloroform R / acetic a		volumetrically for determination	n of
Revision date: 22.12.2023	physosti Product code: 27775		Page 1 of 14
SECTION 1: Identification of the s	ubstance/mixture and of the comp	any/undertaking	
<u>1.1. Product identifier</u> Chloroform R / acetic acid 99 %	R - mixture mixed 1 : 1 volumetrically fo	or determination of physosti	
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised	against	
Use of the substance/mixture			
	nces as such or in preparations at indust in (administration, education, entertainm		
Uses advised against			
Do not use for private purposes	(household).		
1.3. Details of the supplier of the safe	tv data sheet		
Company name:	AnalytiChem GmbH		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
1.4. Emergency telephone	For Hazardous Materials [or Dangerou	us Goods] Incidents Spill, Leak, Fire,	
number:	Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Car accepted)	C Day or Night Within USA and Canada nada: +1 703-741-5970 (collect calls	:
<b>Further Information</b> This product is a mixture. REAC	CH Registration Number see section 3.		

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute Tox. 3; H331 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Muta. 2; H341 Carc. 2; H351 Repr. 2; H361d STOT SE 3; H336 STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling trichloromethane

acetic acid Signal word:

Danger



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

Revision date: 22.12.2023

**Pictograms:** 

physosti Product code: 27775

Page 2 of 14



### Hazard statements

	H331	Toxic if inhaled.
	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.
	H341	Suspected of causing genetic defects.
	H351	Suspected of causing cancer.
	H361d	Suspected of damaging the unborn child.
	H336	May cause drowsiness or dizziness.
	H372	Causes damage to organs (kidneys, liver) through prolonged or repeated exposure.
Ρ	recautionary statemen	ts
	P201	Obtain special instructions before use.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		· · · · · · · · · · · · · · · · · · ·

P310	Immediately call a POISON CENTER/doctor.	
P405	Store locked up.	

### Special labelling of certain mixtures

For use in industrial installations only.

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Relevant ingredients**

CAS No	Chemical name					
	EC No	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)					
67-66-3	trichloromethane		55 - < 60 %			
	200-663-8	01-2119486657-20				
	Carc. 2, Muta. 2, Repr. 2, Acute <sup>-</sup> RE 1; H351 H341 H361d H331 H	rrit. 2, STOT SE 3, STOT				
64-19-7	acetic acid			40 - < 45 %		
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr. 1A; H226 H314					

Full text of H and EUH statements: see section 16.



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

### physosti

Revision date: 22.12.2023

Product code: 27775

Page 3 of 14

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
67-66-3	200-663-8	663-8 trichloromethane			
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 908 mg/kg				
64-19-7	200-580-7	acetic acid	40 - < 45 %		
	inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection! Call a physician immediately.

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

### After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

corrosive Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse



# Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

### physosti

Revision date: 22.12.2023

Product code: 27775

Page 4 of 14

### Cardiac arrhythmias

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Phosgene

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes.

Remove persons to safety.

```
Emergency procedures
```

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.



# Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

### physosti

Revision date: 22.12.2023

Product code: 27775

Page 5 of 14

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid exposure - obtain special instructions before use. Use extractor hood (laboratory). Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

### Further information on storage conditions

Keep cool. Protect from sunlight.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
67-66-3	Chloroform	2	9.8		TWA (8 h)	



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

Revision date: 22.12.2023

physosti Product code: 27775

Page 6 of 14

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
67-66-3	trichloromethane			
Worker DNEL	, long-term	inhalation	systemic	2,5 mg/m³
Worker DNEL	., acute	inhalation	systemic	333 mg/m³
Worker DNEL	., long-term	inhalation	local	2,5 mg/m³
Worker DNEL, long-term		dermal	systemic	0,94 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	0,18 mg/m³
64-19-7	acetic acid			
Worker DNEL	, long-term	inhalation	local	25 mg/m³
Worker DNEL, acute		inhalation	local	25 mg/m³
Consumer DNEL, long-term		inhalation	local	25 mg/m³
Consumer D	NEL, acute	inhalation	local	25 mg/m³
DNEC value	-		*	

### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
67-66-3	trichloromethane	
Freshwater		0,146 mg/l
Freshwater	(intermittent releases)	0,133 mg/l
Marine wate	r	0,015 mg/l
Freshwater	sediment	0,45 mg/kg
Marine sedir	nent	0,09 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,048 mg/l
Soil		0,56 mg/kg
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater	(intermittent releases)	30,58 mg/l
Marine wate	r	0,306 mg/l
Freshwater	11,36 mg/kg	
Marine sedir	nent	1,136 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

Product code: 27775

physosti

Page 7 of 14

### Revision date: 22.12.2023 Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid colourless characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available



#### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of physosti Revision date: 22.12.2023 Product code: 27775 Page 8 of 14 Solubility in other solvents No data available No data available Dissolution rate: No data available Partition coefficient n-octanol/water: Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: 1.2545 a/cm<sup>3</sup> Relative density: No data available No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics: 9.2. Other information Information with regard to physical hazard classes Explosive properties No data available Sustaining combustion: No data available Self-ignition temperature Solid: No data available Gas: No data available Other safety characteristics Evaporation rate: No data available Solvent separation test: No data available Solvent content: No data available Solid content: No data available Sublimation point: No data available No data available Softening point: Pour point: No data available No data available: Flow time: No data available **Further Information** No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Protect against: Heat

### 10.3. Possibility of hazardous reactions

Ammonia (NH3), Amines, Nitrogen oxides (NOx), Alkali (Iye), Fluorine, Alkali metals Alkaline earth metal, metals, Powdered metals, Methanol, Light metal, Ketone, Oxidising agent, strong

### 10.4. Conditions to avoid

Protect against: Heat

### 10.5. Incompatible materials

Rubber articles

plastics



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

according to Regulation (EC) No 1907/2006

physosti

Revision date: 22.12.2023

Product code: 27775

Page 9 of 14

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### Further information

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### Acute toxicity

Toxic if inhaled.

Harmful if swallowed.

### ATEmix calculated

ATE (oral) 1552 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 5,130 mg/l; ATE (inhalation dust/mist) 0,8550 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-66-3	trichloromethane							
	oral	LD50 908 mg/kg		Rat	Toxicology and Applied Pharmacology 52,	OECD Guideline 401		
	inhalation vapour	ATE	3 mg/l					
	inhalation dust/mist	ATE	0,5 mg/l					
64-19-7	acetic acid							
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin		
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403		

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (trichloromethane) Suspected of causing cancer. (trichloromethane) Suspected of damaging the unborn child. (trichloromethane)

### STOT-single exposure

May cause drowsiness or dizziness. (trichloromethane)

### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (trichloromethane)

### Aspiration hazard

Based on available data, the classification criteria are not met. Observe risk of aspiration if vomiting occurs. (Pulmonary oedema Pneumonia)

### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.



Chloroform R / acetic acid 99	% R - mixture mixed 1 : 1 volumetric	ally for determination of			
Revision date: 22.12.2023	<b>physosti</b> Product code: 27775	Page 10 of 14			
Specific effects in experiment on an anima There are no data available on the prepa					
Additional information on tests There are no data available on the prepa	ration/mixture itself.				
<b>Practical experience</b> There are no data available on the prepa	ration/mixture itself.				
11.2. Information on other hazards					
Endocrine disrupting properties There are no data available on the prepa	ration/mixture itself.				
Other information There are no data available on the prepa	ration/mixture itself.				
There are no data available on the preparation/mixture itself.  Further information corrosive Irritant Cough Dyspnoea Respiratory complaints Dizziness Anaesthetic state Agitation Spasms Inebriation Gastrointestinal complaints Vomiting Headache Has degreasing effect on the skin. Circulatory collapse Cardiac arrhythmias					
SECTION 12: Ecological information					

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



## Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of physosti

Revision date: 22.12.2023

Product code: 27775

Page 11 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
67-66-3	trichloromethane							
	Acute fish toxicity	LC50 171 mg/l	103 -	96 h	Pimephales promelas	Bulletin of Environmental Contamination	Method after: Procedures recommended by	
	Acute algae toxicity	ErC50 mg/l	13,3	72 h	Chlamydomonas reinhardtii	Environmental Science and Pollution Rese	A modified cell multiplication inhibitio	
	Acute crustacea toxicity	EC50 mg/l	152,5	48 h	other aquatic mollusc: Crassostrea gigas	Study report (2002)	other: ASTM Method E724-94	
	Crustacea toxicity	NOEC	13 mg/l	21 d	Daphnia magna	Water Research 23(4), 501-510 (1989)	other: Recommendation of the	
	Acute bacteria toxicity	EC50 ()	840 mg/l	0,5 h	activated sludge of a predominantly domestic sewag	Toxicity Assessment: An International Jo	OECD Guideline 209	
64-19-7	acetic acid							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202	

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-66-3	trichloromethane	1,97
64-19-7	acetic acid	-0,17

### BCF

CAS No	Chemical name	BCF	Species	Source
67-66-3	trichloromethane	690	Selenastrum capricornutum	Environmental Scienc
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not allow to enter into surface water or drains.



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

### physosti

Revision date: 22.12.2023

Product code: 27775

Page 12 of 14

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	1L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8+6.1
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	UN 2922
14.1. UN number or ID number:	
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane)



### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of physosti				
Revision date: 22.12.2023	Product code: 27775	Page 13 of 14		
<u>14.3. Transport hazard class(es):</u>	8			
14.4. Packing group:	I			
Hazard label:	8+6.1			
Special Provisions:	A3 A803			
Limited quantity Passenger:	0.5 L			
Passenger LQ:	Y840			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	851			
IATA-max. quantity - Passenger:	1L			
IATA-packing instructions - Cargo:	855			
IATA-max. quantity - Cargo:	30 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 32, Entry 40				
Information according to Directive	H2 ACUTE TOXIC			
2012/18/EU (SEVESO III):				
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.			
Water hazard class (D):	3 - highly hazardous to water			

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 12.

### Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure



Revision date: 22.12.2023

### according to Regulation (EC) No 1907/2006

### Chloroform R / acetic acid 99 % R - mixture mixed 1 : 1 volumetrically for determination of

Product code: 27775

physosti

Page 14 of 14

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 3; H331	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Muta. 2; H341	Calculation method
Carc. 2; H351	Calculation method
Repr. 2; H361d	Calculation method
STOT SE 3; H336	Calculation method
STOT RE 1; H372	Calculation method

### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs (kidneys, liver) through prolonged or repeated exposure.
H372	Causes damage to organs through prolonged or repeated exposure.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)