

| Kalium-Natrium-Sticksto  | offstandardlösung 5 meq K + 2<br>Rübe  | 5 meq Na + 5 meq N jeweils pro 1  | 00 g         |  |  |
|--|--|---|--------------|--|--|
| Revision date: 23.03.2023  | Product code: 2795   | 8   | Page 1 of 10 |  |  |
|  |  |   |              |  |  |
| SECTION 1: Identification of the s   | ubstance/mixture and of the com  | pany/undertaking  |              |  |  |
| 1.1. Product identifier  |  |   |              |  |  |
| Kalium-Natrium-Stickstoffstanda  | ardlösung 5 meq K + 2,5 meq Na + 5 n   | eq N jeweils pro 100 g Rübe   |              |  |  |
| 1.2. Relevant identified uses of the su  | ubstance or mixture and uses advise  | <u>d against</u>  |              |  |  |
|  | nces as such or in preparations at indus<br>in (administration, education, entertain |   |              |  |  |
| Uses advised against   |  |   |              |  |  |
| Do not use for private purposes  | (household).   |   |              |  |  |
| 1.3. Details of the supplier of the safe   | ty data sheet  |   |              |  |  |
| Company name:  | AnalytiChem GmbH   |   |              |  |  |
| Street:  | Stempelstraße 6  |   |              |  |  |
| Place:   | D-47167 Duisburg   |   |              |  |  |
| Telephone:   | 0203/5194-0  | Telefax: 0203/5194-290  |              |  |  |
| e-mail:  | info@analytichem.de  |   |              |  |  |
| Contact person:  | Abteilung Produktsicherheit  | Telephone:0203/5194-107/117   |              |  |  |
| e-mail:  | produktsicherheit@analytichem.de   |   |              |  |  |
| Internet:  | www.analytichem.de   |   |              |  |  |
| Responsible Department:  | Abteilung Produktsicherheit  |   |              |  |  |
| <u>1.4. Emergency telephone</u><br>number:   | Exposure, or Accident Call CHEMTF  | bus Goods] Incidents Spill, Leak, Fire,<br>EC Day or Night Within USA and Canada<br>anada: +1 703-741-5970 (collect calls | 1:           |  |  |
| Further Information<br>This product is a mixture. REACH Registration Number see section 3. |  |   |              |  |  |

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g

Revision date: 23.03.2023

Rübe Product code: 27958

Page 2 of 10

### Hazardous components

| CAS No    | Chemical name                                 |          |                  |         |
|-----------|---|----------|------------------|---------|
|           | EC No   | Index No | REACH No         |         |
|           | Classification (Regulation (EC) No 1272/2008) |          |                  |         |
| 7447-40-7 | potassium chloride                            |          |                  |         |
|           | 231-211-8                                     |          |                  |         |
|           |   |          |                  |         |
| 7647-14-5 | sodium chloride                               |          |                  | < 0.1 % |
|           | 231-598-3                                     |          | 01-2119485491-33 |         |
|           |   |          |                  |         |

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No   | Chemical name            |         |  |  |
|-----------|---|--------------------------|---------|--|--|
|           | Specific Conc. Limits, M-factors and ATE              |                          |         |  |  |
| 7447-40-7 | 231-211-8   | 211-8 potassium chloride |         |  |  |
|           | oral: LD50 = ca. 2600 mg/kg                           |                          |         |  |  |
| 7647-14-5 | 231-598-3 sodium chloride                             |                          | < 0.1 % |  |  |
|           | dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg |                          |         |  |  |

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General information** 

No data available

## After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g

Rübe

Revision date: 23.03.2023

Product code: 27958

Page 3 of 10

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

### Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

### Further information on handling

Wash contaminated clothing before reuse.



| an analyti <b>chem</b> brand                        | according to Regulation (EC) No 1907/2006 |   |                 |                        |  |  |  |
|---|---|---|-----------------|------------------------|--|--|--|
| Kalium-Natriu                                       | m-Stickstoffstandardlös                   | ung 5 meq K + 2,5 meq l<br>Rübe         | Na + 5 meq N je | eweils pro 100 g       |  |  |  |
| Revision date: 23.03.2023                           |   | Product code: 27958 Product code: 27958 |                 |                        |  |  |  |
| Wash hands before                                   | breaks and after work.                    |   |                 |                        |  |  |  |
| 7.2. Conditions for safe s                          | torage, including any incomp              | atibilities                             |                 |                        |  |  |  |
| <b>Requirements for stor</b><br>Keep container tigh | age rooms and vessels<br>tly closed.      |   |                 |                        |  |  |  |
| Hints on joint storage<br>No data available         |   |   |                 |                        |  |  |  |
| Further information or<br>Store in a dry place      | -   |   |                 |                        |  |  |  |
| 7.3. Specific end use(s)                            |   |   |                 |                        |  |  |  |
| Laboratory chemica                                  | als                                       |   |                 |                        |  |  |  |
| SECTION 8: Exposure                                 | controls/personal protection              | on                                      |                 |                        |  |  |  |
| 8.1. Control parameters<br>DNEL/DMEL values         |   |   |                 |                        |  |  |  |
| CAS No Substance                                    |   |   |                 |                        |  |  |  |
| DNEL type   |   | Exposure route                          | Effect          | Value                  |  |  |  |
| 7447-40-7 potassium c                               | hloride                                   |   |                 |                        |  |  |  |
| Worker DNEL, long-term                              |   | inhalation                              | systemic        | 1064 mg/m <sup>3</sup> |  |  |  |
| Worker DNEL, acute                                  |   | inhalation                              | systemic        | 5320 mg/m <sup>3</sup> |  |  |  |
| Worker DNEL, long-term                              |   | dermal                                  | systemic        | 303 mg/kg bw/day       |  |  |  |

| -0-7              | potassium chioride |          |  |
|-------------------|--------------------|----------|--|
| r DNEL, long-term |                    |          |  |
| DNEL, acute       |                    |          |  |
| r DNEL, long-term |                    |          |  |
| r DNEL, a         | acute              | dermal   |  |
| mer DNF           | l long-term        | inhalati |  |

| Worker DNEL, long-term    | inhalation | systemic | 1064 mg/m <sup>3</sup>    |
|---------------------------|------------|----------|---------------------------|
| Worker DNEL, acute        | inhalation | systemic | 5320 mg/m³                |
| Worker DNEL, long-term    | dermal     | systemic | 303 mg/kg bw/day          |
| Worker DNEL, acute        | dermal     | systemic | 910 mg/kg bw/day          |
| Consumer DNEL, long-term  | inhalation | systemic | 273 mg/m³                 |
| Consumer DNEL, acute      | inhalation | systemic | 1365 mg/m <sup>3</sup>    |
| Consumer DNEL, long-term  | dermal     | systemic | 182 mg/kg bw/day          |
| Consumer DNEL, acute      | dermal     | systemic | 910 mg/kg bw/day          |
| Consumer DNEL, long-term  | oral       | systemic | 91 mg/kg bw/day           |
| Consumer DNEL, acute      | oral       | systemic | 455 mg/kg bw/day          |
| 7647-14-5 sodium chloride |            |          |                           |
| Consumer DNEL, long-term  | dermal     | systemic | 126,65 mg/kg<br>bw/day    |
| Consumer DNEL, acute      | dermal     | systemic | 126,65 mg/kg<br>bw/day    |
| Consumer DNEL, long-term  | oral       | systemic | 126,65 mg/kg<br>bw/day    |
| Consumer DNEL, acute      | oral       | systemic | 126,65 mg/kg<br>bw/day    |
| Worker DNEL, long-term    | inhalation | systemic | 2068,62 mg/m <sup>3</sup> |
| Worker DNEL, acute        | inhalation | systemic | 2068,62 mg/m <sup>3</sup> |
| Worker DNEL, acute        | dermal     | systemic | 295,52 mg/kg<br>bw/day    |
| Consumer DNEL, long-term  | inhalation | systemic | 443,28 mg/m <sup>3</sup>  |
| Consumer DNEL, acute      | inhalation | systemic | 443,28 mg/m <sup>3</sup>  |
| Worker DNEL, long-term    | dermal     | systemic | 295,52 mg/kg<br>bw/day    |



## Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g

Rübe

Revision date: 23.03.2023

Product code: 27958

Page 5 of 10

### **PNEC** values

| CAS No   | Substance              |          |
|--|------------------------|----------|
| Environment                                      | al compartment         | Value    |
| 7447-40-7  | potassium chloride     |          |
| Freshwater                                       |                        | 0,1 mg/l |
| Freshwater (                                     | intermittent releases) | 1 mg/l   |
| Marine wate                                      |                        | 0,1 mg/l |
| Micro-organisms in sewage treatment plants (STP) |                        | 10 mg/l  |
| 7647-14-5 sodium chloride                        |                        |          |
| Freshwater                                       |                        | 5 mg/l   |
| Micro-organi                                     | 500 mg/l               |          |
| Soil 4,86 r                                      |                        |          |

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

### Environmental exposure controls

Discharge into the environment must be avoided.



## Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g Rübe

Revision date: 23.03.2023

Product code: 27958

Page 6 of 10

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

| 9.1. Information on basic physical and ch  | emical properties |                   |
|--|-------------------|-------------------|
| Physical state:                            | Liquid            |                   |
| Colour:                                    | clear             |                   |
| Odour:                                     | odourless         |                   |
| Odour threshold:                           | No data available |                   |
| Melting point/freezing point:              |                   | No data available |
| Boiling point or initial boiling point and |                   | No data available |
| boiling range:                             |                   |                   |
| Flammability:                              |                   | No data available |
| Lower explosion limits:                    |                   | No data available |
| Upper explosion limits:                    |                   | No data available |
| Flash point:                               |                   | No data available |
| Auto-ignition temperature:                 |                   | No data available |
| Decomposition temperature:                 |                   | No data available |
| pH-Value:                                  |                   | No data available |
| Viscosity / kinematic:                     |                   | No data available |
| Water solubility:                          |                   | No data available |
| Solubility in other solvents               |                   |                   |
| No data available                          |                   |                   |
| Partition coefficient n-octanol/water:     |                   | No data available |
| Vapour pressure:                           |                   | No data available |
| Vapour pressure:                           |                   | No data available |
| Density:                                   |                   | No data available |
| Bulk density:                              |                   | No data available |
| Relative vapour density:                   |                   | No data available |
| 9.2. Other information                     |                   |                   |
| Information with regard to physical ha     | zard classes      |                   |
| Explosive properties                       |                   |                   |
| No data available                          |                   |                   |
| Sustaining combustion:                     |                   | No data available |
| Self-ignition temperature                  |                   |                   |
| Solid:                                     |                   | No data available |
| Gas:                                       |                   | No data available |
| Oxidizing properties                       |                   |                   |
| No data available                          |                   |                   |
| Other safety characteristics               |                   |                   |
| Evaporation rate:                          |                   | No data available |
| Solvent separation test:                   |                   | No data available |
| Solvent content:                           |                   | 0                 |
| Solid content:                             |                   | 0                 |
| Sublimation point:                         |                   | No data available |
| Softening point:                           |                   | No data available |
| Pour point:                                |                   | No data available |
| No data available:                         |                   |                   |
| Viscosity / dynamic:                       |                   | No data available |
| Flow time:                                 |                   | No data available |
| Further Information                        |                   |                   |
| · · · · · · · · · · · ·                    |                   |                   |



Revision date: 23.03.2023

## according to Regulation (EC) No 1907/2006

## Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g

Rübe

Product code: 27958

Page 7 of 10

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

## 10.2. Chemical stability

No data available

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

#### Further information

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name      | _             |          | -                               |  |   |
|-----------|--------------------|---------------|----------|---------------------------------|--|---|
|           | Exposure route     | Dose          |          | Species                         | Source   | Method  |
| 7447-40-7 | potassium chloride |               |          |                                 |  | _   |
|           | oral               | LD50<br>mg/kg | ca. 2600 | rat, guinea pig, sheep,<br>goat | J Pharmacol Exp<br>Therap 35, 1-15, 1929<br>(1 |   |
| 7647-14-5 | sodium chloride    | -             |          | -                               |  | _   |
|           | oral               | LD50<br>mg/kg | 3550     | Rat                             | Study report                                   | The study<br>methodology followed<br>appeared |
|           | dermal             | LD50<br>mg/kg | > 10000  | Rabbit                          | Study report                                   | The study methology<br>followed appeared to   |

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.



### according to Regulation (EC) No 1907/2006

| Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g<br>Rübe |   |                |           |           |                               |  |                       |
|--|---|----------------|-----------|-----------|-------------------------------|--|-----------------------|
| Revision date  | e: 23.03.2023   |                | Pro       | oduct co  | ode: 27958                    |  | Page 8 of 10          |
| Specific e   | n hazard<br>I on available data, the cla<br>effects in experiment on<br>are no data available on  | an animal      |           | not me    | t.                            |  |                       |
| There  | Il information on tests<br>are no data available on<br>experience                                 | the mixture    | e itself. |           |                               |  |                       |
| There<br><u>11.2. Informa</u><br>Other info<br>There<br>Further infor                            | are no data available on<br><u>ation on other hazards</u><br>prmation<br>are no data available on | the mixture    | e itself. |           |                               |  |                       |
| SECTION 12   | 2: Ecological informat  | ion            |           |           |                               |  |                       |
| 12.1. Toxicity<br>There<br>CAS No  | L<br>are no data available on<br>Chemical name  | the mixture    | e itself. |           |                               |  |                       |
| CAS NO   | Aquatic toxicity  | Dose           |           | [h]   [d] | Species                       | Source   | Method                |
| 7447-40-7  | potassium chloride  |                |           | 1. 1      | <u></u>                       |  |                       |
|  | Acute fish toxicity   | LC50           | 880 mg/l  | 96 h      | Pimephales promelas           | Environmental<br>Toxicology and<br>Chemistry,  | OECD Guideline<br>203 |
|  | Acute algae toxicity  | ErC50<br>mg/l  | > 100     | 72 h      | Desmodesmus<br>subspicatus    | Study report<br>(2010)                         | OECD Guideline<br>201 |
|  | Acute bacteria toxicity   | (EC50<br>mg/l) | > 1000    | 3 h       | activated sludge,<br>domestic | Study report<br>(2010)                         | OECD Guideline<br>209 |
| 7647-14-5  | sodium chloride   | •              |           | •         |                               | -  |                       |
|  | Acute fish toxicity   | LC50<br>mg/l   | 5840      | 96 h      | Lepomis macrochirus           | Study report<br>(1985)                         | other: ASTM<br>E729   |
|  | Acute crustacea toxicity  | EC50<br>mg/l   | 4136      | 48 h      | Daphnia magna                 | J. fish. Res. Bd.<br>Canada, 29:<br>1691-1700. | OECD Guideline<br>202 |
|  | Fish toxicity   | NOEC           | 252 mg/l  | 33 d      | Pimephales promelas           | Study report<br>(1985)                         | OECD Guideline<br>210 |
|  | Crustacea toxicity  | NOEC           | 314 mg/l  | 21 d      | Daphnia pulex                 | Memorandum of<br>agreement No.<br>5429, Kentuc | OECD Guideline<br>211 |

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available



## Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g

### Rübe

Revision date: 23.03.2023

Product code: 27958

Page 9 of 10

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

There are no data available on the mixture itself.

### **Further information**

Discharge into the environment must be avoided

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

14.4. Packing group:

## Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>

14.4. Packing group:

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

### No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



| Kalium-Natrium-Stickstoffstandardlösung 5 meq K + 2,5 meq Na + 5 meq N jeweils pro 100 g |
|--|
|--|

Revision date: 23.03.2023

Rübe Product code: 27958

Page 10 of 10

Water hazard class (D): Additional information - - non-hazardous to water

No data available

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 15.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)