

Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0,45µm									
Revision date: 08.09.2022	Product code: 28620)	Page 1 of 12						
SECTION 1: Identification of th	SECTION 1: Identification of the substance/mixture and of the company/undertaking								
1.1. Product identifier									
Ammoniummetavanadat/Am	ımoniumheptamolybdat - Lösung C in verdi	ünnter Salpetersäure, filtriert 0,45µm							
UFI:	758J-T20H-800K-MD4N								
1.2. Relevant identified uses of the	e substance or mixture and uses advised	against							
Use of the substance/mixture									
	stances as such or in preparations at indus main (administration, education, entertainn								
Do not use for private purpo	ses (household)								
1.3. Details of the supplier of the s									
Company name:	Fa. Bernd Kraft GmbH								
Street:	Stempelstraße 6								
Place:	D-47167 Duisburg								
Telephone: e-mail:	0203/5194-0 info@berndkraft.de	Telefax: 0203/5194-290							
Contact person: e-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@berndkraft.de www.berndkraft.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117							
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)								
Further Information	a mixture REACH registration number see	section 3							

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling nitric acid 20 %

Signal word:

Pictograms:

Danger





Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0,45µm							
Revision date: 08.09.2022	Product code: 28620	Page 2 of 12					
Hazard statements							
H290	May be corrosive to metals.						
H314	Causes severe skin burns and eye damage.						
H332	Harmful if inhaled.						
Precautionary statemen	Its						
P260							
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.						
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.						
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						
Special labelling of certain mixtures							
EUH071	Corrosive to the respiratory tract.						
2.3. Other hazards							
No information availa	ble.						

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (GB CLP Regulation)					
7697-37-2	nitric acid	nitric acid				
	231-714-2 007-030-00-3 01-2119487297-23					
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid	15 - < 20 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.



an analyti chem company	according to UK REACH Regulation						
Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure,							
	filtriert 0,45µm						
Revision date: 08.09.2022	Product code: 28620	Page 3 of 12					
Call a physician immediately.							
After contact with skin Wash immediately with: Water Take off immediately all contamina Call a physician immediately.	ated clothing and wash it before reuse.						
After contact with eyes In case of contact with eyes flush i apart and consult an ophthalmolog Remove contact lenses, if present Protect uninjured eye.		g eyelids					
After ingestion Rinse mouth immediately and drin Do NOT induce vomiting. Do not a Call a physician immediately.	k plenty of water. llow a neutralisation agent to be drunk.						
4.2. Most important symptoms and effect Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.	cts, both acute and delayed						
	l attention and special treatment needed						
No data available							
SECTION 5: Firefighting measures							
5.1. Extinguishing media							
Suitable extinguishing media Co-ordinate fire-fighting measures	to the fire surroundings.						
Unsuitable extinguishing media no restriction							

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



an analyti chem company	according to UK REACH Regulation	
Ammoniummetavanadat/Am	nmoniumheptamolybdat - Lösung C in verdünnter Salpe filtriert 0,45µm	tersäure,
Revision date: 08.09.2022	Product code: 28620	Page 4 of 12
General advice		
Corrosive to metals.		
For non-emergency personnel		
Provide adequate ventilation.		
Use personal protection equipment.		
Avoid contact with skin, eyes and clo	othes.	
Remove persons to safety.		
Emergency procedures Consult an expert		
Do not breathe dust/fume/gas/mist/va	anoure/enrav	
For emergency responders	apoulorspray.	
	gency responders : Personal protection equipment: see section 8	
6.2. Environmental precautions Do not allow to enter into surface wa	iter or drains.	
6.3. Methods and material for containmen	at and cleaning up	
For containment		
Cover drains.		
Prevent spread over a wide area (e.g	g. by containment or oil barriers).	
Collect in closed and suitable contair	•	
	sand, diatomaceous earth, acid- or universal binding agents).	
For cleaning up		
Clean contaminated articles and floo	or according to the environmental legislation.	
Other information		
Provide adequate ventilation.		
Do not breathe dust/fume/gas/mist/va		
Wear breathing apparatus if exposed	to vapours/dusts/aerosols.	
6.4. Reference to other sections Safe handling: see section 7		
Personal protection equipment: see s	section 8	
Disposal: see section 13		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Advice on safe handling Read label before use. Handle and o	anon container with core	
	e, sniff. Use personal protection equipment.	
Provide adequate ventilation. Avoid		
Do not breathe vapour/aerosol.		
Advice on protection against fire and e	explosion	
No special fire protection measures a		
Advice on general occupational hygier	ne	
	nal feedingstuffs. Remove contaminated, saturated clothing immediate	ly.
	n programme. Wash hands and face before breaks and after work and	
-	sing do not eat or drink. Avoid: aerosol or mist formation Do not breathe	Э
vapour/aerosol.		

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0,45µm						
Revision date: 08.09.2022	Product code: 28620	Page 5 of 12				
7.2. Conditions for safe storage, including	any incompatibilities					
Requirements for storage rooms and vessels Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.						
Hints on joint storage national regulations						
Further information on storage conditio Keep container tightly closed.	ns					
7.3. Specific end use(s)						
Laboratory chemicals						

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contactTrade name/designation:KCL 897 Butoject®Recommended material:Butyl caoutchouc (butyl rubber) 0,3 mmWearing time with permanent contact:> 480 min

 By short-term hand contact

 Trade name/designation:
 KCL 720 Camapren®

 Recommended material:
 CR (polychloroprene, chloroprene rubber) 0,65 mm

 Wearing time with occasional contact (splashes):
 > 240 min



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure,

filtriert 0,45µm

Revision date: 08.09.2022

Product code: 28620

Page 6 of 12

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

3.1. Information on pasic physical and cher	incar properties	
Physical state:	Liquid	
Colour:	yellow	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0,5
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,06170 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available
9.2. Other information		
Information with report to physical here		

Information with regard to physical hazard classes Explosive properties No data available



Ammoniummetavanadat/Ammoniuml	heptamolybdat - Lösung C in verdünnter	Salpetersäure,
	filtriert 0,45µm	
Revision date: 08.09.2022	Product code: 28620	Page 7 of 12
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure,

filtriert 0,45µm

Revision date: 08.09.2022

Product code: 28620

Page 8 of 12

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (inhalation vapour) 15,19 mg/l; ATE (inhalation dust/mist) 2,532 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7697-37-2	nitric acid	-		-			
	inhalation vapour	ATE 2,65 mg/l					

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure,

filtriert 0,45µm

Revision date: 08.09.2022

Product code: 28620

Page 9 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419	-	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

12.7. Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0,45µm			
Revision date: 08.09.2022		t code: 28620	Page 10 of 12
Land transport (ADR/RID)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Classification code:	C1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Transport category:	2		
Hazard No:	80		
Tunnel restriction code:	E		
Inland waterways transport (ADN)			
<u>14.1. UN number or ID number:</u>	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
<u>14.3. Transport hazard class(es):</u>	8		
	8		
<u>14.4. Packing group:</u> Hazard label:	8		
	o C1		
Classification code:			
Limited quantity:	1 L		
Excepted quantity:	E2		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	U U		
Hazard label:	8		
Special Provisions:	A212		
Limited quantity Passenger:	Forbidden		
Passenger LQ:	Forbidden		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:	LU	Forbidden	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:		Forbidden	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:		855	
IATA-max. quantity - Cargo:		30 L	
14.5. Environmental hazards		50 L	
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: strongly corrosive.			
14.7. Maritime transport in bulk according	to IMO instruments		



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0.45µm

Revision date: 08.09.2022

Product code: 28620

Page 11 of 12

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
EUH071	Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



Ammoniummetavanadat/Ammoniumheptamolybdat - Lösung C in verdünnter Salpetersäure, filtriert 0,45µm

Revision date: 08.09.2022

Product code: 28620

Page 12 of 12

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)