

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75 gemischt

Revision date: 02.06.2022

Product code: 29035

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75 gemischt

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226  
Acute Tox. 2; H330  
Acute Tox. 4; H302  
Acute Tox. 4; H312  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

pyridine  
acetic anhydride

Signal word: Danger

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 2 of 13

**Pictograms:**



**Hazard statements**

H226 Flammable liquid and vapour.  
H302+H312 Harmful if swallowed or in contact with skin.  
H330 Fatal if inhaled.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
110-86-1	pyridine			70 - < 75 %
	203-809-9	613-002-00-7	01-2119493105-40	
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H225 H332 H312 H302 H315 H319			
108-24-7	acetic anhydride			25 - < 30 %
	203-564-8	607-008-00-9	01-2119486470-36	
	Flam. Liq. 3, Acute Tox. 2, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H226 H330 H302 H314 H335			

Full text of H and EUH statements: see section 16.

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 3 of 13

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
110-86-1	203-809-9	pyridine	70 - < 75 %
		inhalation: LC50 = 4900 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 1000 - < 2000 mg/kg; oral: LD50 = > 800 - < 1600 mg/kg	
108-24-7	203-564-8	acetic anhydride	25 - < 30 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: LD50 = 630 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Dam. 1; H318: >= 5 - < 25 Eye Irrit. 2; H319: >= 1 - < 5 STOT SE 3; H335: >= 5 - 100	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

**After inhalation**

Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible liquids

Hazardous combustion products

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

**5.3. Advice for firefighters**

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 4 of 13

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 5 of 13

Use personal protection equipment. Use extractor hood (laboratory).  
Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.  
Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Store in a place accessible by authorized persons only.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

**Further information on storage conditions**

Keep cool. Protect from sunlight.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
108-24-7	Acetic anhydride	1	2.5		TWA (8 h)	
		2	10		STEL (15 min)	
110-86-1	Pyridine	5	15		TWA (8 h)	
		10	30		STEL (15 min)	

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 6 of 13

**DNEL/DMEL values**

CAS No	Substance	DNEL type	Exposure route	Effect	Value
110-86-1	pyridine	Consumer DNEL, long-term	oral	systemic	0,07 mg/kg bw/day
		Worker DNEL, acute	inhalation	systemic	7,5 mg/m <sup>3</sup>
		Worker DNEL, long-term	dermal	systemic	0,14 mg/kg bw/day
		Worker DNEL, acute	dermal	systemic	0,42 mg/kg bw/day
		Consumer DNEL, long-term	inhalation	systemic	0,6 mg/m <sup>3</sup>
		Consumer DNEL, long-term	dermal	systemic	0,07 mg/kg bw/day
		Worker DNEL, long-term	inhalation	systemic	2,5 mg/m <sup>3</sup>
108-24-7	acetic anhydride	Worker DNEL, long-term	inhalation	systemic	4,2 mg/m <sup>3</sup>
		Worker DNEL, long-term	inhalation	local	4,2 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	12,6 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Environmental compartment	Value
110-86-1	pyridine	Freshwater	0,3 mg/l
		Freshwater (intermittent releases)	3 mg/l
		Marine water	0,03 mg/l
		Freshwater sediment	3,2 mg/kg
		Marine sediment	0,32 mg/kg
		Micro-organisms in sewage treatment plants (STP)	2 mg/l
		Soil	0,46 mg/kg
108-24-7	acetic anhydride	Freshwater	3,058 mg/l
		Freshwater (intermittent releases)	30,58 mg/l
		Marine water	0,306 mg/l
		Freshwater sediment	11,36 mg/kg
		Marine sediment	1,136 mg/kg
		Micro-organisms in sewage treatment plants (STP)	115 mg/l
		Soil	0,47 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75 gemischt

Revision date: 02.06.2022

Product code: 29035

Page 7 of 13

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	characteristic
Odour threshold:	No data available

#### Changes in the physical state

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	115 °C
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
:	No data available

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 8 of 13

Flash point: 25 °C

**Flammability**

Solid/liquid: not applicable

Gas: not applicable

**Explosive properties**

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature: No data available

**Self-ignition temperature**

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

pH-Value: not determined

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

**Solubility in other solvents**

not determined

Dissolution rate: No data available

Partition coefficient n-octanol/water: not determined

Dispersion stability: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density: 1,00503 g/cm<sup>3</sup>

Bulk density: No data available

Relative vapour density: not determined

**9.2. Other information**

**Information with regard to physical hazard classes**

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Solvent separation test: No data available

Solid content: 0

Evaporation rate: not determined

**Further Information**

No data available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Flammable.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**



**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 9 of 13

No known hazardous reactions.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Fatal if inhaled.  
Harmful if swallowed.  
Harmful in contact with skin.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
110-86-1	pyridine				
	oral	LD50 > 800 - < 1600 mg/kg	Rat	Study report (1978)	Precedes establishment of guideline and
	dermal	LD50 > 1000 - < 2000 mg/kg	Rabbit	Study report (1973)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 4900 mg/l	Rat	Other company data (1984)	EPA OPPTS 870.1300
	inhalation dust/mist	ATE 1,5 mg/l			
108-24-7	acetic anhydride				
	oral	LD50 630 mg/kg	Rat	Study report (1980)	5 animals per gender per group Starved f
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (acetic anhydride)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 10 of 13

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
110-86-1	pyridine					
	Acute fish toxicity	LC50 > 560 - < 1000 mg/l	96 h	Danio rerio	Study report (1991)	OECD Guideline 203
	Acute algae toxicity	ErC50 320 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1991)	OECD Guideline 201
108-24-7	acetic anhydride					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
110-86-1	pyridine	0,64
108-24-7	acetic anhydride	-0,577

**BCF**

CAS No	Chemical name	BCF	Species	Source
108-24-7	acetic anhydride	3,16	fish	Environ. Toxicol. Ch

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 11 of 13

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Do not allow to enter into surface water or drains.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3286
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (pyridine, acetic anhydride)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3+6.1+8
Classification code:	FTC
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	368
Tunnel restriction code:	D/E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 3286
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (pyridine, acetic anhydride)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3+6.1+8
Classification code:	FTC
Special Provisions:	274 802
Limited quantity:	1 L
Excepted quantity:	E2

**Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75  
gemischt**

Revision date: 02.06.2022

Product code: 29035

Page 12 of 13

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 3286
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (pyridine, acetic anhydride)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3+6.1/8
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-C

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 3286
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (pyridine, acetic anhydride)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3+6.1 8
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y340
Excepted quantity:	E2
IATA-packing instructions - Passenger:	352
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	363
IATA-max. quantity - Cargo:	5 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid. Toxic. strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Additional information: P5c

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Acetylierungsgemisch zur Analyse Essigsäureanhydrid / Pyridin; volumetrisch 25 : 75 gemischt

Revision date: 02.06.2022

Product code: 29035

Page 13 of 13

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 1.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

##### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

##### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*