

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 2 of 9

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7647-01-0	Hydrochloric acid			1 - < 5 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			
7647-14-5	sodium chloride			< 0.1 %
	231-598-3		01-2119485491-33	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		
7647-14-5	231-598-3	sodium chloride	< 0.1 %
	dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 3 of 9

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.
Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
	Worker DNEL, long-term	inhalation	local	8 mg/m ³
	Worker DNEL, acute	inhalation	local	15 mg/m ³
	Consumer DNEL, long-term	inhalation	local	8 mg/m ³
	Consumer DNEL, acute	inhalation	local	15 mg/m ³
7647-14-5	sodium chloride			
	Consumer DNEL, acute	inhalation	systemic	443,28 mg/m ³
	Worker DNEL, long-term	dermal	systemic	295,52 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	126,65 mg/kg bw/day
	Consumer DNEL, acute	dermal	systemic	126,65 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	126,65 mg/kg bw/day
	Consumer DNEL, acute	oral	systemic	126,65 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	2068,62 mg/m ³
	Worker DNEL, acute	inhalation	systemic	2068,62 mg/m ³
	Worker DNEL, acute	dermal	systemic	295,52 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	443,28 mg/m ³

PNEC values

CAS No	Substance	Value
7647-14-5	sodium chloride	
	Freshwater	5 mg/l
	Micro-organisms in sewage treatment plants (STP)	500 mg/l
	Soil	4,86 mg/kg

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 5 of 9

control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
 Colour: colourless
 Odour: odourless

Changes in the physical state

Melting point/freezing point: not determined
 Boiling point or initial boiling point and boiling range: ?
 Flash point: ?

Flammability

Solid/liquid: not applicable
 Gas: not applicable
 Lower explosion limits: not determined
 Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
 Gas: not applicable
 Decomposition temperature: not determined

pH-Value: <1

Solubility in other solvents

not determined
 Partition coefficient n-octanol/water: not determined
 Vapour pressure: <=1100 hPa
 (at 50 °C)
 Density: 1,01000 g/cm³
 Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties
 Not oxidising.

Other safety characteristics

Solid content: not determined
 Evaporation rate: not determined

SECTION 10: Stability and reactivity

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 6 of 9

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Metal.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7647-14-5	sodium chloride				
	oral	LD50 mg/kg 3550	Rat	Study report	The study methodology followed appeared
	dermal	LD50 mg/kg > 10000	Rabbit	Study report	The study methodology followed appeared to

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7647-01-0	Hydrochloric acid					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	
7647-14-5	sodium chloride					
	Acute fish toxicity	LC50	5840 mg/l	96 h	Lepomis macrochirus	Study report (1985) other: ASTM E729
	Acute crustacea toxicity	EC50	4136 mg/l	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700. OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985) OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc OECD Guideline 211

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 8 of 9

Limited quantity: 5 L
 Excepted quantity: E1
 Transport category: 3
 Hazard No: 80
 Tunnel restriction code: E

Other applicable information (land transport)
 E1

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Classification code: C1
 Special Provisions: 520
 Limited quantity: 5 L
 Excepted quantity: E1

Other applicable information (inland waterways transport)
 E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: 223
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 Passenger LQ: Y841
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety Data Sheet

according to UK REACH Regulation

Multielement-Standardlösung 6

Revision date: 15.06.2022

Product code: 29042

Page 9 of 9

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,11.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)