

according to Regulation (EC) No 1907/2006

Revision date: 02.06.2022

Product code: 29048

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trifluoressigsäure 4 % technisch

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling trifluoroacetic acid

Signal word:

Danger

Pictograms:



Hazard statements H315

H318

Causes skin irritation. Causes serious eye damage.



according to Regulation (EC) No 1907/2006 Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 2 of 11

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)				
76-05-1	trifluoroacetic acid			1 - < 5 %	
	200-929-3	607-091-00-1	01-2119548396-29		
	Acute Tox. 4, Skin Corr.	1A, Aquatic Chronic 3; H332 H314 H	1412		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
76-05-1	200-929-3	trifluoroacetic acid	1 - < 5 %
	inhalation: ATE	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists)	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Gastrointestinal complaints Vomiting Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen fluoride

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 4 of 11

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. When using do not eat, drink, smoke, sniff. Handle and open container with care. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Unsuitable container/equipment material: Metal storage temperature: +15°C - +25°C

Further information on storage conditions

Keep container tightly closed. Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 5 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
76-05-1	trifluoroacetic acid			
Worker DNEL,	long-term	inhalation	local	2,67 mg/m³
Worker DNEL,	acute	inhalation	local	16 mg/m³
Consumer DNE	EL, long-term	oral	systemic	0,042 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmental compartment Value					
76-05-1	trifluoroacetic acid				
Freshwater 0,56 mg/l					
Freshwater (intermittent releases) 2,37 mg/l					
Marine water 0,05					
Freshwater sediment 2,36 mg/kg					
Marine sedir	0,236 mg/kg				
Micro-organi	83,2 mg/l				
Soil		0,0047 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

 By short-term hand contact

 Trade name/designation:
 KCL 720 Camapren®

 Recommended material:
 CR (polychloroprene, chloroprene rubber) 0,65 mm

 Wearing time with occasional contact (splashes):
 > 480 min



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid colourless	
Odour threshold:	No data available	
Changes in the physical state		
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		Ne data available
Sublimation point: Softening point:		No data available No data available
Pour point:		No data available
No data available:		
Flash point:		No data available
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Explosive properties No data available		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		No data available
Self-ignition temperature		
Solid: Gas:		not applicable
		not applicable not determined
Decomposition temperature:		
pH-Value:		not determined
Viscosity / dynamic:		No data available
Viscosity / kinematic:		No data available
Flow time:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
not determined Dissolution rate:		No data available



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch					
Revision date: 02.06.2022	Product code: 29048	Page 7 of 11			
Partition coefficient n-octanol/water:	not determined				
Dispersion stability:	No data available				
Vapour pressure:	No data available				
Vapour pressure:	No data available				
Density: Bulk density:	1,01770 g/cm³ No data available				
Relative vapour density:	not determined				
9.2. Other information					
Information with regard to physical hazard classes Sustaining combustion: Oxidizing properties Not oxidising.	s No data available				
Other safety characteristics					
Solvent separation test:	No data available				
Solvent content:	0				
Solid content:	not determined				
Evaporation rate:	not determined				
Further Information					
Corrosive to metals.					

10.2. Chemical stability

Protect against: Heat

10.3. Possibility of hazardous reactions

Acids Alkali (lye)

10.4. Conditions to avoid

Heat Humidity

10.5. Incompatible materials

Metal

Rubber articles

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
76-05-1	trifluoroacetic acid							
	inhalation vapour	ATE 11 mg/l						
	inhalation dust/mist	ATE 1,5 mg/l						

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
76-05-1	trifluoroacetic acid	trifluoroacetic acid						
	Acute fish toxicity LC50 > 1200 96 h Danio rerio Study report (1992) OECD Guideline							
	Acute algae toxicity	ErC50 mg/l	237,07	72 h	Pseudokirchneriella subcapitata	Study report (2017)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 1200	48 h	Daphnia magna	Study report (1992)	OECD Guideline 202	
	Crustacea toxicity	NOEC mg/l	>= 100	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge, domestic	Study report (2010)	OECD Guideline 209	

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 9 of 11

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
76-05-1	trifluoroacetic acid	0,5

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoroacetic acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C3
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoroacetic acid)
14.3. Transport hazard class(es):	8



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch		
Revision date: 02.06.2022	Product code: 29048	Page 10 of 11
14.4. Packing group:		
Hazard label:	8	
Classification code:	C3	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3265	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoroacetic acid)
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Segregation group:	1 - acids	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3265	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoroacetic acid))
14.3. Transport hazard class(es):	8	/
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
	No	
ENVIRONMENTALLY HAZARDOUS:	NO	
14.6. Special precautions for user		
Warning: strongly corrosive.		
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	nilo
	work protection guideline' (94/33/EC).	mic
Water hazard class (D):	1 - slightly hazardous to water	
\mathbf{U}_{j}	r - Signity Hazarubus to water	

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

Trifluoressigsäure 4 % technisch

Revision date: 02.06.2022

Product code: 29048

Page 11 of 11

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)