

according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

REACH Registration Number: 01-2119495676-19-XXXX

CAS No: 7727-21-1 Index No: 016-061-00-1 EC No: 231-781-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, 1.4. Emergency telephone Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Sol. 3; H272 Acute Tox. 4: H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008 Signal word: Danger



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 2 of 11

Pictograms:







Hazard statements

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: K2O8S2
Molecular weight: 270,32 g/mol

Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7727-21-1	potassium persulphate					
	231-781-8 016-061-00-1 01-2119495676-19-XXXX					
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7727-21-1	231-781-8	potassium persulphate	100 %		
	inhalation: LC50 = >= 2,95 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 742 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 3 of 11

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

Cough

Dyspnoea

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 4 of 11

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Avoid dust formation. Do not breathe dust.

Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from combustible material.



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 5 of 11

Further information on storage conditions

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7727-21-1	Persulphate salts, inorganic; Potassium persulphate	-	0.1		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7727-21-1	potassium persulphate			
Worker DNEL,	long-term	inhalation	systemic	2,06 mg/m³
Worker DNEL,	acute	inhalation	systemic	590 mg/m³
Worker DNEL,	long-term	inhalation	local	2,06 mg/m³
Worker DNEL, long-term		dermal	systemic	18,2 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	400 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	0,102 mg/cm ²
Worker DNEL,	acute	dermal	local	2,248 mg/cm ²
Consumer DN	EL, long-term	inhalation	systemic	1,03 mg/m³
Consumer DN	EL, acute	inhalation	systemic	295 mg/m³
Consumer DN	EL, long-term	inhalation	local	1,03 mg/m³
Consumer DN	EL, acute	inhalation	local	295 mg/m³
Consumer DN	EL, long-term	dermal	systemic	9,1 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	200 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,051 mg/cm ²
Consumer DN	Consumer DNEL, acute		local	1,124 mg/cm²
Consumer DN	Consumer DNEL, long-term		systemic	9,1 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	30 mg/kg bw/day



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 6 of 11

PNEC values

CAS No	Substance					
Environmental compartment Value						
7727-21-1	7-21-1 potassium persulphate					
Freshwater		0,076 mg/l				
Freshwater (intermittent releases) 0,763 mg/l						
Marine water 0,011 mg/l						
Freshwater sediment 0,275 mg/						
Marine sediment 0,04 mg.						
Micro-organisms in sewage treatment plants (STP) 3,6 mg/l						
Soil						

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

Print date: 04.05.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 7 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: white
Odour: odourless

Melting point/freezing point: 100 °C
Boiling point or initial boiling point and No data available

boiling range:

Lower explosion limits:

Flammability: not determined

not applicable not determined not determined

Upper explosion limits: not determined Flash point:

Auto-ignition temperature:

Decomposition temperature:

PH-Value (at 20 °C):

Viscosity / kinematic:

No data available

~3,2 (50 g/l)

No data available

No data available

No data available

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

No data available

No data available

Density:

2,48 g/cm³

Bulk density:

~1150 kg/m³

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not determined Gas: not applicable

Oxidizing properties

The product is: oxidising, Oxidising.

Other safety characteristics

Evaporation rate:

Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available
No data available
No data available
No data available

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 8 of 11

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Metal, Heavy metals silver, Reducing agent

Combustible substance, Alkali (lye)

Acid. Water

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Pulmonary oedema

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7727-21-1	potassium persulphate							
	oral	LD50 mg/kg	742	Rat	Study report (2001)	EPA OPPTS 870.1100		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1991)	EPA OPP 81-2		
	inhalation (4 h) dust/mist	LC50 mg/l	>= 2,95	Rat	Study report (1989)	EPA OPP 81-3		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium persulphate)

May cause an allergic skin reaction. (potassium persulphate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (potassium persulphate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Print date: 04.05.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 9 of 11

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritant

Allergic reactions

Cough

Dyspnoea

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7727-21-1	potassium persulphate							
	Acute fish toxicity	LC50 mg/l	76,3	96 h	Oncorhynchus mykiss	Study report (1993)	other: FIFRA Guideline 72-1 of the Pesti	
	Acute algae toxicity	ErC50	136 mg/l		Phaeodactylum tricornutum	Study report	OECD Guideline 201	
	Acute crustacea toxicity	EC50	120 mg/l	48 h	Daphnia magna	Study report (1993)	other: FIFRA Guideline 72-2 of the Pesti	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 10 of 11

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

14.1. UN number or ID number: UN 1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 5.1 Classification code: Ω2 Limited quantity: 5 ka Excepted quantity: E1 Transport category: 3 Hazard No: 50 Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Classification code:O2Limited quantity:5 kgExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Special Provisions:-Limited quantity:5 kgExcepted quantity:E1EmS:F-A, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Special Provisions:A803Limited quantity Passenger:10 kgPassenger LQ:Y546Excepted quantity:E1

IATA-packing instructions - Passenger:559IATA-max. quantity - Passenger:25 kgIATA-packing instructions - Cargo:563IATA-max. quantity - Cargo:100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user



according to Regulation (EC) No 1907/2006

Kaliumperoxodisulfat zur Analyse Stickstoff (N) max. 10 mg/kg

Revision date: 04.05.2023 Product code: 29935 Page 11 of 11

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

P8 OXIDISING LIQUIDS AND SOLIDS

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.