

Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65 %.... Revision date: 03.06.2022 Product code: 30217 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65 %....

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	-	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid zinc nitrate

Signal word:







Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

Product code: 30217

%	
---	--

Page 2 of 12

Revision date: 03.06.2022 Hazard statements

Hazard statements	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
Precautionary statemen	Its
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves and eye/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Special labelling of certain mixtures

Corrosive to the respiratory tract.

Immediately call a POISON CENTER/doctor.

EUH071 2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity	
	EC No				
	Classification (Regulation (EC) No 1272/2008)				
7779-88-6	zinc nitrate				
	Acute Tox. 4, Skin Irri H315 H318 H335 H40				
7697-37-2	nitric acid	10 - < 15 %			
	231-714-2 007-030-00-3 01-2119487297-23				
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7779-88-6		zinc nitrate	10 - < 15 %	
	oral: ATE = 500) mg/kg		
7697-37-2	231-714-2	nitric acid	10 - < 15 %	
		. 2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= Corr. 1B; H314: >= 5 - < 20		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

according to Regulation (EC) No 1907/2006

%....

Product code: 30217

Page 3 of 12

General information

Revision date: 03.06.2022

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

%....

Revision date: 03.06.2022

Product code: 30217

Page 4 of 12

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. When using do not eat, drink, smoke, sniff. Handle and open container with care. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.



Revision date: 03.06.2022

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

Product code: 30217

%....

Page 5 of 12

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm ³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

%....

Revision date: 03.06.2022

Product code: 30217

Page 6 of 12

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Changes in the physical state		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		?
boiling range: Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Flash point:		х
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Explosive properties No data available		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		No data available
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
pH-Value:		acidic
Viscosity / dynamic:		No data available
Viscosity / kinematic:		No data available
Flow time:		No data available
Solubility in other solvents not determined		



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65				
	%			
Revision date: 03.06.2022	Product code: 30217	Page 7 of 12		
Partition coefficient n-octanol/water:	not determined			
Vapour pressure:	No data available			
Vapour pressure:	No data available			
Density:	1,07000 g/cm³			
Bulk density:	No data available			
Relative vapour density:	not determined			
9.2. Other information				
Information with regard to physical hazard classes	6			
Sustaining combustion:	No data available			
Oxidizing properties				
Not oxidising.				
Other safety characteristics				
Solvent separation test:	No data available			
Solvent content:	0			
Solid content:	not determined			
Evaporation rate:	not determined			
Further Information				
Company to mostale				

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

%....

Product code: 30217

Page 8 of 12

Acute toxicity

Harmful if inhaled.

ATEmix calculated

Revision date: 03.06.2022

ATE (inhalation dust/mist) 4,762 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7779-88-6	zinc nitrate	zinc nitrate				
	oral	ATE 500 mg/kg				
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65 mg/kg				

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Revision No: 1,03 - Replaces version: 1,02



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

%....

Page 9 of 12

Product code: 30217

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

UN 2031
NITRIC ACID
8
II
8



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65				
Revision date: 03.06.2022	%. Product c	 ode: 30217	Page 10 of 12	
Classification code: Limited quantity:	C1 1 L			
Excepted quantity:	E2			
Transport category:	2			
Hazard No:	80			
Tunnel restriction code:	E			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	U U			
Hazard label:	8			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	A212			
Limited quantity Passenger:	Forbidden			
Passenger LQ:	Forbidden			
Excepted quantity:	E0			
IATA-packing instructions - Passenger:		Forbidden		
IATA-max. quantity - Passenger:		Forbidden		
IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user Warning: strongly corrosive.				
14.7. Maritime transport in bulk according t not applicable	o INO Instruments			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			

EU regulatory information



Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65 %.... Revision date: 03.06.2022 Product code: 30217 Page 11 of 12 Restrictions on use (REACH, annex XVII): Entry 3 National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Water hazard class (D): 3 - highly hazardous to water 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out. **SECTION 16: Other information**

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,12,13.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Revision date: 03.06.2022

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung Zinkoxid Blind Matrix: 50 g/l ZnO in 125 ml/l Salpetersäure 65

Product code: 30217

%....

Page 12 of 12

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)