

according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Zinkchloridlösung 50 % reinst

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

zinc chloride

Signal word: Danger

Pictograms:









according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 2 of 11

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 **2.3. Other hazards**

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | |
|-----------|--------------------------------------------------------------------------------------|--------------|----------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7646-85-7 | zinc chloride | | | |
| | 231-592-0 | 030-003-00-2 | | |
| | Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | |
|-----------|----------------------------------------------------------------------------------|---------------|-------------|--|
| | Specific Conc. Limits, M-factors and ATE | | | |
| 7646-85-7 | 231-592-0 | zinc chloride | 50 - < 55 % | |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1100 mg/kg STOT SE 3; H335: >= 5 - 100 | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 3 of 11

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Hydrogen chloride (HCI)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

$\underline{\textbf{6.1. Personal precautions, protective equipment and emergency procedures}}$

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

Print date: 03.06.2022



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 4 of 11

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Unsuitable container/equipment material: Metal

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 5 of 11

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|---------------------|-----|-------|---------|---------------|--------|
| 7646-85-7 | Zinc chloride, fume | - | 1 | | TWA (8 h) | |
| | | - | 2 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|------------------------|------------|----------|----------------------|--|--|
| DNEL type | DNEL type | | Effect | Value | | |
| 7646-85-7 | zinc chloride | | | | | |
| Worker DNEL, long-term | | dermal | systemic | 8,3 mg/kg bw/day | | |
| Worker DNEL, | Worker DNEL, long-term | | systemic | 1 mg/m³ | | |
| Consumer DNEL, long-term | | inhalation | systemic | 1,25 mg/m³ | | |
| Consumer DNEL, long-term | | dermal | systemic | 8,3 mg/kg bw/day | | |
| Consumer DNEL, long-term | | oral | systemic | 0,83 mg/kg bw/day | | |

PNEC values

| CAS No | Substance | | | |
|--------------------------------------------------|---------------------------|-------------|--|--|
| Environment | Environmental compartment | | | |
| 7646-85-7 | 6-85-7 zinc chloride | | | |
| Freshwater | Freshwater | | | |
| Marine water | | 0,0061 mg/l | | |
| Freshwater sediment ' | | 117,8 mg/kg | | |
| Marine sediment | | 56,5 mg/kg | | |
| Micro-organisms in sewage treatment plants (STP) | | 0,1 mg/l | | |
| Soil | | 35,6 mg/kg | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 6 of 11

Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: No data available
Odour: No data available

Test method

Changes in the physical state

Melting point/freezing point:

No data available

Boiling point or initial boiling point and

No data available

boiling range:

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available

No data available:

Flash point: No data available

Flammability ISO 10156

Solid/liquid:

Gas:

No data available

No data available

Explosive properties

No data available

Lower explosion limits:

Upper explosion limits:

No data available VDI 2263

VDI 2263

VDI 2263

Auto-ignition temperature: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

Print date: 03.06.2022

0



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 7 of 11

pH-Value: acidic

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Water solubility: completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

Vapour pressure:

No data available

No data available

Density:

1,5681 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

Oxidizing

Other safety characteristics

Solvent separation test:

No data available

Solvent content:

Solid content:

Evaporation rate: No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Corrosive to metals.

10.6. Hazardous decomposition products

In case of fire:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 8 of 11

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 700,0 mg/kg

| CAS No | Chemical name | | | | | | |
|-----------|----------------|---------------|--------|---------|-------------------------------------------|--------------------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 7646-85-7 | zinc chloride | | | | | | |
| | oral | LD50 mg/kg | 1100 | | Vet Hum Toxicol. 30(3): 224-228 (1988) | OECD Guideline 401 | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (1999) | OECD Guideline 402 | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (zinc chloride)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 9 of 11

| CAS No | Chemical name | | | | | | |
|-----------|--------------------------|--------------|-----------|-----------|----------------------------------------------------|------------------------------------------------|------------------------------------------------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 7646-85-7 | zinc chloride | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,439 | 96 h | Cottus bairdii | Environm; Toxic; & Chemistry, vol 24, nr | lab-designed dose-response test |
| | Acute crustacea toxicity | EC50 mg/l | 1,22 | 48 h | Daphnia magna | Publication (1995) | other: US EPA/600/4-85/01 3: methods for |
| | Fish toxicity | NOEC mg/l | 0,172 | 30 d | Cottus bairdi | Environm. Tox & Chem. Vol 24, Nr 6, 1515 | lab-designed dose-response test |
| | Algae toxicity | NOEC mg/l | 1,071 | 16 d | Macrocystis pyrifera | Mar Environ Res 26(2):113-134 (1988) | 16-d and 2-d toxicity test to early life |
| | Crustacea toxicity | NOEC mg/l | 0,031 | 50 d | Daphnia magna | Aquatic Toxicologhy 12,273-290 (1988) | chronic tests were performed for an exte |
| | Acute bacteria toxicity | (EC50 | 5,2 mg/l) | 3 h | activated sludge of a predominantly domestic sewag | Water research volume 17, nr10, 1363-136 | OECD Guideline 209 |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-----------|---------------|-------|-------------|----------------------|
| 7646-85-7 | zinc chloride | 96,05 | Danio rerio | Chemosphere 128:125- |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 10 of 11

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 Classification code: C1 Limited quantity: 5 L Excepted quantity: F1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Marine pollutant:PSpecial Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: Zinkchlorid



according to Regulation (EC) No 1907/2006

Zinkchloridlösung 50 % reinst

Revision date: 03.06.2022 Product code: 30347 Page 11 of 11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 4,7,11,12,13.

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|------|-------------------------------------------------------|
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)