

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

UFI: THPQ-A2HY-W001-TTV5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

potassium iodide

Signal word: Warning

Pictograms:





Hazard statements

H319 Causes serious eye irritation.



Safety Data Sheet

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 2 of 11

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)	ĺ			
333-20-0	potassium thiocyanate			15 - < 20 %	
	206-370-1	615-004-00-3	01-2119543697-26		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H332 H312 H302 H319 H412 EUH032				
7681-11-0	potassium iodide			1 - < 5 %	
	231-659-4		01-2119906339-35		
	STOT RE 1; H372				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	No Chemical name	
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE	
333-20-0	206-370-1	06-370-1 potassium thiocyanate	
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 508 mg/kg		
7681-11-0	231-659-4	potassium iodide	1 - < 5 %
	oral: LD50 = 3118 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.



Safety Data Sheet

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 3 of 11

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.



Safety Data Sheet

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 4 of 11

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 5 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
333-20-0 potassium thiocyanate				
Consumer DNEL, long-term		inhalation	systemic	0,9 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,6 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	3,6 mg/m³
Worker DNEL, long-term		dermal	systemic	5,1 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
333-20-0	potassium thiocyanate	
Freshwater		0,095 mg/l
Freshwater	(intermittent releases)	0,027 mg/l
Marine wate	r	0,009 mg/l
Freshwater	sediment	0,543 mg/kg
Marine sedir	ment	0,054 mg/kg
Secondary p	poisoning	1,667 mg/kg
Micro-organisms in sewage treatment plants (STP)		30 mg/l
Soil		6,336 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Safety Data Sheet

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 6 of 11

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range: Flammability

Solid/liquid:
Gas:
No data available
Lower explosion limits:
No data available
Upper explosion limits:
No data available
Flash point:
No data available
Auto-ignition temperature:
No data available
Decomposition temperature:
No data available
pH-Value:
7,7
Viscosity / kinematic:
No data available

Viscosity / kinematic:

Water solubility:

No data available

No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

No data available

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

No data available

No data available

0



according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 7 of 11

Solid content: 0

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

10.4. Conditions to avoid

There are no data available on the mixture itself.

10.5. Incompatible materials

There are no data available on the mixture itself.

10.6. Hazardous decomposition products

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
333-20-0	potassium thiocyanate					
	oral	LD50 mg/kg	508	Japanese quail	Study report (1999)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
7681-11-0	potassium iodide					
	oral	LD50 mg/kg	3118	Rat	Study report (1980)	OECD Guideline 401



according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 8 of 11

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (potassium iodide)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
333-20-0	potassium thiocyanate						
	Acute fish toxicity	LC50	65 mg/l	96 h	Oncorhynchus mykiss	Study report (1999)	EU Method C.1
	Acute algae toxicity	ErC50	116 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1999)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	3,56	48 h	Daphnia magna	Study report (1999)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	1,84	124 d	Pimephales promelas	Study report (1994)	Test was based on exposing juvenile fath
	Crustacea toxicity	NOEC mg/l	1,25	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211
7681-11-0	potassium iodide						
	Acute fish toxicity	LC50 mg/l	3780	96 h	Oncorhynchus mykiss	Publication (1995)	other: Protocol to
	Acute crustacea toxicity	EC50 mg/l	1,27	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202

12.2. Persistence and degradability

There are no data available on the mixture itself.



Safety Data Sheet

according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 9 of 11

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
333-20-0	potassium thiocyanate	-2,52

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land	transport	t (ADR/RID))
------	-----------	-------------	---

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 10 of 11

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

Additional information

No data available

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,9,15.

Classification for mixtures and used evaluation method according to GB CLP Regulation

<u> </u>		
Classification	Classification procedure	
Eye Irrit. 2; H319	Calculation method	
STOT RE 2; H373	Calculation method	

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to UK REACH Regulation

Kaliumthiocyanat-Lösung 200 g/l zur Analyse mit 50 g/l Kaliumiodid in Wasser

Revision date: 29.09.2022 Product code: 30581 Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)