

Bicinchoninate co	plour reagent for copper determina	tion Colour reagent for METRO	нм
Revision date: 17.10.2022	Product code: 30618	3	Page 1 of 11
SECTION 1: Identification of the	ne substance/mixture and of the comp	pany/undertaking	
1.1. Product identifier			
Bicinchoninate colour reage	ent for copper determination Colour reagent	for METROHM	
UFI:	DQSQ-222P-700C-9FEJ		
1.2. Relevant identified uses of the	e substance or mixture and uses advised	l against	
Use of the substance/mixture			
Laboratory chemicals			
	stances as such or in preparations at indus		
Professional uses: Public de	omain (administration, education, entertainr	nent, services, craftsmen)	
Uses advised against			
Do not use for private purpo	oses (household).		
1.3. Details of the supplier of the	<u>safety data sheet</u>		
Company name:	Fa. Bernd Kraft GmbH		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax:0203/5194-290	
e-mail:	info@berndkraft.de	T 0000/5404 407/447	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
e-mail:	produktsicherheit@berndkraft.de www.berndkraft.de		
Internet: Responsible Department:	Abteilung Produktsicherheit		
	v		
1.4. Emergency telephone	For Hazardous Materials [or Dangero	EC Day or Night Within USA and Canad	<u>.</u>
number:		anada: +1 703-741-5970 (collect calls	а.
	accepted)		
Fundh an Infanna ati an	/		

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:

Warning



Hazard statements H315

H319

Causes skin irritation. Causes serious eye irritation.

Precautionary statements

P280

Wear protective gloves and eye/face protection.



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022	Product code: 30618	Page 2 of 11
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	

Special labelling of certain mixtures

Contains hydroxylammonium chloride. May produce an allergic reaction.

2.3. Other hazards

EUH208

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP				
1336-21-6	Ammonia				
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, Aquatic A	Acute 1, Aquatic Chronic 2; H314 H40	0 H411		
5470-11-1	hydroxylammonium chloride			< 1 %	
	226-798-2	612-123-00-2	01-2120766309-45		
	Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
1336-21-6	215-647-6	Ammonia	1 - < 5 %	
	inhalation: LC5 Aquatic Acute 1	0 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 ; H400: M=10		
5470-11-1	226-798-2	hydroxylammonium chloride	< 1 %	
	dermal: ATE =	1100 mg/kg; oral: ATE = 500 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 3 of 11

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.



an analyti**chem** company

Safety Data Sheet

according to UK REACH Regulation

Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Keep container tightly closed. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 5 of 11

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
1336-21-6	Ammonia							
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³				
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m ³				
Worker DNEL,	long-term	inhalation	local	14 mg/m ³				
Worker DNEL,	acute	inhalation	local	36 mg/m ³				
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day				
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	23,8 mg/m ³				
Consumer DN	EL, acute	inhalation	systemic	23,8 mg/m ³				
Consumer DN	EL, long-term	inhalation	local	2,8 mg/m ³				
Consumer DN	EL, acute	inhalation	local	7,2 mg/m³				
Consumer DN	EL, long-term	dermal	systemic	68 mg/kg bw/day				
Consumer DN	EL, acute	dermal	systemic	68 mg/kg bw/day				
Consumer DN	EL, long-term	oral	systemic	6,8 mg/kg bw/day				
Consumer DN	EL, acute	oral	systemic	6,8 mg/kg bw/day				

PNEC values

CAS No	Substance				
Environmental compartment Valu		Value			
1336-21-6	36-21-6 Ammonia				
Freshwater		0,001 mg/l			
Freshwater (intermittent releases)		0,007 mg/l			
Marine water		0,001 mg/l			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min



an analyti**chem** company

Safety Data Sheet

according to UK REACH Regulation

Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	mical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability		
Solid/liquid:		No data available
Gas:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		11,3
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,9949 g/cm ³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
No data available		



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

code: 30618

Revision date: 17.10.2022	Product

Page 7 of 11

Other safety characteristics	
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

10.4. Conditions to avoid

There are no data available on the mixture itself.

10.5. Incompatible materials

There are no data available on the mixture itself.

10.6. Hazardous decomposition products

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 8 of 11

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
1336-21-6	Ammonia	Ammonia								
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401				
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity				
5470-11-1	hydroxylammonium chlo	ride								
	oral	ATE mg/kg	500							
	dermal	ATE mg/kg	1100							

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains hydroxylammonium chloride. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022

Product code: 30618

Page 9 of 11

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
1336-21-6	Ammonia								
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80		
	Fish toxicity	NOEC	1,2 mg/l		Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1336-21-6	Ammonia	-1,38

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	

Inland waterways transport (ADN)



Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Bicinchoninate colour reagent for copper determination Colour reagent for METROHM					
Revision date: 17.10.2022	Product code: 30618	Page 10 of 11			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
No dangerous good in sense of this	ransport regulation.				
14.7. Maritime transport in bulk according	to IMO instruments				
No dangerous good in sense of this	ransport regulation.				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental rec	ulations/legislation specific for the substance or mixture				
EU regulatory information	Ŋ.				
Restrictions on use (REACH, annex XVI	I):				
Entry 3, Entry 75					
National regulatory information					
Water hazard class (D):	2 - obviously hazardous to water				
Additional information					
No data available					
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 1,9.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.



11

according to UK REACH Regulation

Bicinchoninate colour reagent for copper determination Colour reagent for METROHM

Revision date: 17.10.2022	Product code: 30618	Page 11 of 1
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
EUH208	Contains hydroxylammonium chloride. May produce an allergic reaction.	

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)