

Alkalized acetate so	olution for the thermometric titration METROHM	n using Process Analyzer 2035 f	rom
Revision date: 11.05.2023	Product code: 30647		Page 1 of 10
SECTION 1: Identification of t	he substance/mixture and of the comp	any/undertaking	
1.1. Product identifier	or the thermometric titration using Process A		
	he substance or mixture and uses advised	•	
Use of the substance/mixture		agamst	
Laboratory chemicals			
5	ostances as such or in preparations at industi	rial sites	
	omain (administration, education, entertainm		
Uses advised against	•		
Do not use for private purp	oses (household).		
1.3. Details of the supplier of the			
Company name:	AnalytiChem GmbH		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
1.4. Emergency telephone	For Hazardous Materials [or Dangerou	us Goods] Incidents Spill, Leak, Fire,	
<u>number:</u>		C Day or Night Within USA and Canada	a:
	1-800-424-9300 Outside USA and Ca	nada: +1 703-741-5970 (collect calls	
	accepted)		
Further Information			
This product is a mixture. R	REACH Registration Number see section 3.		

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

Hazard components for labelling	
sodium hydroxide	

Signal word:

Pictograms:



Danger

Hazard statements H290

May be corrosive to metals.



Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from					
	METROHM				
evision date: 11.05.2023	Product code: 30647	Page 2 of 10			
H314 Causes severe skin burns and eye damage.					

H314

Re

Precautionary statemer	nts
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves and eye/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	EC No Index No REACH No		
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	sodium hydroxide	sodium hydroxide		
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	sodium hydroxide	5 - < 10 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

### After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids



### Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from METROHM

#### Revision date: 11.05.2023

Product code: 30647

Page 3 of 10

apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Dyspnoea Cough Circulatory collapse Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

### Non-combustible liquids

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).



# Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from

### METROHM

Revision date: 11.05.2023

Product code: 30647

Page 4 of 10

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal Aluminium Tin Zinc

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	



### Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from METROHM

Revision date: 11.05.2023

Product code: 30647

Page 5 of 10

### **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
1310-73-2	sodium hydroxide				
Worker DNEL, long-term		inhalation	local	1 mg/m³	
Consumer DNEL, long-term		inhalation	local	1 mg/m³	

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Do not allow to enter into surface water or drains.



### Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from METROHM

Revision date: 11.05.2023

Product code: 30647

Page 6 of 10

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

emical properties	
•	
No data available	
	No data available
	No data available
	not applicable
	Х
	No data available
	very soluble
	,
	No data available
zard classes	No data available
zard classes	No data available
zard classes	No data available not applicable
zard classes	
zard classes	not applicable
zard classes	not applicable not applicable
zard classes	not applicable not applicable No data available
zard classes	not applicable not applicable No data available No data available
zard classes	not applicable not applicable No data available No data available 0
zard classes	not applicable not applicable No data available No data available 0 0
zard classes	not applicable not applicable No data available No data available 0 0 No data available
zard classes	not applicable not applicable No data available No data available 0 0 No data available No data available
zard classes	not applicable not applicable No data available No data available 0 0 No data available No data available No data available No data available
	Liquid colourless odourless No data available

Corrosive to metals.



### Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from METROHM

Revision date: 11.05.2023

Product code: 30647

Page 7 of 10

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Metal

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.



# Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from

Revision date: 11.05.2023

METROHM Product code: 30647

Page 8 of 10

### 11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

### Further information

Skin corrosion/irritation Dyspnoea Cough Circulatory collapse Risk of serious damage to eyes.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the preparation/mixture itself.

CAS No	Chemical name	hemical name				
	Aquatic toxicity Dose		[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide				_	
	Acute crustacea toxicity EC50 40,4 mg/l		48 h		Environmental	other: acute 48-h immobilization test ac

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

not applicable

### 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Do not empty into drains.

Handle contaminated packages in the same way as the substance itself.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**



Alkalized acetate solution fo	r the thermometric titration using Process Analyzer 2035 METROHM	irom
Revision date: 11.05.2023	Product code: 30647	Page 9 of 10
Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C5	
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C5	
Limited quantity:	1L	
Excepted quantity:	E2	
· · · ·		
Marine transport (IMDG)	111 1004	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Segregation group:	alkalis	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: strongly corrosive.		
14.7. Maritime transport in bulk according t	o IMO instruments	



### Alkalized acetate solution for the thermometric titration using Process Analyzer 2035 from METROHM

Revision date: 11.05.2023

Product code: 30647

Page 10 of 10

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

S	ECTION 16: Other information	
	Water hazard class (D):	1 - slightly hazardous to water
	Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
	National regulatory information	
	Entry 3, Entry 75 Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
	Restrictions on use (REACH, annex XVII):	
	EU requiatory information	

### Changes

This data sheet contains changes from the previous version in section(s): 2,8,9,10.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Met. Corr Skin Corr Eye Dam

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

data sheet.)