

# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

UFI:

#### 6R0S-82UH-W00K-APK4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### **GB CLP Regulation**

Hazard components	s for labelling
nitric acid	
Signal word:	Danger

Pictograms:



# Hazard statements

H290

May be corrosive to metals.



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022	Product code: 31061	Page 2 of 11
H314	Causes severe skin burns and eye damage.	
Precautionary statemer	Its	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	ain mixtures	

Corrosive to the respiratory tract.

#### 2.3. Other hazards

EUH071

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
7697-37-2	nitric acid				
	231-714-2 007-030-00-3 01-2119487297-23				
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7697-37-2	231-714-2	nitric acid	5 - < 10 %	
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. Call a physician immediately.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 3 of 11

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated:

Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 4 of 11

#### Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. When using do not eat, drink, smoke, sniff. Handle and open container with care. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

# Hints on joint storage

### national regulations



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 5 of 11

#### Further information on storage conditions

Keep container tightly closed.

# 7.3. Specific end use(s)

Laboratory chemicals

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact	
Trade name/designation:	KCL 741 Dermatril® L
Recommended material:	NBR (Nitrile rubber) 0,11 mm
Wearing time with permane	ent contact: > 480 min

By short-term hand contact		
Trade name/designation:	KCL 741 Dermatril® L	
Recommended material:	NBR (Nitrile rubber) 0,1	1 mm
Wearing time with occasion	al contact (splashes):	> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 6 of 11

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point	nt and	No data available
boiling range:		
Flammability		
Solid/liquid:		No data available
Gas:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		<1
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		1 5
No data available		
Partition coefficient n-octanol/wa	ater:	No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,04 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to phy	sical hazard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		0
Solid content:		0 Na data availabla
Sublimation point:		No data available No data available
Softening point: Pour point:		No data available
No data available:		



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 7 of 11

Viscosity / dynamic: Flow time:

No data available No data available

# **Further Information**

Corrosive to metals.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals. Oxidising agent

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lve)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

# 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

**SECTION 5: Firefighting measures** 

### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

# Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route Dose Species Source Method						
7697-37-2	nitric acid	-		-			
	inhalation vapour	ATE 2,65 mg/l					

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema

see also Section 4



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Wullelement-Sta	andardiosung Saiz 2.1 4 Liemente in Saipeter	isaule J /0
Revision date: 18.10.2022	Product code: 31061	Page 8 of 11
Sensitising effects Based on available data, the class	ification criteria are not met.	
Carcinogenic/mutagenic/toxic effects Based on available data, the class	•	
STOT-single exposure Based on available data, the class	ification criteria are not met.	
STOT-repeated exposure Based on available data, the class	ification criteria are not met.	
Aspiration hazard Based on available data, the class	ification criteria are not met.	

# Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# Additional information on tests

There are no data available on the preparation/mixture itself.

# **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

# Other information

There are no data available on the preparation/mixture itself.

# Further information

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.



an analyti**chem** company

according to UK REACH Regulation

# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 9 of 11

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

### Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-



# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %				
Revision date: 18.10.2022	Product code:	: 31061	Page 10 of 11	
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	A212			
Limited quantity Passenger:	Forbidden			
Passenger LQ:	Forbidden			
Excepted quantity:	E0			
IATA-packing instructions - Passenger:		orbidden		
IATA-max. quantity - Passenger:		orbidden		
IATA-packing instructions - Cargo:	85			
IATA-max. quantity - Cargo:	30	) L		
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	ations/legislation specifi	ic for the substance or mixture		
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3				
National regulatory information				
	Obeem ve veetvietier - t-	energia energia de la constitución		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile			
Water hazard class (D):	work protection guideline' (94/33/EC). 1 - slightly hazardous to water			
. ,				

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



# Safety Data Sheet

according to UK REACH Regulation

# Multielement-Standardlösung "Salz 2.1" 4 Elemente in Salpetersäure 5 %

Revision date: 18.10.2022

Product code: 31061

Page 11 of 11

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)