

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

Revision date: 23.06.2020 Product code: 31129 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Industrial uses: Uses of substances as such or in preparations at industrial sites

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H290 May be corrosive to metals.

Precautionary statements

P234 Keep only in original packaging.

P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner.

Print date: 13.05.2022



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

Revision date: 23.06.2020 Product code: 31129 Page 2 of 6

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	EC No Index No REACH No		
	Classification (Regulation	Classification (Regulation (EC) No 1272/2008)		
1310-73-2	sodium hydroxide	sodium hydroxide		
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	ecific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	< 1 %
Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

Revision date: 23.06.2020 Product code: 31129 Page 3 of 6

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place.

Corrosive to metals.

7.3. Specific end use(s)

Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1310-73-2	1310-73-2 sodium hydroxide			
Worker DNEL, long-term inhalation local 1 mg/m³			1 mg/m³	
Consumer DNEL, long-term inhalation			local	1 mg/m³

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Print date: 13.05.2022



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

Revision date: 23.06.2020 Product code: 31129 Page 4 of 6

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Changes in the physical state

pH-Value: alkaline

Density: 1,1 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
1310-73-2	sodium hydroxide				
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h Ceriodaphnia sp.	Environmental	other: acute 48-h immobilization test ac

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung	Kaliumchlorid /	Na-EDTA /	Natronlauge
------------------	-----------------	-----------	-------------

Revision date: 23.06.2020 Product code: 31129 Page 5 of 6

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,3,4,5,6,7,8,9,10,11.

Print date: 13.05.2022



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolytlösung Kaliumchlorid / Na-EDTA / Natronlauge

Revision date: 23.06.2020 Product code: 31129 Page 6 of 6

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)