

## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

UFI:

QUGS-C2AD-T00P-RS4G

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls

### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## **GB CLP Regulation**

Signal		
Signal	word	
Junia	woru.	

Pictograms:



Warning

### Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022	Product code: 31237	Page 2 of 13		
Precautionary statemen	its			
P264	Wash hands thoroughly after handling.			
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.			
P302+P352	IF ON SKIN: Wash with plenty of water.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.			

P390 Absorb spillage to prevent material damage.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regula	tion)			
7697-37-2	nitric acid			1 - < 5 %	
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				
13446-34-9	Manganese(II) chloride tetrahydrate			< 1 %	
	231-869-6		01-2119934899-15		
	Acute Tox. 3, Eye Dam. 1, STO				
10022-31-8	bariumnitrat			< 1 %	
	233-020-5	056-002-00-7			
	Ox. Sol. 2, Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2; H272 H301 H332 H319				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= Corr. 1B; H314: >= 5 - < 20	
13446-34-9	231-869-6	Manganese(II) chloride tetrahydrate	< 1 %
	oral: LD50 = 2330 mg/kg		
10022-31-8	233-020-5	bariumnitrat	< 1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = > 50 - < 300 mg/kg		

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0.2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 3 of 13

## General information

No data available

## After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Irritant

Methaemoglobinaemia

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 4 of 13

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use.

When using do not eat, drink, smoke, sniff. Handle and open container with care. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 5 of 13

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## Hints on joint storage

national regulations

### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
13446-34-9	Manganese(II) chloride tetrahydrate			
Worker DNEL,	long-term	inhalation	systemic	0,2 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,004 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,043 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,002 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,15 mg/kg bw/day
10022-31-8	bariumnitrat			
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	8,141 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,67 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,07 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,58 mg/kg bw/day



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 6 of 13

### **PNEC** values

CAS No	Substance	
Environment	tal compartment	Value
13446-34-9	Manganese(II) chloride tetrahydrate	
Freshwater		0,013 mg/l
Freshwater (	(intermittent releases)	0,03 mg/l
Marine wate	r	0 mg/l
Freshwater s	sediment	0,011 mg/kg
Marine sediment		0,001 mg/kg
Micro-organisms in sewage treatment plants (STP)		20,4 mg/l
Soil		14,8 mg/kg
10022-31-8	bariumnitrat	
Freshwater		0,115 mg/l
Freshwater s	600 mg/kg	
Micro-organi	isms in sewage treatment plants (STP)	62,2 mg/l
Soil		207,7 mg/kg

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Wear eye/face protection.

### Hand protection


When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data





# Safety Data Sheet

according to UK REACH Regulation

IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

evision date: 14.07.2022	Product code	e: 31237	Page 7 of
	n those stated in EN374 please o	ing in or mixing with other substances and contact the supplier of CE-approved gloves	
Skin protection			
Wear suitable protective clothin Wash hands before breaks and	ng. Take off immediately all contained after work	aminated clothing.	
Respiratory protection	aller work.		
	ary at: aerosol or mist formation		
Environmental exposure controls	-		
Do not allow to enter into surfa			
ECTION 9: Physical and chemic	cal properties		
1. Information on basic physical a	nd chemical properties		
Physical state:	Liquid		
Colour:	colourless		
Odour:	odourless		
Odour threshold:	No data available		
Changes in the physical state			
Melting point/freezing point:		No data available	
Boiling point or initial boiling point a boiling range:	and	No data available	
Sublimation point:		No data available	
Softening point:		No data available	
Pour point:		No data available	
No data available:			
Flash point:		No data available	
Flammability			
Solid/liquid:		No data available	
Gas:		No data available	
Explosive properties No data available			
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Auto-ignition temperature:		No data available	
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Decomposition temperature:		No data available	
pH-Value:		<1	
Viscosity / dynamic:		No data available	
Viscosity / kinematic:		No data available	
Flow time:		No data available	
Water solubility:		completely miscible	
Solubility in other solvents No data available			
Partition coefficient n-octanol/wate	r.	No data available	



IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l					
Revision date: 14.07.2022	Product code: 31237	Page 8 of 13			
Vapour pressure:	No data available				
Vapour pressure:	No data available				
Density:	1,004 g/cm³				
Bulk density:	No data available				
Relative vapour density:	No data available				
9.2. Other information					
Information with regard to physical hazard classes	i				
Sustaining combustion:	No data available				
Oxidizing properties Oxidizing					
Other safety characteristics					
Solvent separation test:	No data available				
Solvent content:	0				
Solid content:	0				
Evaporation rate:	No data available				
Further Information					
Corrosive to metals.					

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 9 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65 r	ng/kg			
13446-34-9	9 Manganese(II) chloride tetrahydrate					
	oral	LD50 mg/kg	2330	Mouse	Indian Journal of Pharmacology, 23(3): 1	In all tests trace metal salts were diss
10022-31-8	bariumnitrat					
	oral	LD50 300 mg/kg	> 50 - <	Rat	Study report (2013)	OECD Guideline 423
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

### **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

### Other information

There are no data available on the preparation/mixture itself.

## Further information

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 10 of 13

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	
13446-34-9	Manganese(II) chloride te	etrahydrate						
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Salmo trutta	Federal aid Project #F-243, Colorado Div	A flow-through toxicity test using a mod	
	Acute algae toxicity	ErC50	61 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	9,8 mg/l	48 h	Daphnia magna	Journal of the Fisheries Research Board	The toxicity of manganese chloride to Da	
	Fish toxicity	NOEC mg/l	0,55	65 d	Salvelinus fontinalis	Federal aid project #F-243R-5, , Colorad	OECD Guideline 210	
	Crustacea toxicity	NOEC mg/l	0,02	14 d	other aquatic mollusc: Crassostrea gigas	Bull. Environ.Contam.T oxicol. 31, 344-35	The effects of up to eight elements, inc	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	
10022-31-8	bariumnitrat					•		
	Acute fish toxicity	LC50 mg/l	> 3,5	96 h	Danio rerio	Study report (2010)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 1,15	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h	Daphnia magna	Journal of the Fisheries Research Board	Not a guideline study but meets generall	
	Fish toxicity	NOEC mg/l	>= 100	33 d	Danio rerio	Study report (2014)	OECD Guideline 210	
	Crustacea toxicity	NOEC	2,9 mg/l	21 d	Daphnia magna	Journal of the Fisheries Research Board	The test did not exacty follow an existi	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

Product code: 31237

Page 11 of 13

BCF

CAS No	Chemical name	BCF	Species	Source
10022-31-8	bariumnitrat	68,4	Lepomis macrochirus	Archives of Environm

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

## Further information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III



IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l				
Revision date: 14.07.2022	Product code: 31237	Page 12 of 13		
Hazard label:	8			
Classification code:	C1			
Special Provisions:	274			
Limited quantity:	5 L			
Excepted quantity:	E1			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 3264			
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	223, 274			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 3264			
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
SECTION 15: Regulatory information				
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII) Entry 3, Entry 75				
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC).	enile		

Water hazard class (D):

## SECTION 16: Other information

## Changes

This data sheet contains changes from the previous version in section(s): 1,9.

1 - slightly hazardous to water



## IC-Multi-Standardlösung 9 Kationen je 1000 mg/l in Salpetersäure 0,2 mol/l

Revision date: 14.07.2022

#### Product code: 31237

Page 13 of 13

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs (brain) through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)