

Multielement-Standard	ösung "Alle Elemente 6" 10 Ele 9%	mente je 1000 mg/l in Salpetersä	iure
Revision date: 22.04.2024	Product code: 31457		Page 1 of 13
SECTION 1: Identification of the s	ubstance/mixture and of the comp	any/undertaking	
1.1. Product identifier Multielement-Standardlösung "A	lle Elemente 6" 10 Elemente je 1000 m	g/l in Salpetersäure 9%	
1.2. Relevant identified uses of the su	Ibstance or mixture and uses advised	against	
	ces as such or in preparations at indus n (administration, education, entertainn		
Uses advised against			
Do not use for private purposes	(household).		
1.3. Details of the supplier of the safe	ty data sheet		
Company name:	AnalytiChem GmbH ACD		
Street: Place:	Stempelstraße 6 D-47167 Duisburg		
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290	
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangero Exposure, or Accident Call CHEMTRI 1-800-424-9300 Outside USA and Ca accepted)	EC Day or Night Within USA and Canada	к.
Further Information This product is a mixture. REAC	H Registration Number see section 3.		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid ammonium trioxovanadate uranyl nitrate, hexahydrate thallium nitrate

Signal word: Danger



Multielement-S	Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure 9%					
Revision date: 22.04.2024	Product code: 31457	Page 2 of 13				
Pictograms:						
Hazard statements	•					
H290	May be corrosive to metals.					
H302+H332	Harmful if swallowed or if inhaled.					
H314	Causes severe skin burns and eye damage.					
Precautionary statemen	ts					
P260	Do not breathe dust/fume/gas/mist/vapours/spray.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P310	Immediately call a POISON CENTER/doctor.					
Special labelling of cert	ain mixtures					
EUH071	Corrosive to the respiratory tract.					

SECTION 3: Composition/information on ingredients

- 1 7

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC)	No 1272/2008)		
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute T	ox. 3, Skin Corr. 1A; H272 H	290 H331 H314 EUH071	
7803-55-6	ammonium trioxovanadate			< 1 %
	232-261-3			
	Repr. 2, Acute Tox. 3, Acute To H332 H319 H372 H411	x. 4, Eye Irrit. 2, STOT RE 1,	Aquatic Chronic 2; H361d H301	
13520-83-7	uranyl nitrate, hexahydrate	< 1 %		
	233-266-3	092-002-00-3		
	Acute Tox. 2, Acute Tox. 2, STO	TRE 2, Aquatic Chronic 2;	H330 H300 H373 H411	
10102-45-1	thallium nitrate	< 1 %		
	233-273-1	081-002-00-9		
	Acute Tox. 2, Acute Tox. 2, STO	TRE 2, Aquatic Chronic 2;	H330 H300 H373 H411	

Full text of H and EUH statements: see section 16.



Revision date: 22.04.2024

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

Product code: 31457

9%

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
7803-55-6	232-261-3	ammonium trioxovanadate	< 1 %
		E = 11 mg/l (vapours); inhalation: LC50 = 2,61 mg/l (dusts or mists); dermal: LD50 .g; oral: LD50 = 218,1 mg/kg	
13520-83-7	233-266-3	uranyl nitrate, hexahydrate	< 1 %
	inhalation: AT mg/kg	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 5	
10102-45-1	233-273-1	thallium nitrate	< 1 %
	inhalation: AT mg/kg	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 5	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure 9%

Revision date: 22.04.2024

Product code: 31457

Page 4 of 13

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9%

Page 5 of 13

Revision date: 22.04.2024

Product code: 31457

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Corrosive to metals.

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	



AnalytiChem GmbH

Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9%

Revision date: 22.04.2024

Product code: 31457

Page 6 of 13

DNEL/DMEL values

CAS No	Substance			_
DNEL type		Exposure route	Effect	Value
7803-55-6	ammonium trioxovanadate			
Worker DNEL	, long-term	inhalation	systemic	0,64 mg/m³
Worker DNEL	., long-term	inhalation	local	0,18 mg/m³
Worker DNEL	., acute	inhalation	local	0,92 mg/m³
Consumer DN	IEL, long-term	inhalation	systemic	0,18 mg/m³
Consumer D	NEL, long-term	inhalation	local	0,11 mg/m³
Consumer D	NEL, acute	inhalation	local	0,57 mg/m³
Consumer D	NEL, long-term	oral	systemic	0,18 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	0,92 mg/kg bw/day

PNEC values

CAS No	Substance			
Environment	tal compartment	Value		
7803-55-6	ammonium trioxovanadate			
Freshwater		0,0076 mg/l		
Freshwater (intermittent releases) 0,00693 mg/l				
Marine wate	r	0,0025 mg/l		
Freshwater sediment 2				
Marine sediment 79				
Secondary p	0,167 mg/kg			
Micro-organisms in sewage treatment plants (STP) 0,45 mg				
Soil 7,2 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye protection/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm





Revision date: 22.04.2024

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9% Product code: 31457

Page 7 of 13

Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and	cnemical properties	
Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and	Ł	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,03 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
No data available		

Sustaining combustion:

No data available



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure 9%				
Revision date: 22.04.2024	Product code: 31457	Page 8 of 13		
Self-ignition temperature				
Solid:	No data available			
Gas:	No data available			
Oxidizing properties				
No data available				
Other safety characteristics				
Evaporation rate:	No data available			
Solvent separation test:	No data available			
Solvent content:	0			
Solid content:	0			
Sublimation point:	No data available			
Softening point:	No data available			
Pour point:	No data available			
No data available:				
Viscosity / dynamic:	No data available			
Flow time:	No data available			
Further Information				

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

ATEmix calculated

ATE (oral) 1693 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9%

Revision date: 22.04.2024

Product code: 31457

Page 9 of 13

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7697-37-2	nitric acid								
	inhalation vapour	ATE 2,6	5 mg/l						
7803-55-6	ammonium trioxovanad	date							
	oral	LD50 mg/kg	218,1	Rat	Study report (1992)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2500	Rat	Study report (1992)	OECD Guideline 402			
	inhalation vapour	ATE	11 mg/l						
	inhalation (4 h) dust/mist	LC50	2,61 mg/l	Rat	Study report (1992)	OECD Guideline 403			
13520-83-7	uranyl nitrate, hexahydrate								
	oral	ATE	5 mg/kg						
	inhalation vapour	ATE	0,5 mg/l						
	inhalation dust/mist	ATE	0,05 mg/l						
10102-45-1	thallium nitrate								
	oral	ATE	5 mg/kg						
	inhalation vapour	ATE	0,5 mg/l						
	inhalation dust/mist	ATE	0,05 mg/l						

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Corrosive to the respiratory tract.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure 9%

Revision date: 22.04.2024

Product code: 31457

Page 10 of 13

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		
7803-55-6	ammonium trioxovanadate								
	Acute fish toxicity	LC50 mg/l	3,17	96 h	Gasterosteus aculeatus	Environmental Toxicology 20:18–22. (2005	EPA OPPTS 850.1075		
	Acute algae toxicity	ErC50 mg/l	2,907	72 h	Desmodesmus subspicatus	Study report (1999)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	1,52	48 h	Daphnia magna	Study report (1978)	48h mortality test with daphnids		
	Fish toxicity	NOEC mg/l	>= 0,48	28 d	Jordanella floridae	Water Research 13:905-910. (1979)	Different groups of fish were continuous		
	Crustacea toxicity	NOEC mg/l	1,344	23 d	Daphnia magna	Bulletin of Environmental Contamination	other: 84/449/EEC: given by the Commissi		
	Acute bacteria toxicity	EC50 mg/l()	> 100	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209		

12.3. Bioaccumulative potential

BCF

CAS No	Chemical name	BCF	Species	Source
7803-55-6	ammonium trioxovanadate	< 0,036	Lactuca sativa	Study report (2003)

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9%

Page 11 of 13

Revision date: 22.04.2024

Product code: 31457

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Lanu transport (ADR/RID)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	11	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
	-	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 2031	
	NITRIC ACID	
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	A212	
Limited quantity Passenger:	Forbidden	
Passenger LQ:	Forbidden	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:		Forbidden
IATA-max. quantity - Passenger:		Forbidden



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure 9%				
Revision date: 22.04.2024	Product code: 31457	Page 12 of 13		
IATA-packing instructions - Cargo:	855			
IATA-max. quantity - Cargo:	30 L			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 65, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.



Multielement-Standardlösung "Alle Elemente 6" 10 Elemente je 1000 mg/l in Salpetersäure

9% Product code: 31457

Page 13 of 13

H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

Revision date: 22.04.2024

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)